

Датчики тока CS, CTs EXT, Ext CS, Open CS, TA EXT NEUTRAL

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



**CS 100-400A 3P type B-
high prec
1SDA117337R1**



**CS 100-400A 4P type B -
high prec
1SDA117338R1**

Additional Information

Product Main Type:	Ekip UP+	Ekip UP+
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	Ekip UP+	Ekip UP+
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL



**CS 100-2000A 4P type A -
high prec
1SDA117334R1**



**CS 100-2000A 3P type A -
high prec
1SDA117333R1**

Additional Information

Product Main Type:	Ekip UP+	Ekip UP+
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	Ekip UP+	Ekip UP+
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL



**CS 400-1600A 4P type B -
high prec
1SDA117340R1**



**CS 400-1600A 3P type B -
high prec
1SDA117339R1**

Additional Information

Product Main Type:	Ekip UP+	Ekip UP+
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	Ekip UP+	Ekip UP+
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL



**CS 400-2500A 3P type B
shaped4
1SDA085561R1**



**CS 400-2500A 4P type B
shaped4
1SDA085562R1**

Additional Information

Product Main Type:	Accessories for Ekip UP	Accessories for Ekip UP
Product Name:	Accessory	Accessory
Product Type:	Digital Unit	Digital Unit
Suitable For:	CS 400-2500A 3P type B shaped	CS 400-2500A 4P type B shaped
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL



**CS 4000-6300A 4P +
Copper type A4
1SDA117050R1**



**CS 4000-6300A 3P +
Copper type A4
1SDA117049R1**

Additional Information

Product Main Type:	Ekip UP+	Ekip UP+
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	Ekip UP+	Ekip UP+
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL



CTs EXT 800A S6
8004
1SDA025778R1

CTs EXT 630A S6
6304
1SDA025777R1

Dimensions

Product Net Depth / Length:	0.25 m	0.25 m
Product Net Height:	110 mm	110 mm
Product Net Weight:	1.482 kg	1.474 kg
Product Net Width:	300 mm	300 mm

Container Information

Package Level 1 Depth / Length:	300 mm	300 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.482 kg	1.474 kg
Package Level 1 Height:	110 mm	110 mm
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S6	S6
Suitable for Product Class:	Isomax	Isomax

Technical

Device:	S6 800	S6 630
Number of Poles:	3P	3P



CTs EXT 1000A S7
1000
1SDA025779R1

CTs EXT 1600A S7
1600
1SDA025781R1

CTs EXT 1250A S7
1250
1SDA025780R1

Dimensions

Product Net Depth / Length:	0.25 m	0.25 m	0.25 m
Product Net Height:	110 mm	110 mm	110 mm
Product Net Weight:	1.471 kg	1.481 kg	1.49 kg
Product Net Width:	300 mm	300 mm	300 mm

Container Information

Package Level 1 Depth / Length:	300 mm	300 mm	300 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	1.471 kg	1.481 kg	1.49 kg
Package Level 1 Height:	110 mm	110 mm	110 mm
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	S7	S7	S7
Suitable for Product Class:	Isomax	Isomax	Isomax

Technical

Device:	S7 1250	S7 1600	S7 1250
Number of Poles:	3P	3P	3P



CURR.SENS.NE.EXT In=400..1600A
T7-T7M-X1
1SDA063159R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	225 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	4 kg
Package Level 1 Height:	185 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	125 mm

Additional Information

Product Main Type:	Accessories for Tmax T
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	T7, X1
Suitable for Product Class:	SACE Emax SACE Tmax T

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**TA NEUTRO
EXT 25A XT2
1SDA067212R1**

**TA NEUTRO
EXT 10A XT2
1SDA067211R1**

**TA NEUTRO
EXT 100A XT2
1SDA069143R1**

**TA NEUTRO
EXT 63A XT2
1SDA069142R1**

Dimensions

Product Net Weight:	0.4 kg	0.4 kg	0.6 kg	0.6 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	130 mm	130 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.5 kg	0.5 kg	0.7 kg	0.7 kg
Package Level 1 Height:	60 mm	60 mm	80 mm	80 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489



TA NEUTRO EXT
160A XT24
1SDA069144R1

TA EXT NEUTRAL
60A XT24
1SDA081983R1

TA EXT NEUTRAL
125A XT24
1SDA081984R1

Dimensions

Product Net Weight:	0.6 kg	0.4 kg	0.4 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	130 mm	130 mm
Package Level 1 Gross Weight:	0.7 kg	0.5 kg	0.5 kg
Package Level 1 Height:	80 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece
Remarks:	N/A	ATLAS	ATLAS
Standards:	IEC60947-2	UL489	UL489



TA NEUTRO EXT
100A XT44
1SDA066977R1



TA NEUTRO EXT
250A XT44
1SDA066979R1

TA NEUTRO EXT
40A XT44
1SDA066975R1

Dimensions

Product Net Weight:	0.4 kg	0.2 kg	0.4 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Gross Weight:	0.5 kg	0.3 kg	0.5 kg
Package Level 1 Height:	60 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489

TA NEUTRO EXT
160A XT44
1SDA066978R1

TA NEUTRO EXT
63A XT44
1SDA066976R1

Dimensions

Product Net Weight:	0.4 kg	0.4 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	130 mm	130 mm
Package Level 1 Gross Weight:	0.5 kg	0.5 kg
Package Level 1 Height:	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



EXT CS + V N
XT2 EKIP4
TOUCH In ≤
63A IEC4
1SDA107398R1

EXT CS + V N
XT2 EKIP4
TOUCH In ≥
100A UL4
1SDA107407R1

EXT CS + V N
XT2 EKIP4
TOUCH In ≤
60A UL4
1SDA107406R1

EXT CS + V N
XT2 EKIP4
TOUCH
In≥100A IEC4
1SDA107399R1

Dimensions

Product Net Weight:	0.098 kg	0.098 kg	0.098 kg	0.098 kg
---------------------	----------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm	140 mm	140 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.103 kg	0.103 kg	0.103 kg	0.103 kg
Package Level 1 Height:	60 mm	60 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or Configurable	Loose or Configurable	Loose or Configurable	Loose or Configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	UL489	UL489	IEC60947-2



**EXT CS + V N XT4
EKIP4TOUCH IEC4
1SDA107400R1**

**EXT CS + V N XT4
EKIP4TOUCH UL4
1SDA107408R1**

**EXT CS + V N XT5
EKIP4TOUCH IEC4
1SDA107401R1**

Dimensions

Product Net Weight:	0.098 kg	0.098 kg	0.098 kg
---------------------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm	140 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.103 kg	0.103 kg	0.103 kg
Package Level 1 Height:	60 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tamx XT

Technical

Configuration Type:	Loose or Configurable	Loose or Configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece
Standards:	IEC60947-2	UL489	IEC60947-2

EXT CS + V N XT5 EKIP

TOUCH UL

1SDA107409R1

KIT Ext NE CS+V

XT2-XT4 F/P

1SDA115577R1

Dimensions

Product Net Weight:	0.098 kg	1.3 kg
---------------------	----------	--------

Container Information

Package Level 1 Depth / Length:	140 mm	190 mm
Package Level 1 Gross Weight:	0.103 kg	1.4 kg
Package Level 1 Height:	60 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	120 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	N/A
Suitable for Product Class:	SACE Tamx XT	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A
Standards:	UL489	IEC60947-2



**Ext CS N 1.2 -
E2.2 2000A4for
1% CB*4
1SDA107553R1**



**Ext CS N E1.2 -
E2.2 UL for41%
CB*
1SDA107558R1**



**Ext CS N E1.2 -
E2.24XT7/
XT7M UL
NoCopp4
1SDA116727R1**



**Ext CS N E1.2 -
E2.24XT7/
XT7M UL
NoTerm4
1SDA116723R1**

Dimensions

Product Net Weight:	4.1 kg	4.1 kg	N/A	N/A
---------------------	--------	--------	-----	-----

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	N/A	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	5 kg	5 kg	N/A	N/A
Package Level 1 Height:	185 mm	185 mm	N/A	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	N/A	N/A
Package Level 1 Width:	125 mm	125 mm	N/A	N/A

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E2.2	E1.2;E2.2	N/A	N/A
Suitable for Product Class:	Emax 2	Emax 2	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	N/A	N/A
Current Type:	N/A	N/A	AC	AC
Remarks:	N/A	N/A	ReliaGear LV SG	ReliaGear LV SG
Standards:	N/A	N/A	UL	UL



**EXT CS N E1.2-
E2.2-XT7-XT7M
2000A4
1SDA073736R1**



**Ext CS N E1.2
- E2.24XT7/
XT7M UL4
1SDA082134
R1**



**Ext CS N E1.2 -
E2.24XT7/
XT7M UL
NoTerm4
1SDA116723R1**

**Ext CS N E1.2 -
E2.24XT7/
XT7M UL
NoCopp4
1SDA116727R1**

Dimensions

Product Net Depth / Length:	225 mm	225 mm	N/A	N/A
Product Net Height:	185 mm	185 mm	N/A	N/A
Product Net Weight:	4.1 kg	4.1 kg	N/A	N/A
Product Net Width:	125 mm	125 mm	N/A	N/A

Container Information


Package Level 1 Depth / Length:	225 mm	225 mm	N/A	N/A
Package Level 1 EAN:	8015644776695	8015644887025	N/A	N/A
Package Level 1 Gross Weight:	5 kg	5 kg	N/A	N/A
Package Level 1 Height:	185 mm	185 mm	N/A	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	N/A	N/A
Package Level 1 Width:	125 mm	125 mm	N/A	N/A

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	ACC	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2	E1.2, XT7-XT7M	N/A	N/A
Suitable for Product Class:	ACE Tmax XT, SACE Emax 2	SACE Emax 2, SACE Tamx XT	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	N/A	N/A
Current Type:	N/A	N/A	AC	AC
Order Multiple:	1 piece	1 piece	N/A	N/A
Remarks:	N/A	ATLAS	ReliaGear LV SG	ReliaGear LV SG
Standards:	IEC	UL	UL	UL



EXT CS N E2.2
2500A4
1SDA073737R1

Dimensions

Product Net Weight:	4.1 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	225 mm
Package Level 1 Gross Weight:	5 kg
Package Level 1 Height:	185 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E2.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**EXT CS E4.2
4000A - E6.24N
50%
1SDA073739R1**



**Ext CS N E4.2 -
E6.2 50%UL
NoTerm4
1SDA116724R1**

**Ext CS N E4.2 -
E6.2 50%UL
NoCopp4
1SDA116728R1**

**Ext CS N E4.2
4000A - E6.24N
50% for 1% CB*4
1SDA107556R1**

Dimensions

Product Net Weight:	5 kg	N/A	N/A	5 kg
---------------------	------	-----	-----	------

Container Information

Package Level 1 Depth / Length:	225 mm	N/A	N/A	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	5.66 kg	N/A	N/A	5.66 kg
Package Level 1 Height:	185 mm	N/A	N/A	185 mm
Package Level 1 Units:	box 1 piece	N/A	N/A	box 1 piece
Package Level 1 Width:	125 mm	N/A	N/A	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E4.2, E6.2	N/A	N/A	E4.2
Suitable for Product Class:	SACE Emax 2	N/A	N/A	Emax 2

Technical

Configuration Type:	Loose or configurable	N/A	N/A	Loose or configurable
Current Type:	N/A	AC	AC	N/A
Remarks:	N/A	ReliaGear LV SG	ReliaGear LV SG	N/A
Standards:	IEC	UL	UL	N/A



**Ext CS N E4.2 -
E6.2 50%UL
NoCopp
1SDA116728R1**



**Ext CS N E4.2 -
E6.2 50%UL 1%
NoCopp
1SDA116730R1**



**Ext CS N E4.2 -
E6.2 50%UL 1%
NoTerm
1SDA116726R1**



**Ext CS N E4.2 -
E6.2 50%UL for
1% CB*
1SDA107559R1**

Dimensions

Product Net Weight:	N/A	N/A	N/A	8 kg
---------------------	-----	-----	-----	------

Container Information

Package Level 1 Depth / Length:	N/A	N/A	N/A	225 mm
Package Level 1 EAN:	N/A	N/A	N/A	
Package Level 1 Gross Weight:	N/A	N/A	N/A	8.56 kg
Package Level 1 Height:	N/A	N/A	N/A	185 mm
Package Level 1 Units:	N/A	N/A	N/A	box 1 piece
Package Level 1 Width:	N/A	N/A	N/A	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	N/A	N/A	N/A	E4.2;E6.2
Suitable for Product Class:	N/A	N/A	N/A	Emax 2

Technical

Configuration Type:	N/A	N/A	N/A	Loose or configurable
Current Type:	AC	AC	AC	N/A
Remarks:	ReliaGear LV SG	ReliaGear LV SG	ReliaGear LV SG	N/A
Standards:	UL	UL	UL	N/A



Copper for Ext CS N E6.2
100%UL4
1SDA116733R1

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory

Technical

Current Type:	AC
Remarks:	ReliaGear LV SG
Standards:	UL



EXT CS + V N
XT2 EKIP4
TOUCH
In≥100A IEC4
1SDA107399R1

EXT CS + V N
XT2 EKIP4
TOUCH In ≤
60A UL4
1SDA107406R1

EXT CS + V N
XT2 EKIP4
TOUCH In ≥
100A UL4
1SDA107407R1

EXT CS + V N
XT2 EKIP4
TOUCH In ≤
63A IEC4
1SDA107398R1

Dimensions

Product Net Weight:	0.098 kg	0.098 kg	0.098 kg	0.098 kg
----------------------------	----------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm	140 mm	140 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.103 kg	0.103 kg	0.103 kg	0.103 kg
Package Level 1 Height:	60 mm	60 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or Configurable	Loose or Configurable	Loose or Configurable	Loose or Configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	UL489	UL489	IEC60947-2

EXT CT N XT5
250 A EKIP4DIP
IEC/UL4
1SDA101966R1

EXT CT N XT5
320 A EKIP4DIP
IEC
1SDA105153R1

EXT CT N XT5
300 A EKIP4DIP
UL
1SDA105152R1

EXT CT N XT5
400 A EKIP4DIP
IEC/UL4
1SDA105154R1

Dimensions

Product Net Weight:	1.3 kg	0.1 kg	0.1 kg	0.1 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	0.1 kg	0.1 kg	0.1 kg
Package Level 1 Height:	160 mm	10 mm	10 mm	10 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	145 mm	145 mm	145 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2	UL489	IEC60947-2 UL489

	EXT CT N XT5 630 A EKIP4DIP IEC 1SDA105156R1	EXT CT N XT5 600 A EKIP4DIP UL 1SDA105155R1	EXT CT N XT6 630 A EKIP4DIP IEC 1SDA107672R1	EXT CT N XT6 600 A EKIP4DIP UL 1SDA107671R1
--	---	--	---	--

Dimensions

Product Net Weight:	0.1 kg	0.1 kg	0.1 kg	0.1 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.1 kg	0.1 kg	0.1 kg	0.1 kg
Package Level 1 Height:	10 mm	10 mm	10 mm	10 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	145 mm	145 mm	145 mm	145 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT6	XT6
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	UL489	IEC60947-2	UL489

EXT CT N XT6 800 A EKIP

DIP IEC/UL4

1SDA105158R1

EXT CT N XT6 1000 A

EKIP DIP IEC4

1SDA105159R1

Dimensions

Product Net Weight:	0.1 kg	0.1 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
---------------------------------	--------	--------

Package Level 1 Gross Weight:	0.1 kg	0.1 kg
Package Level 1 Height:	10 mm	10 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	145 mm	145 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2



**Open CS 3P
type C1004**
1SDA085566R1



**Open CS 3P
type C 1204**
1SDA083372R1



**Open CS 3P
type C 2004**
1SDA085565R1



**Open CS 3P
type C 2904**
1SDA107696R1

Dimensions

Product Net Weight:	0.65 kg	0.75 kg	0.23 kg	1.26 kg
----------------------------	---------	---------	---------	---------

Container Information

Package Level 1 EAN:				
Package Level 1 Units:	1 set	1 set	1 set	1 bag

Additional Information

Product Main Type:	Accessories for Ekip UP	Accessories for Ekip UP	Accessories for Ekip UP	Ekip UP
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Digital Unit	Digital Unit	Digital Unit	Digital Unit
Suitable For:	Open CS 3P type C 100	Open CS 3P type C 120	Open CS 3P type C 200	Open CS 3P type C 290
Suitable for Product Class:	Ekip UP	Ekip UP	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL	IEC UL	IEC UL



**Open CS 4P
type C 1004**
1SDA085564R1



**Open CS 4P
type C 2004**
1SDA085563R1



**Open CS 4P
type C 1204**
1SDA083373R1



**Open CS 4P
type C 2904**
1SDA107695R1

Dimensions

Product Net Weight:	0.8 kg	1.4 kg	0.92 kg	1.68 kg
---------------------	--------	--------	---------	---------

Container Information

Package Level 1 EAN:				
Package Level 1 Units:	1 set	1 set	1 set	1 bag

Additional Information

Product Main Type:	Accessories for Ekip UP	Accessories for Ekip UP		Ekip UP
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Digital Unit	Digital Unit	Digital Unit	Digital Unit
Suitable For:	Open CS 4P type C 100	Open CS 4P type C 200	Open CS 4P type C 120	Open CS 4P type C 290
Suitable for Product Class:	Ekip UP	Ekip UP	Ekip UP	Ekip UP Accessories for Ekip UP

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC UL	IEC UL	IEC UL	IEC UL



**TA EXT NEUTRAL
60A XT24
1SDA081983R1**



**TA EXT NEUTRAL
60A XT44
1SDA081985R1**



**TA EXT NEUTRAL
125A XT24
1SDA081984R1**

**TA EXT
NEUTRAL 150A4
XT4
1SDA081986R1**

Dimensions

Product Net Weight:	0.4 kg	0.4 kg	0.4 kg	0.4 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	130 mm	130 mm	130 mm	130 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.5 kg	0.5 kg	0.5 kg	0.5 kg
Package Level 1 Height:	60 mm	60 mm	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Remarks:	ATLAS	ATLAS	ATLAS	ATLAS
Standards:	UL489	UL489	UL489	UL489

TA EXT
NEUTRAL 225A
XT4
1SDA081987R1

TA EXT NEUTRAL
320A T5
1SDA055056R1

TA EXT NEUTRAL
320A T4 320
1SDA055055R1

TA EXT NEUTRAL
400A T5
1SDA055057R1

Dimensions

Product Net Weight:	0.4 kg	0.6 kg	0.6 kg	0.6 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	130 mm	20 mm	20 mm	20 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.5 kg	0.7 kg	0.7 kg	0.7 kg
Package Level 1 Height:	60 mm	8 mm	8 mm	8 mm
Package Level 1 Units:	box 1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	110 mm	20 mm	20 mm	20 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	T5	T4	T5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A	N/A	N/A
Remarks:	ATLAS	N/A	N/A	N/A
Standards:	UL489	IEC	IEC	IEC

TA EXT NEUTRAL
630A T64
1SDA060430R1

TA EXT
NEUTRAL 1000A4
T6
1SDA060610R1

TA EXT NEUTRAL
800A T64
1SDA060431R1

TA EXT NEUTRAL
630A T54630
1SDA055058R1

Dimensions

Product Net Weight:	1 kg	1 kg	1.4 kg	0.6 kg
---------------------	------	------	--------	--------

Container Information

Package Level 1 Depth / Length:	25 mm	25 mm	25 mm	20 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.5 kg	0.7 kg
Package Level 1 Height:	11 mm	11 mm	11 mm	8 mm
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	30 mm	30 mm	30 mm	20 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T6	T6	T6	T5
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC	IEC

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>