

# Автоматические выключатели E1B-A/MS

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ahk@nt-rt.ru](mailto:ahk@nt-rt.ru) || сайт: <https://abbswitch.nt-rt.ru>

PRODUCT-DETAILS

# E1B-A/MS 1200 3p F HR new

# E1B-A/MS 1200 3p F HR new



---

## General Information

Extended Product Type	E1B-A/MS 1200 3p F HR new
Product ID	1SDA061363R1
EAN	8015644632038
Catalog Description	E1B-A/MS 1200 3p F HR new
Long Description	SACE EMAX C.BREAKER SWITCH-DISCONNECTOR E1B-A/MS 800A UL THREE-POLE FIXED WITH TERMINALES REAR HORIZONTAL NEW

---

## Circular Value

Conflict Minerals Reporting Template (CMRT)	Document availability on demand
---	---------------------------------

---

## Environmental

Environmental Information	9AKK10103A6076
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---

## Ordering

---

EAN	8015644632038
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

---

---

## Dimensions

---

Product Net Width	296 mm
Product Net Height	418 mm
Product Net Depth / Length	302 mm
Product Net Weight	40 kg

---

---

## Container Information

---

Package Level 1 EAN	8015644609139
---------------------	---------------

---

---

## Additional Information

---

Current Type	AC
Number of Poles	3
Power Loss	at Rated Operating Conditions per Pole 138 W
Product Main Type	SACE Emax
Product Name	Switch-disconnector
Product Type	SD
Rated Current ( $I_n$ )	1200 A
Rated Voltage ( $U_r$ )	600 V
Rated Operational Current ( $I_e$ )	1200 A
Rated Uninterrupted Current ( $I_u$ )	1200 A
Short-Circuit Performance Level	B
Standards	UL 1066
Sub-type	E1
Terminal Connection Type	Fixed Circuit-Breakers Rear flat Horizontal
Version	F

---

---

## Certificates and Declarations

---

Data Sheet, Technical Information	1SDC200008D0202
Declaration of Conformity - CE	1SDL000165R0013
Instructions and Manuals	1SDH000532R0002

---

---

## Classifications

---

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

---

---

PRODUCT-DETAILS

# E1B-A/MS 1200 3p W MP new

## E1B-A/MS 1200 3p W MP new



---

### General Information

Extended Product Type	E1B-A/MS 1200 3p W MP new
Product ID	1SDA061365R1
EAN	8015644632052
Catalog Description	E1B-A/MS 1200 3p W MP new
Long Description	SACE EMAX MOVING PART FOR C.BREAKER SWITCH-DISCONNECTOR E1B-A/MS 800A UL THREE-POLE NEW

---

### Circular Value

Conflict Minerals Reporting Template (CMRT)	Document availability on demand
---	---------------------------------

---

### Environmental

Environmental Information	9AKK10103A6076
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---

## Ordering

---

EAN	8015644632052
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

---

---

## Dimensions

---

Product Net Width	324 mm
Product Net Height	461 mm
Product Net Depth / Length	396.5 mm
Product Net Weight	44 kg

---

---

## Container Information

---

Package Level 1 EAN	8015644609139
---------------------	---------------

---

---

## Additional Information

---

Current Type	AC
Number of Poles	3
Power Loss	at Rated Operating Conditions per Pole 138 W
Product Main Type	SACE Emax
Product Name	Air Circuit Breaker
Product Type	SD
Rated Current ( $I_n$ )	1200 A
Rated Voltage ( $U_r$ )	600 V
Rated Operational Current ( $I_e$ )	1200 A
Rated Uninterrupted Current ( $I_u$ )	1200 A
Short-Circuit Performance Level	B
Standards	UL 1066
Sub-type	E1
Terminal Connection Type	Withdrawable Circuit-Breakers
Version	W

---

---

## Certificates and Declarations

---

Data Sheet, Technical Information	1SDC200008D0202
Declaration of Conformity - CE	1SDL000165R0013
Instructions and Manuals	1SDH000532R0002

---

---

## Classifications

---

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

---

---

PRODUCT-DETAILS

E1B-A/MS 800 3p F HR new

E1B-A/MS 800 3p F HR new



---

### General Information

Extended Product Type	E1B-A/MS 800 3p F HR new
Product ID	1SDA061367R1
EAN	8015644632076
Catalog Description	E1B-A/MS 800 3p F HR new
Long Description	SACE EMAX C.BREAKER SWITCH-DISCONNECTOR E1B-A/MS 800A UL THREE-POLE FIXED WITH TERMINALES REAR HORIZONTAL NEW

---

### Circular Value

Conflict Minerals Reporting Template (CMRT)	Document availability on demand
---	---------------------------------

---

### Environmental

Environmental Information	9AKK10103A6076
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---

### Ordering

---

EAN	8015644632076
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

### Dimensions

Product Net Width	296 mm
Product Net Height	418 mm
Product Net Depth / Length	302 mm
Product Net Weight	40 kg

### Container Information

Package Level 1 EAN	8015644609139
---------------------	---------------

### Additional Information

Current Type	AC
Number of Poles	3
Power Loss	at Rated Operating Conditions per Pole 65 W
Product Main Type	SACE Emax
Product Name	Switch-disconnector
Product Type	SD
Rated Current ( $I_n$ )	800 A
Rated Voltage ( $U_r$ )	600 V
Rated Operational Current ( $I_e$ )	800 A
Rated Uninterrupted Current ( $I_u$ )	800 A
Short-Circuit Performance Level	B
Standards	UL 1066
Sub-type	E1
Terminal Connection Type	Fixed Circuit-Breakers Rear flat Horizontal
Version	F

### Certificates and Declarations

Data Sheet, Technical Information	1SDC200008D0202
Declaration of Conformity - CE	1SDL000165R0013
Instructions and Manuals	1SDH000532R0002

### Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

---

PRODUCT-DETAILS

# E1B-A/MS 800 3p W MP new

## E1B-A/MS 800 3p W MP new



---

### General Information

Extended Product Type	E1B-A/MS 800 3p W MP new
Product ID	1SDA061369R1
EAN	8015644632090
Catalog Description	E1B-A/MS 800 3p W MP new
Long Description	SACE EMAX MOVING PART FOR C.BREAKER SWITCH-DISCONNECTOR E1B-A/MS 800A UL THREE-POLE NEW

---

### Circular Value

Conflict Minerals Reporting Template (CMRT)	Document availability on demand
---	---------------------------------

---

### Environmental

Environmental Information	9AKK10103A6076
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---

### Ordering

---

EAN	8015644632090
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

## Dimensions

Product Net Width	324 mm
Product Net Height	461 mm
Product Net Depth / Length	396.5 mm
Product Net Weight	44 kg

## Container Information

Package Level 1 EAN	8015644609139
---------------------	---------------

## Additional Information

Current Type	AC
Number of Poles	3
Power Loss	at Rated Operating Conditions per Pole 65 W
Product Main Type	SACE Emax
Product Name	Air Circuit Breaker
Product Type	SD
Rated Current ( $I_n$ )	800 A
Rated Voltage ( $U_r$ )	600 V
Rated Operational Current ( $I_e$ )	800 A
Rated Uninterrupted Current ( $I_u$ )	800 A
Short-Circuit Performance Level	B
Standards	UL 1066
Sub-type	E1
Terminal Connection Type	Withdrawable Circuit-Breakers
Version	W

## Certificates and Declarations

Data Sheet, Technical Information	1SDC200008D0202
Declaration of Conformity - CE	1SDL000165R0013
Instructions and Manuals	1SDH000532R0002

## Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ahk@nt-rt.ru](mailto:ahk@nt-rt.ru) || сайт: <https://abbswitch.nt-rt.ru>