

Модули связи и коммутации ЕКІР

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



Cellular antenna E-Hub 2.0

Dimensions

Product Net Depth / Length:	171 mm
Product Net Height:	14 mm
Product Net Weight:	0.250 kg
Product Net Width:	38 mm

Ordering

E-Number (Norway):	4381730
E-Number (Sweden):	900290
EAN:	
Package Level 1 Gross Weight:	0.300 kg
Package Level 1 Units:	box 1 piece



EKIP 2K-2
E1.2..E6.2-Tmax
XT



EKIP 2K-1
E1.2..E6.2-Tmax
XT



RELT-Ekip 2K-3
E1.2..E6.2-Tmax
XT

Dimensions

Product Net Depth / Length:	200 mm	200 mm	200 mm
Product Net Height:	50 mm	50 mm	50 mm
Product Net Weight:	0.2 kg	0.05 kg	0.2 kg
Product Net Width:	200 mm	200 mm	200 mm

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	0.06 kg	0.3 kg
Package Level 1 Height:	50 mm	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece
Standards:	IEC	IEC	IEC



Ekip Cartridge 4 slots
XT2-XT4-XT5



Ekip Cartridge 2 slots
XT2-XT4-XT5

Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2, XT4, XT5	XT2, XT4, XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2

**KIT EKIP COM + DISPLAY
XT2-XT4 W UL**

**KIT EKIP COM + DISPLAY
XT2-XT4 F/P UL**

Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2-XT4	XT2-XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	W	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece

EKIP COM ACTUATOR
E1.2..E6.2-XT7-XT7M

Dimensions

Product Net Depth / Length:	200 mm
Product Net Height:	30 mm
Product Net Weight:	0.2 kg
Product Net Width:	150 mm

Container Information

Package Level 1 Depth / Length:	200 mm
Package Level 1 Gross Weight:	0.3 kg
Package Level 1 Height:	30 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC



EKIP COM
DEVICENET Tmax XT



EKIP COM DEVICENET
E1.2..E6.2

Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2, XT4, XT5, XT7, XT7M	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A
Standards:	IEC60947-2	IEC



**EKIP COM
ETHERNET/IP4
E1.2..E6.2**



**EKIP COM
ETHERNET/IP4
XT2-XT4 INT**



**EKIP COM
ETHERNET/IP4
XT5 INT**



**EKIP COM
ETHERNET/IP4
Tmax XT**

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT2, XT4	XT5	XT2, XT4, XT5, XT7, XT7M
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT	SACE Tamx XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or Configurable	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece	1 piece	1 piece
Standards:	IEC	IEC60947-2	IEC60947-2	IEC60947-2

EKIP COM GPRS-M
E1.2...E6.2

Dimensions

Product Net Depth / Length:	300 mm
Product Net Height:	250 mm
Product Net Weight:	1 kg
Product Net Width:	250 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



Ekip Com
Hub Tmax XT



EKIP COM
HUB XT5 INT



EKIP COM HUB
XT2-XT44INT



Ekip Com Hub
E1.2..E6.2

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2, XT4, XT5, XT7, XT7M	XT5	XT2, XT4	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT	SACE Tamx XT	SACE Tmax XT	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or Configurable	N/A
Order Multiple:	1 piece	1 piece	1 piece	N/A
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC



**Ekip Com
IEC618504
E1.2..E6.2**



**EKIP COM
IEC61850 XT2-
XT4 INT**



**EKIP COM
IEC61850 XT54
INT**



**EKIP COM
IEC618504
Tmax XT**

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT2, XT4	XT5	XT2, XT4, XT5, XT7, XT7M
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT	SACE Tamx XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or Configurable	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece	1 piece	1 piece
Standards:	IEC	IEC60947-2	IEC60947-2	IEC60947-2



**EKIP COM
MODBUS
RS-485
E1.2..E6.2**



**EKIP COM
MODBUS
RS-485 XT5
INT F/P**



**EKIP COM
MODBUS
RS-485 XT5
INT W**



**EKIP COM
MODBUS
RS-485 Tmax
XT**

Dimensions

Product Net Weight:	0.097 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	----------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	104 mm	200 mm	200 mm	200 mm
Package Level 1 Gross Weight:	0.102 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	57 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	135 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT5	XT5	XT2, XT4, XT5, XT7, XT7M
Suitable for Product Class:	SACE Emax 2	SACE Tamx XT	SACE Tamx XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece	1 piece	1 piece
Standards:	IEC	IEC60947-2	IEC60947-2	IEC60947-2



EKIP COM MODBUS TCP4 E1.2..E6.2

EKIP COM MODBUS TCP4 Tmax XT

EKIP COM MODBUS TCP4 XT2-XT4 INT

EKIP COM MODBUS TCP4 XT5 INT

Dimensions

Product Net Weight:	0.101 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	----------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	104 mm	200 mm	200 mm	200 mm
Package Level 1 Gross Weight:	0.106 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	57 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	134 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT2, XT4, XT5, XT7, XT7M	XT2, XT4	XT5
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT	SACE Tmax XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or Configurable	Loose or configurable
Order Multiple:	N/A	1 piece	1 piece	1 piece
Standards:	IEC	IEC60947-2	IEC60947-2	IEC60947-2



**EKIP COM PROFIBUS
E1.2..E6.2**



**EKIP COM PROFIBUS
Tmax XT**

Dimensions

Product Net Weight:	0.1 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.12 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT2, XT4, XT5, XT7, XT7M
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece
Standards:	IEC	IEC60947-2



**EKIP COM
PROFINET4
Tmax XT**

**EKIP COM
PROFINET XT54
INT**

**EKIP COM
PROFINET4
XT2-XT4 INT**

**EKIP COM
PROFINET4
E1.2..E6.2**

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2, XT4, XT5, XT7, XT7M	XT5	XT2, XT4	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT	SACE Tamx XT	SACE Tmax XT	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or Configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	N/A
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC



EKIP COM R ETHERNET/
IP Tmax XT



EKIP COM R ETHERNET/
IP E1.2..E6.2

Dimensions

Product Net Weight:	0.098 kg	0.2 kg
---------------------	----------	--------

Container Information

Package Level 1 Depth / Length:	140 mm	200 mm
Package Level 1 Gross Weight:	0.103 kg	0.3 kg
Package Level 1 Height:	60 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2, XT4, XT5, XT7, XT7M	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A
Standards:	IEC60947-2	IEC



Ekip Com R IEC61850
E1.2..E6.2



Ekip Com R IEC61850
Tmax XT

Dimensions

Product Net Weight:	0.2 kg	0.098 kg
---------------------	--------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	140 mm
Package Level 1 Gross Weight:	0.3 kg	0.103 kg
Package Level 1 Height:	30 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	110 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT2, XT4, XT5, XT7, XT7M
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece
Standards:	IEC	IEC60947-2



**EKIP COM R
MODBUS TCP4R
Tmax XT**



**EKIP COM R
MODBUS TCP4R
E1.2...E6.2**



**EKIP COM R
MODBUS RS-485
E1.2..E6.2-XT**

Dimensions

Product Net Depth / Length:	N/A	N/A	200 mm
Product Net Height:	N/A	N/A	30 mm
Product Net Weight:	0.098 kg	0.2 kg	0.2 kg
Product Net Width:	N/A	N/A	150 mm

Container Information

Package Level 1 Depth / Length:	140 mm	200 mm	200 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.103 kg	0.3 kg	0.3 kg
Package Level 1 Height:	60 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT2, XT4, XT5, XT7, XT7M	E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT	SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A	1 piece
Standards:	IEC60947-2	IEC	IEC



**EKIP COM PROFIBUS
E1.2..E6.2**



**EKIP COM R PROFIBUS
E1.2..E6.2-Tmax XT**

Dimensions

Product Net Depth / Length:	N/A	200 mm
Product Net Height:	N/A	30 mm
Product Net Weight:	0.1 kg	0.2 kg
Product Net Width:	N/A	150 mm

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.12 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece
Standards:	IEC	IEC



**EKIP COM STA
MODBUS4RS-485
XT5 INT W**

**EKIP COM STA
MODBUS4RS-485
XT5 INT F/P**

**EKIP COM STA
MODBUS4RS-485
XT2-XT4 INT W**

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT2, XT4
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or Configurable
Order Multiple:	1 piece	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2	IEC60947-2



EKIP COM STA
MODBUS4TCP
XT2-XT4 INT
F/P



EKIP COM STA
MODBUS4TCP
XT2-XT4 INT W



EKIP COM STA
MODBUS4TCP
XT5 INT F/P



EKIP COM STA
MODBUS4TCP
XT5 INT W

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2, XT4	XT2, XT4	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



EKIP COM x LSI-LSIG-M/
LRIU XT2-XT44F/P



EKIP COM x LSI-LSIG-M/
LRIU XT2-XT44W

Dimensions

Product Net Weight:	0.079 kg	0.2 kg
---------------------	----------	--------

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.083 kg	0.3 kg
Package Level 1 Height:	60 mm	60 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2, XT4	XT2, XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC UL	IEC UL



Ekip Control Panel for
10 circuit-breakers



Ekip Control panel for
30 circuit-breakers

Dimensions

Product Net Depth / Length:	300 mm	300 mm
Product Net Height:	250 mm	250 mm
Product Net Weight:	0 kg	0 kg
Product Net Width:	250 mm	250 mm

Container Information

Package Level 1 Depth / Length:	0 mm	0 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0 kg	0 kg
Package Level 1 Height:	0 mm	0 mm
Package Level 1 Units:	2 piece	3 piece
Package Level 1 Width:	0 mm	0 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Software	Software
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Screen Size:	15 in	15 in
Standards:	IEC	IEC



EKIP LINK
XT5 INT



EKIP LINK
Tmax XT



EKIP LINK
XT2-XT4 INT

EKIP LINK
E1.2..E6.2

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	1 kg
---------------------	--------	--------	--------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT2, XT4, XT5, XT7, XT7M	XT2, XT4	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tamx XT	SACE Tmax XT	SACE Tmax XT	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or Configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	N/A
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC



EKIP Maintenance Module XT5 INT4F/P

EKIP Maintenance Module XT5 INT W

Dimensions

Product Net Weight:	0.1 kg	0.1 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
---------------------------------	--------	--------

Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	35 mm	35 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2



**EKIP
MEASURING
E6.2**



**EKIP
MEASURING
E2.2**



**EKIP
MEASURING
E1.2**



**EKIP
MEASURING
E4.2**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	50 mm	50 mm	30 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	150 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E6.2	E2.2	E1.2	E4.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC	IEC

EKIP
MEASURING
PRO4E6.2

EKIP
MEASURING
PRO4E4.2

EKIP
MEASURING
PRO4E1.2

EKIP
MEASURING
PRO4E2.2

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	50 mm	50 mm	30 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	150 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E6.2	E4.2	E1.2	E2.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC	IEC



**Ekip
Signalling
3T-1**



**Ekip
Signalling
3T-2**



**EKIP
Signalling 1K-1
XT5 INT F/P**



**EKIP
Signalling 1K-1
XT5 INT W**

Dimensions

Product Net Depth / Length:	200 mm	200 mm	N/A	N/A
Product Net Height:	50 mm	50 mm	N/A	N/A
Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg
Product Net Width:	200 mm	200 mm	N/A	N/A

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	50 mm	50 mm	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT7-XT7M E1.2 E2.2 E4.2 E6.2	XT7-XT7M E1.2 E2.2 E4.2 E6.2	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tamx XT	SACE Tamx XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC	IEC	IEC60947-2	IEC60947-2



**EKIP SUPPLY 24-48VDC
E1.2..E6.2-Tmax XT**



**EKIP SUPPLY
110-240VAC/DC4
E1.2..E6.2-XT**

Dimensions

Product Net Depth / Length:	190 mm	190 mm
Product Net Height:	155 mm	155 mm
Product Net Weight:	0.22 kg	0.05 kg
Product Net Width:	120 mm	120 mm

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:	8015644781064	8015644781057
Package Level 1 Gross Weight:	0.25 kg	0.06 kg
Package Level 1 Height:	155 mm	155 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC	IEC

EKIP SYNCHROCHECK E1.2..E6.2-
Tmax XT

Dimensions

Product Net Depth / Length:	190 mm
Product Net Height:	155 mm
Product Net Weight:	0.22 kg
Product Net Width:	120 mm

Container Information

Package Level 1 Depth / Length:	190 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.25 kg
Package Level 1 Height:	155 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC

XT5 MCCB IEC -
CCC 4p EXT

XT5 MCCB IEC -
CCC 3p EXT

Container Information

Package Level 1 EAN:	8056221081283	8056221081276
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	0 mm	0 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Mounted only	Mounted only
Standards:	IEC60947-2	IEC60947-2



PR120/D-M4
COMMUNICATION4
MODULE
E1-6



PR120/V
MEASURING4
MODULE
INT.LOW. E1-6



PR120/K SIGN.
MODULE 44
IND.OUTPUT E1-6

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC



MOD.UNIT PR212/
CI4xPR212/MP-
Ekip S4 7-XT

KIT x
CONNECTION4
PR212/CI XT2-
XT4 W

KIT x
CONNECTION4
PR212/CI XT2-
XT4 F/P

Dimensions

Product Net Depth / Length:	150 mm	N/A	N/A
Product Net Height:	95 mm	N/A	N/A
Product Net Weight:	0.07 kg	0.07 kg	0.07 kg
Product Net Width:	105 mm	N/A	N/A

Container Information

Package Level 1 Depth / Length:	140 mm	140 mm	140 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.1 kg	0.1 kg	0.1 kg
Package Level 1 Height:	60 mm	60 mm	60 mm
Package Level 1 Units:	1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm

Additional Information

Product Main Type:	SACE Isomax	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	N/A	Accessory	Accessory
Suitable For:	Isomax Acc	XT2, XT4	XT2, XT4
Suitable for Product Class:	Isomax	SACE Tmax XT	SACE Tmax XT
Version:	N/A	W	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Device:	S4-S5-S6-S7	N/A	N/A
Order Multiple:	1 piece	1 piece	1 piece
Standards:	N/A	IEC60947-2	IEC60947-2

	MOD.UNIV.SD 030 MI AI-DI INPUT x SIST.BUS	MOD.UNIV.S D030 DI4 DIG.INPUT x SIST.BUS	MOD.UNIV.SD 030 DO4 EXT.xDIG.SIG. xSYST.BUS	UNIV.MOD.SD 030 DX4 INTERF.DI-DO xSIST.BUS
--	--	---	--	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information


Package Level 1 EAN:				
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax	SACE Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2 XT4	XT2 XT4

Technical

Configuration Type:	Mounted only	Mounted only
Number of Poles:	3P or 4P	3P or 4P
Standards:	IEC60947-2	IEC60947-2

Ekip Com Modbus RTU-OX

Ekip Com Modbus TCP-OX

Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for TruOne	Accessories for TruOne
Product Name:	TruONE Modbus RTU module	TruONE Modbus TCP module
Product Type:	Accessory	Accessory
Suitable For:	OX200	OX200
	OX250	OX250
	OX315	OX315
	OX400	OX400
	OX630	OX630
	OX800	OX800
	OX1000	OX1000
	OX1250	OX1250
	OX1600	OX1600

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>