

Расцепители защиты Ekip

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



**Ekip Dip LI E1.2..E6.2
(Black)
1SDA107526R1**

**EKIP DIP LI
E1.2..E6.2
1SDA074194R1**

Dimensions

Product Net Weight:	0.1 kg	0.1 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Dip LI
Standards:	N/A	IEC

**Ekip Dip LIG In=25A
XT2 3p
1SDA100128R1**

**Ekip Dip LIG In=25A
XT2 4p
1SDA100167R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	25 A	25 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Dip LIG
In=40A XT4 3p
UL/CSA
1SDA102389R1

Ekip Dip LIG
In=40A XT4 4p
UL/CSA
1SDA102434R1

Ekip Dip LIG
In=40A XT4 4p
1SDA100339R1

Ekip Dip LIG
In=40A XT4 3p
1SDA100303R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Sub-type:	XT4	XT4	N/A	N/A



Ekip Dip LIG
In=60A XT2 4p
UL/CSA
1SDA102230R1

Ekip Dip LIG
In=60A XT2 3p
UL/CSA
1SDA102188R1

Ekip Dip LIG
In=60A XT4 4p
UL/CSA
1SDA102435R1

Ekip Dip LIG
In=60A XT4 3p
UL/CSA
1SDA102390R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	60 A	60 A	60 A	60 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Sub-type:	XT2	XT2	XT4	XT4



Ekip Dip LIG
In=63A XT4 4p
1SDA100340R1



Ekip Dip LIG
In=63A XT4 3p
1SDA100304R1

Ekip Dip LIG
In=63A XT2 4p
1SDA100168R1

Ekip Dip LIG
In=63A XT2 3p
1SDA100129R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	63 A	63 A	63 A	63 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

	Ekip Dip LIG In=100A XT2 4p UL/CSA 1SDA102231R1	Ekip Dip LIG In=100A XT2 3p UL/CSA 1SDA102189R1	Ekip Dip LIG In=100A XT2 3p 1SDA100130R1	Ekip Dip LIG In=100A XT2 4p 1SDA100169R1
--	--	--	---	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
----------------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	100 A	100 A	100 A	100 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Sub-type:	XT2	XT2	N/A	N/A



Ekip Dip LIG
In=100A XT4 4p
1SDA100341R1

Ekip Dip LIG
In=100A XT4 3p
1SDA100305R1

Ekip Dip LIG
In=100A XT4 3p
UL/CSA
1SDA102391R1



Ekip Dip LIG
In=100A XT4 4p
UL/CSA
1SDA102436R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4

Ekip Dip LIG In=125A XT2 4p
UL/CSA
1SDA102232R1

Ekip Dip LIG In=125A XT2 3p
UL/CSA
1SDA102190R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2



Ekip Dip LIG In=150A XT4 4p
UL/CSA
1SDA102437R1

Ekip Dip LIG In=150A XT4 3p
UL/CSA
1SDA102392R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



Ekip Dip LIG
In=160A XT4 4p
1SDA100342R1



Ekip Dip LIG
In=160A XT4 3p
1SDA100306R1



Ekip Dip LIG
In=160A XT2 4p
1SDA100170R1



Ekip Dip LIG
In=160A XT2 3p
1SDA100131R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Dip LIG In=225A XT4 4p
UL/CSA
1SDA102438R1

Ekip Dip LIG In=225A XT4 3p
UL/CSA
1SDA102393R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



Ekip Dip LIG
In=250A XT4 4p
1SDA100343R1



Ekip Dip LIG
In=250A XT4 3p
1SDA100307R1



Ekip Dip LIG
In=250A XT4 3p
UL/CSA
1SDA102394R1



Ekip Dip LIG
In=250A XT4 4p
UL/CSA
1SDA102439R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4

	Ekip Dip LIG In=250 XT5 3p 1SDA100647R1	Ekip Dip LIG In=250 XT5 4p 1SDA100714R1	Ekip Dip LIG In=250 XT5 4p UL/CSA 1SDA102832R1	Ekip Dip LIG In=250 XT5 3p UL/CSA 1SDA102773R1
--	--	--	---	---

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.6 kg	1.3 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LIG In=300 XT5 3p
UL/CSA
1SDA102774R1

Ekip Dip LIG In=300 XT5 4p
UL/CSA
1SDA102833R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LIG In=320
XT5 4p
1SDA100715R1

Ekip Dip LIG In=320
XT5 3p
1SDA100648R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LIG
In=400 XT5 3p
1SDA100649R1

Ekip Dip LIG
In=400 XT5 4p
1SDA100716R1

Ekip Dip LIG
In=400 XT5 4p
UL/CSA
1SDA102834R1

Ekip Dip LIG
In=400 XT5 3p
UL/CSA
1SDA102775R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.6 kg	1.3 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LIG In=600 XT5 3p
UL/CSA
1SDA102776R1

Ekip Dip LIG In=600 XT5 4p
UL/CSA
1SDA102835R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	600 A	600 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LIG
In=630 XT6 3p
1SDA107609R1



Ekip Dip LIG
In=630 XT5 4p
1SDA100717R1

Ekip Dip LIG
In=630 XT5 3p
1SDA100650R1

Ekip Dip LIG
In=630 XT6 4p
1SDA107616R1

Dimensions

Product Net Weight:	1.3 kg	1.85 kg	1.395 kg	1.6 kg
---------------------	--------	---------	----------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	225 mm	225 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	2.014 kg	1.559 kg	1.7 kg
Package Level 1 Height:	160 mm	180 mm	180 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT5	XT5	XT6
Suitable for Product Class:	SACE Tmax XT	N/A	N/A	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	630 A	630 A	630 A	630 A
Rated Operational Voltage:	690 V AC	N/A	N/A	690 V AC
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Dip LIG
In=800 XT6 3p
1SDA100812R1



Ekip Dip LIG
In=800 XT6 4p
1SDA100824R1



Ekip Dip LIG
In=800 XT6 3p
UL/CSA
1SDA102893R1



Ekip Dip LIG
In=800 XT6 4p
UL/CSA
1SDA102898R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.3 kg	1.6 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT6	XT6
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	800 A	800 A	800 A	800 A
Release:	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LIG In=1000
XT6 4p
1SDA100825R1



Ekip Dip LIG In=1000
XT6 3p
1SDA100813R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	1000 A	1000 A
Release:	Ekip Dip LIG	Ekip Dip LIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LS/I
In=250 XT5 3p
UL/CSA
1SDA102707R1

Ekip Dip LS/I
In=250 XT5 4p
UL/CSA
1SDA102784R1

Ekip Dip LS/I
In=250 XT5 3p
1SDA100578R1

Ekip Dip LS/I
In=250 XT5 4p
1SDA100659R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.395 kg	1.85 kg
---------------------	--------	--------	----------	---------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.559 kg	2.014 kg
Package Level 1 Height:	160 mm	160 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A
Version:	F	F	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	N/A	N/A

Ekip Dip LS/I In=300 XT5 3p
UL/CSA
1SDA102708R1

Ekip Dip LS/I In=300 XT5 4p
UL/CSA
1SDA102785R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LS/I In=320
XT5 3p
1SDA100579R1

Ekip Dip LS/I In=320
XT5 4p
1SDA100660R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LS/I
In=400 XT5 3p
1SDA100580R1

Ekip Dip LS/I
In=400 XT5 4p
1SDA100661R1

Ekip Dip LS/I
In=400 XT5 4p
UL/CSA
1SDA102786R1

Ekip Dip LS/I
In=400 XT5 3p
UL/CSA
1SDA102709R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.6 kg	1.3 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip G Dip LS/I
In=600 3p UL/
CSA XT5
1SDA102764R1

Ekip G Dip LS/I
In=600 4p UL/
CSA XT5
1SDA102823R1

Ekip Dip LS/I
In=600 XT5 3p
UL/CSA
1SDA102710R1

Ekip Dip LS/I
In=600 XT5 4p
UL/CSA
1SDA102787R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.3 kg	1.6 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT
Version:	F	F	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	600 A	600 A	600 A	600 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LS/I
In=630 XT6 4p
1SDA107612R1



Ekip Dip LS/I
In=630 XT5 4p
1SDA100662R1

Ekip Dip LS/I
In=630 XT6 3p
1SDA107603R1

Ekip Dip LS/I
In=630 XT5 3p
1SDA100581R1

Dimensions

Product Net Weight:	1.6 kg	1.85 kg	1.3 kg	1.395 kg
---------------------	--------	---------	--------	----------

Container Information

Package Level 1 Depth / Length:	190 mm	225 mm	190 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.7 kg	2.014 kg	1.4 kg	1.559 kg
Package Level 1 Height:	160 mm	180 mm	160 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT5	XT6	XT5
Suitable for Product Class:	SACE Tmax XT	N/A	SACE Tmax XT	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	4P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	630 A	630 A	630 A	630 A
Rated Operational Voltage:	690 V AC	N/A	690 V AC	N/A
Release:	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Dip LS/I
In=800 XT6 3p
UL/CSA
1SDA102888R1

Ekip Dip LS/I
In=800 XT6 4p
UL/CSA
1SDA102895R1

Ekip Dip LS/I
In=800 XT6 4p
1SDA100816R1

Ekip Dip LS/I
In=800 XT6 3p
1SDA100801R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.6 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT6	XT6
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A
Version:	F	F	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	800 A	800 A	800 A	800 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	N/A	N/A



**Ekip Dip LS/I In=1000
XT6 4p
1SDA100817R1**



**Ekip Dip LS/I In=1000
XT6 3p
1SDA100802R1**

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	1000 A	1000 A
Release:	Ekip Dip LS/I	Ekip Dip LS/I
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



**Ekip Dip LSI E1.2..E6.2
(Black)
1SDA107527R1**

**EKIP DIP LSI
E1.2..E6.2
1SDA074195R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Dip LSI
Standards:	N/A	IEC



**Ekip Dip LSIG E1.2..E6.2
(Black)
1SDA107528R1**

**EKIP DIP LSIG
E1.2..E6.2
1SDA074196R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Dip LSIG
Standards:	N/A	IEC

Ekip Dip LSIG
In=250 XT5 3p
UL/CSA
1SDA102715R1

Ekip Dip LSIg
In=250 XT5 4p
UL/CSA
1SDA102792R1

Ekip Dip LSIg
In=250 XT5 4p
1SDA100667R1

Ekip Dip LSIG
In=250 XT5 3p
1SDA100586R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.85 kg	1.395 kg
---------------------	--------	--------	---------	----------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	225 mm	225 mm
Package Level 1 EAN:	8056221024037	8056221024648	8056221007436	8056221006620
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	2.014 kg	1.559 kg
Package Level 1 Height:	160 mm	160 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A
Version:	F	F	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	N/A	N/A

Ekip Dip LSIG In=300 XT5 3p
UL/CSA
1SDA102716R1

Ekip Dip LSIG In=300 XT5 4p
UL/CSA
1SDA102793R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LSIG In=320
XT5 4p
1SDA100668R1

Ekip Dip LSIG In=320
XT5 3p
1SDA100587R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LSIG
In=400 XT5 3p
UL/CSA
1SDA102717R1

Ekip Dip LSIG
In=400 XT5 4p
UL/CSA
1SDA102794R1

Ekip Dip LSIG
In=400 XT5 4p
1SDA100669R1

Ekip Dip LSIG
In=400 XT5 3p
1SDA100588R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.85 kg	1.395 kg
---------------------	--------	--------	---------	----------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	2.014 kg	1.559 kg
Package Level 1 Height:	160 mm	160 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A
Version:	F	F	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	N/A	N/A



Ekip Dip LSIG
In=600 XT6 4p
UL/CSA
1SDA107669R1

Ekip Dip LSIG
In=600 XT6 3p
UL/CSA
1SDA107664R1

Ekip Dip LSIG
In=600 XT5 4p
UL/CSA
1SDA102795R1

Ekip Dip LSIG
In=600 XT5 3p
UL/CSA
1SDA102718R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg	1.6 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.7 kg	1.4 kg	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT
Version:	F	F	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	600 A	600 A	600 A	600 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LSIG
In=630 XT6 4p
1SDA107614R1



Ekip Dip LSIG
In=630 XT5 4p
1SDA100670R1



Ekip Dip LSIG
In=630 XT6 3p
1SDA107605R1



Ekip Dip LSIG
In=630 XT5 3p
1SDA100589R1

Dimensions

Product Net Weight:	1.6 kg	1.85 kg	1.3 kg	1.395 kg
---------------------	--------	---------	--------	----------

Container Information

Package Level 1 Depth / Length:	190 mm	225 mm	190 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.7 kg	2.014 kg	1.4 kg	1.559 kg
Package Level 1 Height:	160 mm	180 mm	160 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory

Suitable For:	XT6	XT5	XT6	XT5
Suitable for Product Class:	SACE Tmax XT	N/A	SACE Tmax XT	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	4P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	630 A	630 A	630 A	630 A
Rated Operational Voltage:	690 V AC	N/A	690 V AC	N/A
Release:	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Dip LSIG
In=800 XT6 3p
1SDA100805R1

Ekip Dip LSIG
In=800 XT6 4p
1SDA100820R1

Ekip Dip LSIG
In=800 XT6 3p
UL/CSA
1SDA102890R1

Ekip Dip LSIG
In=800 XT6 4p
UL/CSA
1SDA102897R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.3 kg	1.6 kg
----------------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT6	XT6
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	800 A	800 A	800 A	800 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LSIG In=1000
XT6 4p
1SDA100821R1



Ekip Dip LSIG In=1000
XT6 3p
1SDA100806R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	1000 A	1000 A
Release:	Ekip Dip LSIG	Ekip Dip LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LSI
In=250 XT5 4p
UL/CSA
1SDA102788R1

Ekip Dip LSI
In=250 XT5 3p
UL/CSA
1SDA102711R1

Ekip Dip LSI
In=250 XT5 4p
1SDA100663R1

Ekip Dip LSI
In=250 XT5 3p
1SDA100582R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg	1.85 kg	1.395 kg
---------------------	--------	--------	---------	----------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.7 kg	1.4 kg	2.014 kg	1.559 kg
Package Level 1 Height:	160 mm	160 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	N/A	N/A
Version:	F	F	N/A	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	IEC60947-2	IEC60947-2
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	N/A	N/A

Ekip Dip LSI In=300 XT5 3p
UL/CSA
1SDA102712R1

Ekip Dip LSI In=300 XT5 4p
UL/CSA
1SDA102789R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	300 A	300 A
Release:	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip Dip LSI In=320
XT5 4p
1SDA100664R1

Ekip Dip LSI In=320
XT5 3p
1SDA100583R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Dip LSI
In=400 XT5 3p
1SDA100584R1

Ekip Dip LSI
In=400 XT5 4p
1SDA100665R1

Ekip Dip LSI
In=400 XT5 3p
UL/CSA
1SDA102713R1

Ekip Dip LSI
In=400 XT5 4p
UL/CSA
1SDA102790R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.3 kg	1.6 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LSI
In=600 XT5 3p
UL/CSA
1SDA102714R1

Ekip Dip LSI
In=600 XT5 4p
UL/CSA
1SDA102791R1

Ekip Dip LSI
In=600 XT6 4p
UL/CSA
1SDA107668R1

Ekip Dip LSI
In=600 XT6 3p
UL/CSA
1SDA107663R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.6 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT6	XT6
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT
Version:	F	F	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	600 A	600 A	600 A	600 A
Release:	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LSI
In=630 XT5 3p
1SDA100585R1

Ekip Dip LSI
In=630 XT6 3p
1SDA107604R1

Ekip Dip LSI
In=630 XT5 4p
1SDA100666R1

Ekip Dip LSI
In=630 XT6 4p
1SDA107613R1

Dimensions

Product Net Weight:	1.395 kg	1.3 kg	1.85 kg	1.6 kg
----------------------------	----------	--------	---------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	190 mm	225 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	1.4 kg	2.014 kg	1.7 kg
Package Level 1 Height:	180 mm	160 mm	180 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT6	XT5	XT6
Suitable for Product Class:	N/A	SACE Tmax XT	N/A	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	630 A	630 A	630 A	630 A
Rated Operational Voltage:	N/A	690 V AC	N/A	690 V AC
Release:	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Dip LSI
In=800 XT6 3p
1SDA100803R1



Ekip Dip LSI
In=800 XT6 4p
1SDA100818R1



Ekip Dip LSI
In=800 XT6 4p
UL/CSA
1SDA102896R1



Ekip Dip LSI
In=800 XT6 3p
UL/CSA
1SDA102889R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.6 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT6	XT6
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	800 A	800 A	800 A	800 A
Release:	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Dip LSI In=1000
XT6 4p
1SDA100819R1



Ekip Dip LSI In=1000
XT6 3p
1SDA100804R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	1000 A	1000 A
Release:	Ekip Dip LSI	Ekip Dip LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

SG.EL.Ekip E-LSIG/COM In=250 3p T4 1SDA081079R1	SG.EL.Ekip E-LSIG/COM In=160 3p T4 1SDA081075R1	SG.EL.Ekip E-LSIG/COM In=160 4p T4 1SDA081077R1	SG.EL.Ekip E-LSIG/COM In=250 4p T4 1SDA081081R1
--	--	--	--

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T4	T4	T4	T4
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	3P	4P	4P

Rated Current (I _n):	250 A	160 A	160 A	250 A
Release:	Ekip E-LSIG	Ekip E-LSIG	Ekip E-LSIG	Ekip E-LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC	IEC	IEC	IEC

SG.EL.Ekip E-LSIG/COM	SG.EL.Ekip E-LSIG/COM	SG.EL.Ekip E-LSIG/COM	SG.EL.Ekip E-LSIG/COM
In=320 4p T5	In=320 3p T5	In=400 4p T5	In=400 3p T5
1SDA081085R1	1SDA081083R1	1SDA081089R1	1SDA081087R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T5	T5	T5	T5
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P	4P	3P
Rated Current (I _n):	320 A	320 A	400 A	400 A
Release:	Ekip E-LSIG	Ekip E-LSIG	Ekip E-LSIG	Ekip E-LSIG
Release Type:	Electronic	Electronic	Electronic	Electronic
Standards:	IEC	IEC	IEC	IEC

SG.EL.Ekip E-LSIG/COM
In=630 4p T5 630
1SDA081093R1

SG.EL.Ekip E-LSIG/COM
In=630 3p T5 630
1SDA081091R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	T5	T5
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P
Rated Current (I _n):	630 A	630 A
Release:	Ekip E-LSIG	Ekip E-LSIG
Release Type:	Electronic	Electronic
Standards:	IEC	IEC

Ekip G Dip LS/I In=250 4p XT5 1SDA100699R1	Ekip G Dip LS/I In=250 3p XT5 1SDA100632R1	Ekip G Dip LS/I In=250 3p UL/ CSA XT5 1SDA102761R1	Ekip G Dip LS/I In=250 4p UL/ CSA XT5 1SDA102820R1
---	---	---	---

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip G Dip LS/I In=300 4p
UL/CSA XT5
1SDA102821R1

Ekip G Dip LS/I In=300 3p
UL/CSA XT5
1SDA102762R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip G Dip LS/I In=320
3p XT5
1SDA100633R1

Ekip G Dip LS/I In=320
4p XT5
1SDA100700R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

	Ekip G Dip LS/I In=400 4p XT5 1SDA100701R1	Ekip G Dip LS/I In=400 3p XT5 1SDA100634R1	Ekip G Dip LS/I In=400 3p UL/ CSA XT5 1SDA102763R1	Ekip G Dip LS/I In=400 4p UL/ CSA XT5 1SDA102822R1
--	--	--	---	---

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip G Dip LS/I
In=600 4p UL/
CSA XT5
1SDA102823R1

Ekip G Dip LS/I
In=600 XT6 3p
UL/CSA
1SDA107673R1

Ekip G Dip LS/I
In=600 3p UL/
CSA XT5
1SDA102764R1

Ekip G Dip LS/I
In=600 XT6 4p
UL/CSA
1SDA107674R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg	1.3 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.7 kg	1.4 kg	1.4 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT6	XT5	XT6
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT
Version:	F	F	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	600 A	600 A	600 A	600 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip G Dip LS/I
In=800 3p XT6
1SDA100810R1**

**Ekip G Dip LS/I
In=800 4p XT6
1SDA100822R1**

**Ekip G Dip LS/I
In=800 XT6 4p
UL/CSA
1SDA107485R1**

**Ekip G Dip LS/I
In=800 XT6 3p
UL/CSA
1SDA107484R1**

Dimensions

Product Net Weight:	1.3 kg	1.6 kg	1.3 kg	1.3 kg
---------------------	--------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.4 kg	1.7 kg	1.4 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT6	XT6	XT6	XT6
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	800 A	800 A	800 A	800 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip G Dip LS/I In=1000
3p XT6
1SDA100811R1

Ekip G Dip LS/I In=1000
4p XT6
1SDA100823R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	1000 A	1000 A
Release:	Ekip G Dip LS/I	Ekip G Dip LS/I
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

**Ekip Hi-LCD LSI
E1.2..E6.2 (Black)
1SDA107540R1**

**EKIP HI-LCD LSI
E1.2..E6.2
1SDA074209R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	35 mm	35 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Hi-Touch LSI
Standards:	N/A	IEC

Ekip G Hi-Touch LSIG
E1.2..E6.2 (Black)
1SDA107535R1

EKIP G HI-TOUCH LSIG
E1.2..E6.2
1SDA074203R1

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information


Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	35 mm	35 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip G Hi-Touch LSIG
Standards:	N/A	IEC



**Ekip G Hi-Touch LSIG
In=250 XT5 3p
1SDA100640R1**



**Ekip G Hi-Touch LSIG
In=250 XT5 4p
1SDA100707R1**



**Ekip G Hi-Touch LSIG In250 XT5
4p UL/CSA
1SDA102828R1**



**Ekip G Hi-Touch LSIG In250 XT5 3p
UL/CSA
1SDA102769R1**

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.6 kg	1.3 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip G Hi-Touch LSIG
In300 XT5 4p UL/CSA
1SDA102829R1**



**Ekip G Hi-Touch LSIG
In300 XT5 3p UL/CSA
1SDA102770R1**

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip G Hi-Touch LSIG
In=320 XT5 3p
1SDA100641R1

Ekip G Hi-Touch LSIG
In=320 XT5 4p
1SDA100708R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip G Hi-Touch LSIG
In=400 XT5 3p
1SDA100642R1

Ekip G Hi-Touch LSIG
In=400 XT5 4p
1SDA100709R1

Ekip G Hi-Touch LSIG
In400 XT5 4p
UL/CSA
1SDA102830R1

Ekip G Hi-Touch LSIG
In400 XT5 3p
UL/CSA
1SDA102771R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.6 kg	1.3 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip G Hi-Touch LSIG
In600 XT5 3p UL/CSA
1SDA102772R1**



**Ekip G Hi-Touch LSIG
In600 XT5 4p UL/CSA
1SDA102831R1**

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	600 A	600 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip G Hi-Touch LSIG
In=630 XT5 3p
1SDA100643R1



Ekip G Hi-Touch LSIG
In=630 XT5 4p
1SDA100710R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	630 A	630 A
Release:	Ekip G Hi-Touch LSIG	Ekip G Hi-Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip G LCD LSIG
E1.2..E6.2 (Black)
1SDA107541R1

EKIP G LCD LSIG
E1.2..E6.2
1SDA074207R1

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip G Touch LSIG
Standards:	N/A	IEC

**Ekip G LCD LSIG
E1.2..E6.2 (Black)
1SDA107541R1**

**EKIP G LCD LSIG
E1.2..E6.2
1SDA074207R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip G Touch LSIG
Standards:	N/A	IEC

Ekip G Touch LSIG
E1.2..E6.2 (Black)
1SDA107534R1

EKIP G TOUCH LSIG
E1.2..E6.2
1SDA074200R1

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip G Touch LSIG
Standards:	N/A	IEC



Ekip G Touch LSIG
In=300 XT5 4p UL/CSA
1SDA102825R1



Ekip G Touch LSIG
In=300 XT5 3p UL/CSA
1SDA102766R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip G Touch LSIG	Ekip G Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip G Touch LSIG
In=320 XT5 3p
1SDA100637R1**



**Ekip G Touch LSIG In=320
XT5 4p
1SDA100704R1**

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	320 A	320 A
Release:	Ekip G Touch LSIG	Ekip G Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip G Touch
LSIG In=400 XT5
4p
1SDA100705R1



Ekip G Touch
LSIG In=400 XT5
3p
1SDA100638R1



Ekip G Touch
LSIG In=400 XT5
3p UL/CSA
1SDA102767R1



Ekip G Touch
LSIG In=400 XT5
4p UL/CSA
1SDA102826R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip G Touch LSIG	Ekip G Touch LSIG	Ekip G Touch LSIG	Ekip G Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip G Touch LSIG
In=600 XT5 3p UL/CSA
1SDA102768R1



Ekip G Touch LSIG
In=600 XT5 4p UL/CSA
1SDA102827R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	600 A	600 A
Release:	Ekip G Touch LSIG	Ekip G Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip G Touch LSIG In=630
XT5 4p
1SDA100706R1**



**Ekip G Touch LSIG
In=630 XT5 3p
1SDA100639R1**

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Generator Protection	Generator Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	630 A	630 A
Release:	Ekip G Touch LSIG	Ekip G Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

**Ekip Hi-LCD LSI E1.2..E6.2
(Black)
1SDA107539R1**

**EKIP HI-LCD LSI
E1.2..E6.2
1SDA074208R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Hi-Touch LSI
Standards:	N/A	IEC

EKIP HI-LCD LSIG

E1.2..E6.2

1SDA074209R1

Ekip Hi-LCD LSIG

E1.2..E6.2 (Black)

1SDA107540R1

Dimensions

Product Net Weight:	1 kg	0.1 kg
---------------------	------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg

Package Level 1 Height:	35 mm	35 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	E1.2;E2.2;E4.2;E6.2
Suitable for Product Class:	SACE Emax 2	Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	N/A
Release:	Ekip Hi-Touch LSIG	N/A
Standards:	IEC	N/A



EKIP HI-TOUCH LSI
E1.2..E6.2
1SDA074201R1

Ekip Hi-Touch LSI
E1.2..E6.2 (Black)
1SDA107532R1

Dimensions

Product Net Weight:	1 kg	0.1 kg
---------------------	------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg

Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	E1.2;E2.2;E4.2;E6.2
Suitable for Product Class:	SACE Emax 2	Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	N/A
Release:	Ekip Hi-Touch LSI	N/A
Standards:	IEC	N/A

Ekip Hi-Touch LSIG
E1.2..E6.2 (Black)
1SDA107533R1

EKIP HI-TOUCH LSIG
E1.2..E6.2
1SDA074202R1

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	35 mm	35 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Hi-Touch LSIG
Standards:	N/A	IEC

Ekip Hi-Touch
LSIG In=40A XT2
3p
1SDA100120R1

Ekip Hi-Touch
LSIG In=40A XT2
4p
1SDA100162R1

Ekip Hi-Touch
LSIG In=40A XT2
3p UL/CSA
1SDA102179R1

Ekip Hi-Touch
LSIG In=40A XT2
4p UL/CSA
1SDA102225R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2

Ekip Hi-Touch LSIG
In=60A XT2 3p UL/CSA
1SDA102180R1

Ekip Hi-Touch LSIG
In=60A XT2 4p UL/CSA
1SDA102226R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	60 A	60 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2

Ekip Hi-Touch LSIG
In=63A XT2 4p
1SDA100163R1

Ekip Hi-Touch LSIG
In=63A XT2 3p
1SDA100121R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	63 A	63 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Hi-Touch
LSIG In=100A
XT2 3p
1SDA100122R1

Ekip Hi-Touch
LSIG In=100A
XT2 4p
1SDA100164R1

Ekip Hi-Touch
LSIG
In=100A XT2 4p
UL/CSA
1SDA102227R1

Ekip Hi-Touch
LSIG In=100A
XT2 3p UL/CSA
1SDA102181R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2

Ekip Hi-Touch
LSIG In=100A
XT4 3p
1SDA100294R1

Ekip Hi-Touch
LSIG In=100A
XT4 4p
1SDA100333R1

Ekip Hi-Touch
LSIG
In=100A XT4 3p
UL/CSA
1SDA102384R1

Ekip Hi-Touch
LSIG
In=100A XT4 4p
UL/CSA
1SDA102432R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4

Ekip Hi-Touch LSIG
In=125A XT2 4p UL/CSA
1SDA102228R1

Ekip Hi-Touch LSIG
In=125A XT2 3p UL/CSA
1SDA102182R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2

Ekip Hi-Touch LSIG
In=150A XT4 3p UL/CSA
1SDA102382R1

Ekip Hi-Touch LSIG
In=150A XT4 4p UL/CSA
1SDA102430R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4

Technical				
Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

Ekip Hi-Touch LSIG
In=225A XT4 3P/CSA
1SDA102383R1

Ekip Hi-Touch LSIG
In=225A XT4 4P/CSA
1SDA102431R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4

Ekip Hi-Touch
LSIG In=250A
XT4 3p
1SDA100296R1

Ekip Hi-Touch
LSIG In=250A
XT4 4p
1SDA100335R1

Ekip Hi-Touch
LSIG
In=250A XT4 4p
UL/CSA
1SDA102433R1

Ekip Hi-Touch
LSIG
In=250A XT4 3p
UL/CSA
1SDA102385R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4

	Ekip Hi-Touch LSIG=250A XT4 3p 1SDA100296R1	Ekip Hi-Touch LSIG=250A XT4 4p 1SDA100335R1	Ekip Hi-Touch LSIG In=250A XT4 3p UL/CSA 1SDA102385R1	Ekip Hi-Touch LSIG In=250A XT4 4p UL/CSA 1SDA102433R1
--	--	--	--	--

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



Ekip Hi-Touch LSIG
In=300 XT5 4p UL/CSA
1SDA102817R1



Ekip Hi-Touch LSIG
In=300 XT5 3p UL/CSA
1SDA102740R1

Dimensions

Product Net Weight:	1.6 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.7 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	300 A	300 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Hi-Touch LSIG
In=320 XT5 4p
1SDA100692R1

Ekip Hi-Touch LSIG
In=320 XT5 3p
1SDA100611R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	320 A	320 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Hi-Touch
LSIG In=400T5 4p
1SDA100693R1

Ekip Hi-Touch
LSIG In=400T5 3p
1SDA100612R1

Ekip Hi-Touch
LSIG In=400T5 4p
UL/CSA
1SDA102818R1

Ekip Hi-Touch
LSIG In=400T5 3p
UL/CSA
1SDA102741R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.6 kg	1.3 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Hi-Touch
LSIG In=400 XT5
4p
1SDA100693R1

Ekip Hi-Touch
LSIG In=400 XT5
3p
1SDA100612R1

Ekip Hi-Touch
LSIG In=400 XT5
4p UL/CSA
1SDA102818R1

Ekip Hi-Touch
LSIG In=400 XT5
3p UL/CSA
1SDA102741R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.6 kg	1.3 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Hi-Touch LSIG
In=630 XT5 4p
1SDA100694R1

Ekip Hi-Touch LSIG
In=630 XT5 3p
1SDA100613R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	630 A	630 A
Release:	Ekip Hi-Touch LSIG	Ekip Hi-Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Hi-Touch LSI
In=40A XT2 3p
1SDA100116R1

Ekip Hi-Touch LSI
In=40A XT2 4p
1SDA100158R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	40 A	40 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

	Ekip Hi-Touch LSI In=40A XT2 4p 1SDA100158R1	Ekip Hi-Touch LSI In=40A XT2 3p 1SDA100116R1
--	---	---

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	40 A	40 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Hi-Touch LSI
In=60A XT2 3P/CSA
1SDA102176R1

Ekip Hi-Touch LSI
In=60A XT2 4P/CSA
1SDA102222R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	60 A	60 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2

Ekip Hi-Touch LSI
In=63A XT2 3p
1SDA100117R1

Ekip Hi-Touch LSI
In=63A XT2 4p
1SDA100159R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	63 A	63 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip Hi-Touch	Ekip Hi-Touch	Ekip Hi-Touch	Ekip Hi-Touch
LSI In=100A XT2	LSI In=100A XT2	LSI In=100A XT2	LSI In=100A XT2
3p	4p	4p UL/CSA	3p UL/CSA
1SDA100118R1	1SDA100160R1	1SDA102223R1	1SDA102177R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2

	Ekip Hi-Touch LSI In=100A XT4 3p 1SDA100291R1	Ekip Hi-Touch LSI In=100A XT4 4p 1SDA100330R1	Ekip Hi-Touch LSI In=100A XT4 4p UL/CSA 1SDA102428R1	Ekip Hi-Touch LSI In=100A XT4 3p UL/CSA 1SDA102380R1
--	--	--	---	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
----------------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	100 A	100 A	100 A	100 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4

Ekip Hi-Touch LSI
In=125A XT2 4p UL/CSA
1SDA102224R1

Ekip Hi-Touch LSI
In=125A XT2 3p UL/CSA
1SDA102178R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2

Ekip Hi-Touch LSI
In=150A XT4 3p UL/CSA
1SDA102378R1

Ekip Hi-Touch LSI
In=150A XT4 4p UL/CSA
1SDA102426R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4

Ekip Hi-Touch	Ekip Hi-Touch	Ekip Hi-Touch	Ekip Hi-Touch
LSI In=160A XT4	LSI In=160A XT2	LSI In=160A XT2	LSI In=160A XT4
3p	3p	4p	4p
1SDA100292R1	1SDA100119R1	1SDA100161R1	1SDA100331R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

Ekip Hi-Touch LSI
In=225A XT4 4p UL/CSA
1SDA102427R1

Ekip Hi-Touch LSI
In=225A XT4 3p UL/CSA
1SDA102379R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4

	Ekip Hi-Touch LSI In=250A XT4 3p 1SDA100293R1	Ekip Hi-Touch LSI In=250A XT4 4p 1SDA100332R1	Ekip Hi-Touch LSI In=250A XT4 4p UL/CSA 1SDA102429R1	Ekip Hi-Touch LSI In=250A XT4 3p UL/CSA 1SDA102381R1
--	--	--	---	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



Ekip Hi-Touch
LSI In=250T5 4p
1SDA100687R1

Ekip Hi-Touch
LSI In=250T5 3p
1SDA100606R1

Ekip Hi-Touch
LSI In=250T5 4p
UL/CSA
1SDA102812R1

Ekip Hi-Touch
LSI In=250T5 3p
UL/CSA
1SDA102735R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.6 kg	1.3 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Hi-Touch LSI
In=300 XT5 3P/CSA
1SDA102736R1



Ekip Hi-Touch LSI
In=300 XT5 4P/CSA
1SDA102813R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	300 A	300 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip Hi-Touch LSI In=320
XT5 4p
1SDA100688R1**



**Ekip Hi-Touch LSI
In=320 XT5 3p
1SDA100607R1**

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	320 A	320 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Hi-Touch
LSI In=400 XT5
4p
1SDA100689R1

Ekip Hi-Touch
LSI In=400 XT5
3p
1SDA100608R1

Ekip Hi-Touch
LSI In=400 XT5
4p UL/CSA
1SDA102814R1

Ekip Hi-Touch
LSI In=400 XT5
3p UL/CSA
1SDA102737R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.6 kg	1.3 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Hi-Touch LSI
In=600 XT5 3p UL/CSA
1SDA102738R1



Ekip Hi-Touch LSI In=600
XT5 4p UL/CSA
1SDA102815R1

Dimensions

Product Net Weight:	1.3 kg	1.6 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 Gross Weight:	1.4 kg	1.7 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	600 A	600 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip Hi-Touch LSI In=630
XT5 4p
1SDA100690R1**



**Ekip Hi-Touch LSI
In=630 XT5 3p
1SDA100609R1**

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	630 A	630 A
Release:	Ekip Hi-Touch LSI	Ekip Hi-Touch LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2

Ekip I In=25A
XT2 4p
1SDA067335R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	150 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.1 kg
Package Level 1 Height:	100 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT2
Suitable for Product Class:	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable
Current Type:	AC
Number of Poles:	4P
Order Multiple:	1 piece
Rated Current (I _n):	25 A
Release:	Ekip I
Release Type:	EL
Standards:	IEC60947-2

Ekip I In=63A
XT2 4p
1SDA067336R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	150 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.1 kg
Package Level 1 Height:	100 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT2
Suitable for Product Class:	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable
Current Type:	AC
Number of Poles:	4P
Order Multiple:	1 piece
Rated Current (I _n):	63 A
Release:	Ekip I
Release Type:	EL
Standards:	IEC60947-2



Ekip I In=63A
XT4 4p
1SDA067524R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	150 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.1 kg
Package Level 1 Height:	100 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT4
Suitable for Product Class:	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable
Current Type:	AC
Number of Poles:	4P
Order Multiple:	1 piece
Rated Current (I _n):	63 A
Release:	Ekip I
Release Type:	EL
Standards:	IEC60947-2



**Ekip I In=100A
XT2 4p
1SDA067337R1**

**Ekip I In=100A
XT4 4p
1SDA067525R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	100 A	100 A
Release:	Ekip I	Ekip I
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip I In=160A
XT4 4p
1SDA067526R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	150 mm
Package Level 1 EAN:	8015644014223
Package Level 1 Gross Weight:	1.1 kg
Package Level 1 Height:	100 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT4
Suitable for Product Class:	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable
Current Type:	AC
Number of Poles:	4P
Order Multiple:	1 piece
Rated Current (I _n):	160 A
Release:	Ekip I
Release Type:	EL
Standards:	IEC60947-2



Ekip I In=250A
XT4 4p
1SDA067527R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	150 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.1 kg
Package Level 1 Height:	100 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT4
Suitable for Product Class:	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable
Current Type:	AC
Number of Poles:	4P
Order Multiple:	1 piece
Rated Current (I_n):	250 A
Release:	Ekip I
Release Type:	EL
Standards:	IEC60947-2

**Ekip LCD LI E1.2..E6.2
(Black)
1SDA107536R1**

**EKIP LCD LI
E1.2..E6.2
1SDA074204R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Touch LI
Standards:	N/A	IEC

**Ekip LCD LSI E1.2..E6.2
(Black)
1SDA107537R1**

**EKIP LCD LSI
E1.2..E6.2
1SDA074205R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Touch LSI
Standards:	N/A	IEC

**Ekip LCD LSIG E1.2..E6.2
(Black)
1SDA107538R1**

**EKIP LCD LSIG
E1.2..E6.2
1SDA074206R1**

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg

Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Touch LSIG
Standards:	N/A	IEC

Ekip LSIG In=25A
XT2 4p
1SDA067347R1

Ekip LSIG In=25A
XT2 3p
1SDA067311R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	25 A	25 A
Release:	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip LSIG
In=40A XT4 4p
1SDA067533R1



Ekip LSIG
In=40A XT4 3p
1SDA067513R1

Ekip LSIG
In=40A XT4 3p
UL/CSA
1SDA075767R1

Ekip LSIG
In=40A XT4 4p
UL/CSA
1SDA075773R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSIG
In=60A XT2 4p
UL/CSA
1SDA075687R1

Ekip LSIG
In=60A XT2 3p
UL/CSA
1SDA075684R1

Ekip LSIG
In=60A XT4 3p
UL/CSA
1SDA075768R1

Ekip LSIG
In=60A XT4 4p
UL/CSA
1SDA075774R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	60 A	60 A	60 A	60 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSIG
In=63A XT4 4p
1SDA067534R1

Ekip LSIG
In=63A XT2 4p
1SDA067348R1

Ekip LSIG
In=63A XT2 3p
1SDA067312R1

Ekip LSIG
In=63A XT4 3p
1SDA067514R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	4P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	63 A	63 A	63 A	63 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

Ekip LSIG In=100A XT2 4p 1SDA068052R1	Ekip LSIG In=100A XT2 3p 1SDA067313R1	Ekip LSIG In=100A XT2 4p UL/CSA 1SDA075688R1	Ekip LSIG In=100A XT2 3p UL/CSA 1SDA075685R1
--	--	---	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
----------------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	100 A	100 A	100 A	100 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSIG
In=100A XT4 4p
1SDA067535R1



Ekip LSIG
In=100A XT4 3p
1SDA067515R1

Ekip LSIG
In=100A XT4 3p
UL/CSA
1SDA075769R1

Ekip LSIG
In=100A XT4 4p
UL/CSA
1SDA075775R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip LSIG In=125A XT2
3p UL/CSA
1SDA075686R1

Ekip LSIG In=125A XT2
4p UL/CSA
1SDA075689R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip LSIG In=150A XT4
3p UL/CSA
1SDA075770R1**

**Ekip LSIG In=150A XT4
4p UL/CSA
1SDA075776R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
In=160A XT2 4p	In=160A XT4 3p	In=160A XT2 3p	In=160A XT4 4p
InN=100%	1SDA067516R1	1SDA067314R1	1SDA067536R1
1SDA067350R1			

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip LSIG In=225A XT4
4p UL/CSA
1SDA075777R1

Ekip LSIG In=225A XT4
3p UL/CSA
1SDA075771R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSIG
In=250A XT4 4p
1SDA067537R1



Ekip LSIG
In=250A XT4 3p
1SDA067517R1

Ekip LSIG
In=250A XT4 4p
UL/CSA
1SDA075778R1

Ekip LSIG
In=250A XT4 3p
UL/CSA
1SDA075772R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip LSIG	Ekip LSIG	Ekip LSIG	Ekip LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front

Ekip LSI In=25A
XT2 3p
1SDA067306R1

Ekip LSI In=25A
XT2 4p
1SDA067341R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	25 A	25 A
Release:	Ekip LSI	Ekip LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip LSI
In=40A XT4 3p
1SDA067508R1

Ekip LSI
In=40A XT4 4p
1SDA067528R1

Ekip LSI
In=40A XT4 4p
UL/CSA
1SDA075761R1

Ekip LSI
In=40A XT4 3p
UL/CSA
1SDA075755R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI
In=60A XT2 4p
UL/CSA
1SDA075681R1

Ekip LSI
In=60A XT4 4p
UL/CSA
1SDA075762R1

Ekip LSI
In=60A XT2 3p
UL/CSA
1SDA075678R1

Ekip LSI
In=60A XT4 3p
UL/CSA
1SDA075756R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	4P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	60 A	60 A	60 A	60 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI
In=63A XT2 4p
1SDA067342R1

Ekip LSI
In=63A XT2 3p
1SDA067307R1

Ekip LSI
In=63A XT4 3p
1SDA067509R1

Ekip LSI In=63A
XT4 4p
1SDA067529R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	63 A	63 A	63 A	63 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

Ekip LSI
In=100A XT2 4p
1SDA067343R1

Ekip LSI
In=100A XT2 3p
1SDA067308R1

Ekip LSI
In=100A XT2 4p
UL/CSA
1SDA075682R1

Ekip LSI
In=100A XT2 3p
UL/CSA
1SDA075679R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI
In=100A XT4 4p
1SDA067530R1



Ekip LSI
In=100A XT4 3p
1SDA067510R1

Ekip LSI
In=100A XT4 4p
UL/CSA
1SDA075763R1

Ekip LSI
In=100A XT4 3p
UL/CSA
1SDA075757R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI In=125A XT2
3p UL/CSA
1SDA075680R1

Ekip LSI In=125A XT2
4p UL/CSA
1SDA075683R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information


Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip LSI	Ekip LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



**Ekip LSI In=150A XT4
4p UL/CSA
1SDA075764R1**



**Ekip LSI In=150A XT4
3p UL/CSA
1SDA075758R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip LSI	Ekip LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI
In=160A XT2 4p
InN=100%
1SDA067345R1

Ekip LSI
In=160A XT4 3p
1SDA067511R1

Ekip LSI
In=160A XT2 3p
1SDA067309R1

Ekip LSI
In=160A XT4 4p
1SDA067531R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



**Ekip LSI In=225A XT4
4p UL/CSA
1SDA075765R1**



**Ekip LSI In=225A XT4
3p UL/CSA
1SDA075759R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip LSI	Ekip LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Terminal Connection Type:	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip LSI
In=250A XT4 4p
1SDA067532R1

Ekip LSI
In=250A XT4 3p
1SDA067512R1

Ekip LSI
In=250A XT4 4p
UL/CSA
1SDA075766R1

Ekip LSI
In=250A XT4 3p
UL/CSA
1SDA075760R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip LSI	Ekip LSI	Ekip LSI	Ekip LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip M Dip LIU
In=320 XT5 3p
1SDA100621R1

Ekip M Dip LIU
In=250 XT5 3p
1SDA100620R1

Ekip M Dip LIU
In=400 XT5 3p
1SDA100622R1

Ekip M Dip LIU
In=500 XT5 3p
1SDA100623R1

Dimensions

Product Net Weight:	1.395 kg	1.395 kg	1.395 kg	1.395 kg
---------------------	----------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	1.559 kg	1.559 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory

Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	320 A	250 A	400 A	500 A
Release:	Ekip M Dip LIU	Ekip M Dip LIU	Ekip M Dip LIU	Ekip M Dip LIU
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip M Dip LIU
In=630 XT6 3p
1SDA107607R1

Ekip M Dip LIU
In=800 XT6 3p
1SDA100809R1

Dimensions

Product Net Weight:	1.3 kg	1.3 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.4 kg	1.4 kg
Package Level 1 Height:	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6
Suitable for Product Class:	SACE Tmax XT	N/A

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	630 A	800 A
Rated Operational Voltage:	690 V AC	N/A
Release:	Ekip M Dip LIU	Ekip M Dip LIU
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip M-I
In=20A XT2 3p
1SDA067324R1

Ekip M-I
In=100A XT2 3p
1SDA067327R1

Ekip M-I
In=52A XT2 3p
1SDA067326R1

Ekip M-I
In=32A XT2 3p
1SDA067325R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:	8015644012212	8015644695170	8015644012236	8015644695163
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	20 A	100 A	52 A	32 A
Release:	Ekip M-I	Ekip M-I	Ekip M-I	Ekip M-I
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip M-LRIU
In=25A XT2 3p
1SDA067357R1

Ekip M-LRIU
In=63A XT2 3p
1SDA067358R1

Ekip M-LRIU
In=40A XT4 3p
1SDA068033R1

Ekip M-LRIU
In=63A XT4 3p
1SDA068034R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	25 A	63 A	40 A	63 A
Release:	Ekip M-LRIU	Ekip M-LRIU	Ekip M-LRIU	Ekip M-LRIU
Release Type:	EL	EL	EL	EL
Standards:	IEC	IEC	IEC	IEC



**Ekip M-LRIU In=100A
XT4 3p
1SDA068035R1**



**Ekip M-LRIU In=100A
XT2 3p
1SDA067359R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	100 A	100 A
Release:	Ekip M-LRIU	Ekip M-LRIU
Release Type:	EL	EL
Standards:	IEC	IEC



**Ekip M-LRIU In=100A
XT4 3p
1SDA068035R1**



**Ekip M-LRIU In=100A
XT2 3p
1SDA067359R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	100 A	100 A
Release:	Ekip M-LRIU	Ekip M-LRIU
Release Type:	EL	EL
Standards:	IEC	IEC



Ekip M-LRIU In=160A
XT4 3p
1SDA068036R1

Ekip M-LRIU In=200
T4 3p
1SDA054690R1

Ekip M-LRIU In=160
T4 3p
1SDA054689R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	19 mm	19 mm
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	16 mm	16 mm
Package Level 1 Units:	box 1 piece	1 piece	1 piece
Package Level 1 Width:	110 mm	12 mm	12 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	N/A	N/A
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT4	T4	T4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	N/A	N/A
Number of Poles:	3P	3P	3P
Order Multiple:	1 piece	N/A	N/A
Rated Current (I _n):	160 A	200 A	160 A
Release:	Ekip M-LRIU	Ekip M-LRIU	Ekip M-LRIU
Release Type:	EL	Electronic trip unit for motor protection	Electronic trip unit for motor protection
Standards:	IEC	IEC	IEC

	Ekip M-LRIU In=320 T5 3p 1SDA054735R1	Ekip M-LRIU In=400 T5 3p 1SDA054736R1	Ekip M-LRIU In=630 T6 800 3p 1SDA060375R1
--	---	---	---

Dimensions

Product Net Weight:	1.3 kg	1.3 kg	1.3 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	19 mm	19 mm	23 mm
Package Level 1 Gross Weight:	1.4 kg	1.4 kg	1.4 kg
Package Level 1 Height:	16 mm	16 mm	19 mm
Package Level 1 Units:	1 piece	1 piece	1 piece
Package Level 1 Width:	12 mm	12 mm	12 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	T5	T5	T6
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	3P	3P
Rated Current (I _n):	320 A	400 A	630 A
Release:	Ekip M-LRIU	Ekip M-LRIU	Ekip M-LRIU
Release Type:	Electronic	Electronic	Electronic
Standards:	IEC	IEC	IEC



Ekip M Touch
LRIU In=100A
XT4 3p
1SDA100297R1

Ekip M Touch
LRIU In=100A
XT2 3p
1SDA100126R1

Ekip M Touch
LRIU In=63A XT2
3p
1SDA100125R1

Ekip M Touch
LRIU In=40A XT2
3p
1SDA100124R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I_n):	100 A	100 A	63 A	40 A
Release:	Ekip M Touch LRIU	Ekip M Touch LRIU	Ekip M Touch LRIU	Ekip M Touch LRIU
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip M Touch
LRIU In=160A
XT4 3p
1SDA100298R1

Ekip M Touch
LRIU In=200A
XT4 3p
1SDA100299R1

Ekip M Touch
LRIU In=250 XT5
3p
1SDA100624R1

Ekip M Touch
LRIU In=320 XT5
3p
1SDA100625R1

Dimensions

Product Net Weight:	1 kg	1 kg	1.395 kg	1.395 kg
---------------------	------	------	----------	----------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.559 kg	1.559 kg
Package Level 1 Height:	100 mm	100 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	3P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	200 A	250 A	320 A
Release:	Ekip M Touch LRIU	Ekip M Touch LRIU	Ekip M Touch LRIU	Ekip M Touch LRIU
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip M Touch LRIU
In=500 XT5 3p
1SDA100627R1



Ekip M Touch LRIU
In=400 XT5 3p
1SDA100626R1

Dimensions

Product Net Weight:	1.395 kg	1.395 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	1.559 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Motor Protection	Motor Protection
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	500 A	400 A
Release:	Ekip M Touch LRIU	Ekip M Touch LRIU
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch LI
E1.2..E6.2 (Black)
1SDA107529R1

EKIP TOUCH LI
E1.2..E6.2
1SDA074197R1

Dimensions

Product Net Weight:	0.1 kg	1 kg
---------------------	--------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2;E2.2;E4.2;E6.2	E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	N/A	AC
Release:	N/A	Ekip Touch LI
Standards:	N/A	IEC



EKIP TOUCH LSI
E1.2..E6.2
1SDA074198R1

Ekip Touch LSI
E1.2..E6.2 (Black)
1SDA107530R1

Dimensions

Product Net Weight:	0.1 kg	0.1 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	E1.2;E2.2;E4.2;E6.2
Suitable for Product Class:	SACE Emax 2	Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	N/A
Release:	Ekip Touch LSI	N/A
Standards:	IEC	N/A



**EKIP TOUCH LSIG
E1.2..E6.2
1SDA074199R1**

**Ekip Touch LSIG
E1.2..E6.2 (Black)
1SDA107531R1**

Dimensions

Product Net Weight:	1 kg	0.1 kg
---------------------	------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg

Package Level 1 Height:	185 mm	185 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2, E2.2, E4.2, E6.2	E1.2;E2.2;E4.2;E6.2
Suitable for Product Class:	SACE Emax 2	Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	N/A
Release:	Ekip Touch LSIG	N/A
Standards:	IEC	N/A



Ekip Touch
LSIG In=40A
XT2 4p
1SDA100146R1

Ekip Touch
LSIG In=40A
XT2 3p
1SDA100104R1

Ekip Touch
LSIG In=40A
XT2 3p UL/CSA
1SDA102163R1

Ekip Touch
LSIG In=40A
XT2 4p UL/CSA
1SDA102209R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2



**Ekip Touch LSIG In=60A
XT2 3p UL/CSA
1SDA102164R1**

**Ekip Touch LSIG In=60A
XT2 4p UL/CSA
1SDA102210R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	60 A	60 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2



Ekip Touch LSIG
In=63A XT2 3p
1SDA100105R1

Ekip Touch LSIG
In=63A XT2 4p
1SDA100147R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	63 A	63 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch LSIG
In=100A XT2 3p
1SDA100106R1

Ekip Touch LSIG
In=100A XT2 4p
1SDA100148R1

Ekip Touch LSIG
In=100A XT2 3p
UL/CSA
1SDA102165R1

Ekip Touch LSIG
In=100A XT2 4p
UL/CSA
1SDA102211R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2



Ekip Touch LSIG
In=100A XT4 3p
1SDA100282R1

Ekip Touch LSIG
In=100A XT4 4p
1SDA100321R1

Ekip Touch LSIG
In=100A XT4 4p
UL/CSA
1SDA102416R1

Ekip Touch LSIG
In=100A XT4 3p
UL/CSA
1SDA102368R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



**Ekip Touch LSIG In=125A
XT2 4p UL/CSA
1SDA102212R1**

**Ekip Touch LSIG In=125A
XT2 3p UL/CSA
1SDA102166R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	125 A	125 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT2	XT2



**Ekip Touch LSIG In=150A
XT4 3p UL/CSA
1SDA102366R1**



**Ekip Touch LSIG In=150A
XT4 4p UL/CSA
1SDA102414R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



Ekip Touch LSIG
In=160A XT4 3p
1SDA100283R1

Ekip Touch LSIG
In=160A XT2 3p
1SDA100107R1

Ekip Touch LSIG
In=160A XT2 4p
1SDA100149R1

Ekip Touch LSIG
In=160A XT4 4p
1SDA100322R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



**Ekip Touch LSIG In=225A
XT4 3p UL/CSA
1SDA102367R1**

**Ekip Touch LSIG In=225A
XT4 4p UL/CSA
1SDA102415R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



Ekip Touch LSIG
In=250A XT4 3p
1SDA100284R1

Ekip Touch LSIG
In=250A XT4 4p
1SDA100323R1

Ekip Touch LSIG
In=250A XT4 3p
UL/CSA
1SDA102369R1

Ekip Touch LSIG
In=250A XT4 4p
UL/CSA
1SDA102417R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



Ekip Touch
LSIG In=250
XT5 4p
1SDA100675R1

Ekip Touch
LSIG In=250
XT5 3p
1SDA100594R1

Ekip Touch
LSIG In=250
XT5 4p UL/CSA
1SDA102800R1

Ekip Touch
LSIG In=250
XT5 3p UL/CSA
1SDA102723R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.6 kg	1.3 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.7 kg	1.4 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch
LSIG In=320
XT5 4p
1SDA100676R1



Ekip Touch
LSIG In=320
XT5 3p
1SDA100595R1



Ekip Touch
LSIG In=300
XT5 3p UL/CSA
1SDA102724R1



Ekip Touch
LSIG In=300
XT5 4p UL/CSA
1SDA102801R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	320 A	320 A	300 A	300 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch
LSIG In=400
XT5 4p
1SDA100677R1

Ekip Touch
LSIG In=400
XT5 3p
1SDA100596R1

Ekip Touch
LSIG In=400
XT5 3p UL/CSA
1SDA102725R1

Ekip Touch
LSIG In=400
XT5 4p UL/CSA
1SDA102802R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch
LSIG In=630T5
4p
1SDA100678R1



Ekip Touch
LSIG In=630T5
3p
1SDA100597R1



Ekip Touch
LSIG In=600T5
3p UL/CSA
1SDA102726R1



Ekip Touch
LSIG In=600T5
4p UL/CSA
1SDA102803R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	630 A	630 A	600 A	600 A
Release:	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG	Ekip Touch LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch LSI
In=40A XT2p
1SDA100142R1

Ekip Touch LSI
In=40A XT2p
1SDA100100R1

Ekip Touch LSI
In=40A XT2p
UL/CSA
1SDA102159R1

Ekip Touch LSI
In=40A XT2p
UL/CSA
1SDA102205R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	40 A	40 A	40 A	40 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2



Ekip Touch LSI
In=63A XT2 3p
1SDA100101R1

Ekip Touch LSI
In=63A XT2 4p
1SDA100143R1

Ekip Touch LSI
In=60A XT2 3p
UL/CSA
1SDA102160R1

Ekip Touch LSI
In=60A XT2 4p
UL/CSA
1SDA102206R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	63 A	63 A	60 A	60 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2



Ekip Touch LSI
In=100A XT2
4p
1SDA100144R1

Ekip Touch LSI
In=100A XT2 3p
1SDA100102R1

Ekip Touch LSI
In=100A XT2 3p
UL/CSA
1SDA102161R1

Ekip Touch LSI
In=100A XT2
4p UL/CSA
1SDA102207R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT2	XT2	XT2
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT2	XT2



Ekip Touch LSI
In=100A XT4
4p
1SDA100318R1

Ekip Touch LSI
In=100A XT4
3p
1SDA100279R1

Ekip Touch LSI
In=100A XT4
4p UL/CSA
1SDA102412R1

Ekip Touch LSI
In=100A XT4
3p UL/CSA
1SDA102364R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



Ekip Touch LSI
In=125A XT2 3p
UL/CSA
1SDA102162R1



Ekip Touch LSI
In=150A XT4
3p UL/CSA
1SDA102362R1



Ekip Touch LSI
In=150A XT4
4p UL/CSA
1SDA102410R1



Ekip Touch LSI
In=125A XT2 4p
UL/CSA
1SDA102208R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT4	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	125 A	150 A	150 A	125 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	UL489	UL489	UL489	UL489
Sub-type:	XT2	XT4	XT4	XT2



Ekip Touch LSI
In=160A XT2
4p
1SDA100145R1

Ekip Touch LSI
In=160A XT4
3p
1SDA100280R1

Ekip Touch LSI
In=160A XT2 3p
1SDA100103R1

Ekip Touch LSI
In=160A XT4
4p
1SDA100319R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



**Ekip Touch LSI In=225A
XT4 3p UL/CSA
1SDA102363R1**

**Ekip Touch LSI In=225A XT4
4p UL/CSA
1SDA102411R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	225 A	225 A
Release:	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



Ekip Touch LSI
In=250A XT4
3p
1SDA100281R1

Ekip Touch LSI
In=250A XT4
4p
1SDA100320R1

Ekip Touch LSI
In=250A XT4
4p UL/CSA
1SDA102413R1

Ekip Touch LSI
In=250A XT4
3p UL/CSA
1SDA102365R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT4	XT4	XT4
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Sub-type:	N/A	N/A	XT4	XT4



Ekip Touch LSI
In=250 XT5 4p
1SDA100671R1

Ekip Touch LSI
In=250 XT5 3p
1SDA100590R1

Ekip Touch LSI
In=250 XT5 3p
UL/CSA
1SDA102719R1

Ekip Touch LSI
In=250 XT5 4p
UL/CSA
1SDA102796R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch LSI
In=320 XT5 3p
1SDA100591R1

Ekip Touch LSI
In=320 XT5 4p
1SDA100672R1

Ekip Touch LSI
In=300 XT5 3p
UL/CSA
1SDA102720R1

Ekip Touch LSI
In=300 XT5 4p
UL/CSA
1SDA102797R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg	1.3 kg	1.6 kg
---------------------	----------	---------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.559 kg	2.014 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	320 A	320 A	300 A	300 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch LSI
In=400 XT5 4p
1SDA100673R1

Ekip Touch LSI
In=400 XT5 3p
1SDA100592R1

Ekip Touch LSI
In=400 XT5 3p
UL/CSA
1SDA102721R1

Ekip Touch LSI
In=400 XT5 4p
UL/CSA
1SDA102798R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	400 A	400 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch LSI
In=630 XT5 4p
1SDA100674R1



Ekip Touch LSI
In=630 XT5 3p
1SDA100593R1



Ekip Touch LSI
In=600 XT5 3p
UL/CSA
1SDA102722R1



Ekip Touch LSI
In=600 XT5 4p
UL/CSA
1SDA102799R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.3 kg	1.6 kg
---------------------	---------	----------	--------	--------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	190 mm	190 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.4 kg	1.7 kg
Package Level 1 Height:	180 mm	180 mm	160 mm	160 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	N/A	N/A	SACE Tmax XT	SACE Tmax XT
Version:	N/A	N/A	F	F

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	630 A	630 A	600 A	600 A
Release:	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	UL489	UL489
Terminal Connection Type:	N/A	N/A	Fixed Circuit-Breakers Front	Fixed Circuit-Breakers Front



Ekip Touch Measuring LSIG
In=40A XT2 4p
1SDA100154R1

Ekip Touch Measuring LSIG
In=40A XT2 3p
1SDA100112R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	40 A	40 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG In=63A XT2 3p 1SDA100113R1

Ekip Touch Measuring LSIG In=63A XT2 4p 1SDA100155R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I_n):	63 A	63 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG
In=100A XT2 3p
1SDA100114R1

Ekip Touch Measuring LSIG
In=100A XT2 4p
1SDA100156R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	100 A	100 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG
In=100A XT4 3p
1SDA100288R1

Ekip Touch Measuring LSIG
In=100A XT4 4p
1SDA100327R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	100 A	100 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



**Ekip Touch
Measuring
LSIG In=160A
XT4 3p
1SDA100289R1**

**Ekip Touch
Measuring
LSIG In=160A
XT2 3p
1SDA100115R1**

**Ekip Touch
Measuring
LSIG In=160A
XT2 4p
1SDA100157R1**

**Ekip Touch
Measuring
LSIG In=160A
XT4 4p
1SDA100328R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



**Ekip Touch
Measuring LSIG
In=160A XT4 3p
1SDA100289R1**

**Ekip Touch
Measuring
LSIG In=160A
XT2 3p
1SDA100115R1**

**Ekip Touch
Measuring
LSIG In=160A
XT2 4p
1SDA100157R1**

**Ekip Touch
Measuring
LSIG In=160A
XT4 4p
1SDA100328R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG
In=250A XT4 4p
1SDA100329R1

Ekip Touch Measuring LSIG
In=250A XT4 3p
1SDA100290R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	250 A	250 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG
In=250 XT5 3p
1SDA100602R1

Ekip Touch Measuring LSIG
In=250 XT5 4p
1SDA100683R1

Dimensions

Product Net Weight:	1.395 kg	1.85 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
---------------------------------	--------	--------

Package Level 1 Gross Weight:	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	250 A	250 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSIG
In=320 XT5 4p
1SDA100684R1

Ekip Touch Measuring LSIG
In=320 XT5 3p
1SDA100603R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
---------------------------------	--------	--------

Package Level 1 Gross Weight:	2.014 kg	1.559 kg
-------------------------------	----------	----------

Package Level 1 Height:	180 mm	180 mm
-------------------------	--------	--------

Package Level 1 Units:	box 1 piece	box 1 piece
------------------------	-------------	-------------

Package Level 1 Width:	120 mm	120 mm
------------------------	--------	--------

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
--	--------------------	--------------------

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
--------------------	-------------------------	-------------------------

Product Name:	Accessory	Accessory
---------------	-----------	-----------

Product Type:	Accessory	Accessory
---------------	-----------	-----------

Suitable For:	XT5	XT5
---------------	-----	-----

Technical

Configuration Type:	Loose or configurable	Loose or configurable
---------------------	-----------------------	-----------------------

Current Type:	AC	AC
---------------	----	----

Number of Poles:	4P	3P
------------------	----	----

Order Multiple:	1 piece	1 piece
-----------------	---------	---------

Rated Current (I _n):	320 A	320 A
----------------------------------	-------	-------

Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
----------	---------------------------	---------------------------

Release Type:	EL	EL
---------------	----	----

Standards:	IEC60947-2	IEC60947-2
------------	------------	------------



Ekip Touch Measuring LSIG
In=630 XT5 4p
1SDA100686R1

Ekip Touch Measuring LSIG
In=630 XT5 3p
1SDA100605R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	630 A	630 A
Release:	Ekip Touch Measuring LSIG	Ekip Touch Measuring LSIG
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSI
In=40A XT2 3p
1SDA100108R1

Ekip Touch Measuring LSI
In=40A XT2 4p
1SDA100150R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	40 A	40 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSI
In=63A XT2 4p
1SDA100151R1



Ekip Touch Measuring LSI
In=63A XT2 3p
1SDA100109R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	63 A	63 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch
Measuring LSI
In=100A XT4 3p
1SDA100285R1

Ekip Touch
Measuring LSI
In=100A XT2 3p
1SDA100110R1

Ekip Touch
Measuring LSI
In=100A XT2 4p
1SDA100153R1

Ekip Touch
Measuring LSI
In=100A XT4 4p
1SDA100324R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	100 A	100 A	100 A	100 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



**Ekip Touch LSI In=150A
XT4 3p UL/CSA
1SDA102362R1**

**Ekip Touch LSI In=150A XT4
4p UL/CSA
1SDA102410R1**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	150 A	150 A
Release:	Ekip Touch LSI	Ekip Touch LSI
Release Type:	EL	EL
Standards:	UL489	UL489
Sub-type:	XT4	XT4



**Ekip Touch
Measuring LSI
In=160A XT4 3p
1SDA100286R1**

**Ekip Touch
Measuring LSI
In=160A XT2 3p
1SDA100111R1**

**Ekip Touch
Measuring LSI
In=160A XT2 4p
1SDA100152R1**

**Ekip Touch
Measuring LSI
In=160A XT4 4p
1SDA100325R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.1 kg	1.1 kg	1.1 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	110 mm	110 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT4	XT2	XT2	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	3P	3P	4P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	160 A	160 A	160 A	160 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Touch
Measuring LSI
In=250 XT5 4p
1SDA100679R1

Ekip Touch
Measuring LSI
In=250 XT5 3p
1SDA100598R1

Ekip Touch
Measuring LSI
In=250A XT4 3p
1SDA100287R1

Ekip Touch
Measuring LSI
In=250A XT4 4p
1SDA100326R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1 kg	1 kg
---------------------	---------	----------	------	------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	150 mm	150 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.1 kg	1.1 kg
Package Level 1 Height:	180 mm	180 mm	100 mm	100 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	110 mm	110 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT4	XT4

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	250 A	250 A	250 A	250 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



Ekip Touch Measuring LSI
In=320 XT5p
1SDA100680R1



Ekip Touch Measuring LSI
In=320 XT5p
1SDA100599R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.014 kg	1.559 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Rated Current (I _n):	320 A	320 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL
Standards:	IEC60947-2	IEC60947-2



Ekip Touch
Measuring LSI
In=400 XT5 4p
1SDA100681R1

Ekip Touch
Measuring LSI
In=400 XT5 3p
1SDA100600R1

Ekip Touch
Measuring LSI
In=630 XT5 3p
1SDA100601R1

Ekip Touch
Measuring LSI
In=630 XT5 4p
1SDA100682R1

Dimensions

Product Net Weight:	1.85 kg	1.395 kg	1.395 kg	1.85 kg
---------------------	---------	----------	----------	---------

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.014 kg	1.559 kg	1.559 kg	2.014 kg
Package Level 1 Height:	180 mm	180 mm	180 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	120 mm	120 mm	120 mm	120 mm

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution	Power Distribution	Power Distribution	Power Distribution
Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	AC	AC	AC
Number of Poles:	4P	3P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Rated Current (I _n):	400 A	400 A	630 A	630 A
Release:	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI	Ekip Touch Measuring LSI
Release Type:	EL	EL	EL	EL
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>