

Комплекты для преобразования исполнения FR, KIT MP, P MP, W MP

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



**Retr.Kit ATS010--
>ATS022(included)
1SDA070512R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Ordering

EAN:	
Package Level 1 Units:	1 piece



KIT FP XT2 W
<FP P
1SDA066288R
1

Dimensions

Product Net Weight:	1.2 kg
---------------------	--------

Container Information


Package Level 1 Depth / Length:	350 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.2 kg
Package Level 1 Height:	75 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	300 mm

Additional Information

Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT2
Suitable for Product Class:	SACE Tmax XT
Version:	W

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC60947-2 UL489



KIT FP XT4 W
<FP P
1SDA066289R1

Dimensions

Product Net Weight:	1.2 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	350 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.2 kg
Package Level 1 Height:	75 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	300 mm

Additional Information

Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT4
Suitable for Product Class:	SACE Tmax XT
Version:	W

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC60947-2 UL489



KIT FP XT5 W
<FP P
1SDA104706R1

Dimensions

Product Net Weight:	1.2 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	350 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.2 kg
Package Level 1 Height:	75 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	300 mm

Additional Information

Product Main Type:	Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT5
Suitable for Product Class:	SACE Tamx XT
Version:	W

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC60947-2



KIT 3p F > P MP
S3-S4
1SDA013608R1



KIT 3p F > P MP
S5 400
1SDA013716R1

Dimensions

Product Net Depth / Length:	0.3 m	N/A
Product Net Height:	50 mm	N/A
Product Net Weight:	0.533 kg	1.048 kg
Product Net Width:	150 mm	N/A

Container Information

Package Level 1 Depth / Length:	150 mm	N/A
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.533 kg	1.048 kg
Package Level 1 Height:	50 mm	N/A
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S3 S4	S5
Suitable for Product Class:	Isomax	Isomax

Technical

Device:	S3-S4	S5 400
Number of Poles:	3P	3P



**KIT 3p F > W MP
S3-S4
1SDA013610R1**

**KIT 3p F > W MP
S5 400
1SDA013718R1**

**KIT 3p F > W MP
S5 630
1SDA038778R1**

Dimensions

Product Net Depth / Length:	0.435 m	N/A	N/A
Product Net Height:	175 mm	N/A	N/A
Product Net Weight:	1.383 kg	1.911 kg	2.47 kg
Product Net Width:	130 mm	N/A	N/A

Container Information

Package Level 1 Depth / Length:	130 mm	N/A	N/A
Package Level 1 EAN:			
Package Level 1 Gross Weight:	1.383 kg	1.911 kg	2.47 kg
Package Level 1 Height:	175 mm	N/A	N/A
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	S3 S4	S5	S5
Suitable for Product Class:	Isomax	Isomax	Isomax

Technical

Device:	S3-S4	S5 400	S5 630
Number of Poles:	3P	3P	3P



KIT 3p F > W
MP S6
1SDA013962R
1



KIT 3p F > W
MP S7
1SDA023299R
1

Dimensions

Product Net Depth / Length:	0.435 m	0.435 m
Product Net Height:	175 mm	175 mm
Product Net Weight:	5.625 kg	5.665 kg
Product Net Width:	130 mm	130 mm

Container Information

Package Level 1 Depth / Length:	130 mm	130 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	5.625 kg	5.665 kg
Package Level 1 Height:	175 mm	175 mm
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S6	S7
Suitable for Product Class:	Isomax	Isomax

Technical

Device:	S6 800	S7
Number of Poles:	3P	3P



KIT 4p F > P MP
S5 400
1SDA013717R1



KIT 4p F > P MP
S3-S4
1SDA013609R1

Dimensions

Product Net Depth / Length:	N/A	0.3 m
Product Net Height:	N/A	50 mm
Product Net Weight:	1.166 kg	0.662 kg
Product Net Width:	N/A	150 mm

Container Information

Package Level 1 Depth / Length:	N/A	150 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.166 kg	0.662 kg
Package Level 1 Height:	N/A	50 mm
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S5	S3 S4
Suitable for Product Class:	Isomax	Isomax

Technical

Device:	S5 400	S3-S4
Number of Poles:	4P	4P



**KIT 4p F > W
MP S6
1SDA013963
R1**

**KIT 4p F > W
MP S7
1SDA01408
7R1**

**KIT 4p F > W
MP S5 630
1SDA038779R1**

**KIT 4p F > W
MP S5 400
1SDA013719R1**

Dimensions

Product Net Depth / Length:	0.435 m	0.435 m	N/A	N/A
Product Net Height:	175 mm	175 mm	N/A	N/A
Product Net Weight:	3.189 kg	6.375 kg	2.918 kg	2.17 kg
Product Net Width:	130 mm	130 mm	N/A	N/A

Container Information

Package Level 1 Depth / Length:	130 mm	130 mm	N/A	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	3.189 kg	6.375 kg	2.918 kg	2.17 kg
Package Level 1 Height:	175 mm	175 mm	N/A	N/A
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Suitable For:	S6	S7	S5	S5
Suitable for Product Class:	Isomax	Isomax	Isomax	Isomax

Technical

Device:	S6 800	S7	S5 630	S5 400
Number of Poles:	4P	4P	4P	4P

KIT MP RC T5
400 P 4p
1SDA054852R1

KIT MP RC T4
P 4p
1SDA054851
R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 EAN:		
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	T5	T4
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	4P
Standards:	IEC	IEC



**KIT MP T2 P 3p KIT
CONVERSION
051411R1**



**KIT MP T2 P 4p KIT
CONVERSION
051412R1**

Dimensions

Product Net Weight:	0.34 kg	0.45 kg
---------------------	---------	---------

Container Information


Package Level 1 Depth / Length:	220 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.34 kg	0.45 kg
Package Level 1 Height:	30 mm	25 mm
Package Level 1 Units:	1 piece	1 piece
Package Level 1 Width:	220 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	ACC	ACC
Suitable For:	T2	T2
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Device:	T2	T2
Number of Poles:	3P	4P
Standards:	IEC	IEC



**KIT MP T3 P 3p KIT
CONVERSION
1SDA051413R1**



**KIT MP T3 P 4p KIT
CONVERSION
1SDA051414R1**

Dimensions

Product Net Weight:	0.41 kg	0.53 kg
---------------------	---------	---------

Container Information

Package Level 1 Depth / Length:	200 mm	220 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.41 kg	0.53 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	1 piece	1 piece
Package Level 1 Width:	200 mm	220 mm

Additional Information


Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	ACC	ACC
Suitable For:	T3	T3
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical


Configuration Type:	Loose or configurable	Loose or configurable
Device:	T3	T3
Number of Poles:	3P	4P
Standards:	IEC	IEC




KIT MP T4 P 3p
1SDA054839R1



KIT MP T4 W 4p
1SDA054842R1



KIT MP T4 P 4p
1SDA054840R1



KIT MP T4 W 3p
1SDA054841R1

Dimensions

Product Net Weight:	0.5 kg	0.9 kg	0.6 kg	0.8 kg
---------------------	--------	--------	--------	--------

Container Information


Package Level 1 Depth / Length:	300 mm	300 mm	300 mm	300 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.5 kg	0.9 kg	0.6 kg	0.8 kg
Package Level 1 Height:	100 mm	100 mm	100 mm	100 mm
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	100 mm	100 mm	100 mm	100 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T4	T4	T4	T4
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P	4P	3P
Standards:	IEC	IEC	IEC	IEC




KIT MP T5
400 W 3p
1SDA054845
R1



KIT MP T5
400 P 4p
1SDA054844
R1



KIT MP T5
400 P 3p
1SDA054843
R1



KIT MP T5
400 W 4p
1SDA054846
R1

Dimensions

Product Net Weight:	1 kg	0.8 kg	0.7 kg	1.1 kg
----------------------------	------	--------	--------	--------

Container Information


Package Level 1 Depth / Length:	300 mm	300 mm	300 mm	300 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1 kg	0.8 kg	0.7 kg	1.1 kg
Package Level 1 Height:	50 mm	50 mm	50 mm	50 mm
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	50 mm	50 mm	50 mm	50 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T5	T5	T5	T5
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical


Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P	3P	4P
Standards:	IEC	IEC	IEC	IEC



KIT MP T5
630 W 4p
1SDA054850
R1



KIT MP T5
630 P 3p
1SDA05484
7R1



KIT MP T5
630 W 3p
1SDA054849
R1



KIT MP T5
630 P 4p
1SDA05484
8R1

Dimensions

Product Net Weight:	1.1 kg	1.527 kg	1 kg	0.8 kg
---------------------	--------	----------	------	--------

Container Information


Package Level 1 Depth / Length:	188 mm	188 mm	188 mm	188 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.1 kg	1.607 kg	1 kg	0.8 kg
Package Level 1 Height:	158 mm	158 mm	158 mm	158 mm
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	158 mm	158 mm	158 mm	158 mm

Additional Information


Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	T5	T5	T5	T5
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P	3P	4P
Standards:	IEC	IEC	IEC	IEC



KIT MP T6
630/800 W 4p
1SDA060391R1



KIT MP T6
630/800 W 3p
1SDA060390R1

Dimensions

Product Net Weight:	0.9 kg	0.8 kg
---------------------	--------	--------

Container Information


Package Level 1 Depth / Length:	430 mm	430 mm
Package Level 1 Gross Weight:	0.9 kg	0.8 kg
Package Level 1 Height:	180 mm	180 mm
Package Level 1 Units:	1 piece	1 piece
Package Level 1 Width:	180 mm	180 mm

Additional Information


Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	T6	T6
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P
Standards:	IEC	IEC



**KIT MP T7-T7M-
X1 W 3p
1SDA062162R1**



**KIT MP T7-T7M-
X1 W 4p
1SDA062163R1**

Dimensions

Product Net Weight:	0.8 kg	0.9 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	300 mm	300 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.8 kg	0.9 kg
Package Level 1 Height:	230 mm	230 mm
Package Level 1 Units:	1 piece	1 piece
Package Level 1 Width:	145 mm	145 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	T7, X1	T7, X1
Suitable for Product Class:	SACE Tmax T SACE Emax	SACE Tmax T SACE Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P
Standards:	IEC	IEC



KIT P MP
XT1 3p
1SDA06627
6R1



KIT P MP
XT1 4p
1SDA06627
7R1

Dimensions

Product Net Weight:	0.238 kg	0.3 kg
---------------------	----------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.25 kg	0.313 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT1	XT1
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	P	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



KIT P MP
XT2 4p
1SDA06627
9R1



KIT P MP
XT2 3p
1SDA06627
78R1

Dimensions

Product Net Weight:	0.348 kg	0.287 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	230 mm	230 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.37 kg	0.302 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	230 mm	230 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	P	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	N/A
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



KIT P MP
XT3 3p
1SDA06628
0R1



KIT P MP
XT3 4p
1SDA06628
1R1

Dimensions

Product Net Weight:	0.291 kg	0.3 kg
---------------------	----------	--------

Container Information

Package Level 1 Depth / Length:	230 mm	230 mm
Package Level 1 Gross Weight:	0.306 kg	0.391 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	230 mm	230 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT3	XT3
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	P	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



KIT P MP
XT4 3p
1SDA06628
2R1



KIT P MP
XT4 4p
1SDA06628
3R1

Dimensions

Product Net Weight:	0.302 kg	0.371 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.32 kg	0.39 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	P	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



Kit P MP XT5
400A 4p
1SDA104708R1



Kit P MP XT5
400A 3p
1SDA104707R1

Dimensions

Product Net Weight:	0.302 kg	0.302 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.318 kg	0.318 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT
Version:	P	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



**Kit W MP XT5
630A 3p
1SDA104713R1**

**Kit P MP XT5
630A 4p
1SDA104710R1**

Dimensions

Product Net Weight:	0.302 kg	0.302 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.318 kg	0.318 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT5	XT5
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT
Version:	W	P

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



KIT W MP RC
XT2 4p
1SDA066292R1

KIT W MP RC
XT4 4p
1SDA067115R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	350 mm	250 mm
Package Level 1 Gross Weight:	1.1 kg	1.1 kg
Package Level 1 Height:	75 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	300 mm	300 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2



KIT W MP
XT2 3p
1SDA066284
R1



KIT W MP
XT2 4p
1SDA066285
R1

Dimensions

Product Net Weight:	0.61 kg	0.678 kg
---------------------	---------	----------

Container Information

Package Level 1 Depth / Length:	300 mm	300 mm
Package Level 1 Gross Weight:	0.642 kg	0.714 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	250 mm	250 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT2	XT2
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



KIT W MP
XT4 3p
1SDA066286
R1



KIT W MP
XT4 4p
1SDA066287
R1

Dimensions

Product Net Weight:	0.656 kg	0.736 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	300 mm	300 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.691 kg	0.775 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	250 mm	250 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT4	XT4
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	4P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



**Kit W MP XT5
400A 3p
1SDA104711R1**



**Kit W MP XT5
400A 4p
1SDA104712R1**

**Kit W MP XT5
630A 3p
1SDA104713R
1**

**Kit W MP XT5
630A 4p
1SDA104714R
1**

Dimensions

Product Net Weight:	0.302 kg	0.302 kg	0.302 kg	0.302 kg
----------------------------	----------	----------	----------	----------

Container Information


Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.318 kg	0.318 kg	0.318 kg	0.318 kg
Package Level 1 Height:	45 mm	45 mm	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT5	XT5	XT5	XT5
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT	SACE Tamx XT
Version:	W	W	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489



Kit W MP XT6
800A 4p
1SDA104716R1



Kit W MP XT6
800A 3p
1SDA104715R1

Dimensions

Product Net Weight:	0.302 kg	0.302 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.318 kg	0.318 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT6	XT6
Suitable for Product Class:	SACE Tamx XT	SACE Tamx XT
Version:	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489



**Kit W MP
XT7 4p
1SDA104718
R1**



**Kit W MP
XT7 3p
1SDA104717
R1**

Dimensions

Product Net Weight:	0.302 kg	0.302 kg
---------------------	----------	----------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	0.318 kg	0.318 kg
Package Level 1 Height:	45 mm	45 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7, XT7M	XT7, XT7M
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT
Version:	W	W

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P
Order Multiple:	1 piece	1 piece
Standards:	IEC60947-2 UL489	IEC60947-2 UL489

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>