

Блоки контактов I1/4, RTC, S51, UXAB

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



**ELECTR. INDICATION OF
TRIP I1-4 F1/6
UXAB269364010**

**MECH. INDICATION OF
TRIP I1-4 F1-F2
UXAB269364100**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Spare Part
Suitable For:	F1 F2 F3 F4 F5 F6	F1 F2
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Technical Information:	CONTACT	MECHANICAL ALARM

ELECTR. I1/4 INDICAT. TRIP
PR12x E1-6-T8
1SDA058260R1

Dimensions

Product Net Depth / Length:	135 mm
Product Net Height:	30 mm
Product Net Weight:	0.1 kg
Product Net Width:	135 mm

Container Information

Package Level 1 Depth / Length:	15 mm
Package Level 1 Gross Weight:	0.2 kg
Package Level 1 Height:	30 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	25 mm

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6, T8
Suitable for Product Class:	SACE Emax, SACE Tmax T

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

ELE.I1/4 TRIP RESE
24-30V PR12x E1-6-
T8 1SDA058263R1

ELE.I1/4 TRIP
RESE110-127V PR12x
E1-6-T8
1SDA058262R1

ELE.I1/4 TRIP
RESE220-240V
PR12x E1-6-T8
1SDA058261R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information


Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	E1, E2, E3, E4, E6, T8	E1, E2, E3, E4, E6, T8	E1, E2, E3, E4, E6, T8
Suitable for Product Class:	SACE Emax, SACE Tmax T	SACE Emax, SACE Tmax T	SACE Emax, SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC/DC	N/A	AC/DC
Rated Operational Voltage:	24 ... 30 V AC/DC	N/A	220 ... 240 V AC/DC
Standards:	IEC	IEC	IEC



**RTC 24VDC E1.2-
XT7M
1SDA073771R1**



**RTC 24VDC
E2.2...E6.2
1SDA073774R1**

Dimensions

Product Net Depth / Length:	400 mm	N/A
Product Net Height:	50 mm	N/A
Product Net Weight:	0.2 kg	0.2 kg
Product Net Width:	300 mm	N/A

Container Information

Package Level 1 Depth / Length:	400 mm	400 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	300 mm	300 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Auxiliary Contacts CO (SPDT):	1	1
Order Multiple:	1 piece	N/A
Standards:	IEC	IEC



**RTC 250VAC E1.2-
XT7M
1SDA073770R1**



**RTC 250VAC
E2.2...E6.2
1SDA073773R1**

Dimensions

Product Net Depth / Length:	400 mm	N/A
Product Net Height:	50 mm	N/A
Product Net Weight:	0.2 kg	0.04 kg
Product Net Width:	300 mm	N/A

Container Information

Package Level 1 Depth / Length:	400 mm	400 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.05 kg
Package Level 1 Height:	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	300 mm	300 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Auxiliary Contacts CO (SPDT):	1	1
Order Multiple:	1 piece	N/A
Standards:	IEC	IEC



**RTC EKIP 24VDC
E1.2-XT7M
1SDA073772R1**

**RTC EKIP 24VDC
E2.2...E6.2
1SDA073775R1**

Dimensions

Product Net Depth / Length:	400 mm	N/A
Product Net Height:	50 mm	N/A
Product Net Weight:	0.2 kg	1 kg
Product Net Width:	300 mm	N/A

Container Information

Package Level 1 Depth / Length:	400 mm	400 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	300 mm	300 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Auxiliary Contacts CO (SPDT):	1	1
Order Multiple:	1 piece	N/A
Standards:	IEC	IEC

S51/2 24V
E2.2...E6.2
1SDA085700R1

S51/2 250V
E2.2...E6.2
1SDA085699R1

Dimensions

Product Net Weight:	0.2 kg	0.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	135 mm	135 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	190 mm	190 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2;E4.2;E6.2	E2.2;E4.2;E6.2

Technical

Current Type:	AC	AC
Standards:	IEC	IEC



**S51 24V E1.2-XT7-
XT7M
1SDA07377R1**



**S51 24V
E2.2...E6.2
1SDA07377R1
1**

Dimensions

Product Net Depth / Length:	135 mm	N/A
Product Net Height:	30 mm	N/A
Product Net Weight:	0.2 kg	0.2 kg
Product Net Width:	190 mm	N/A

Container Information

Package Level 1 Depth / Length:	135 mm	135 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.2 kg	0.2 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	190 mm	190 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A
Rated Voltage (U _r):	24 V	24 V
Standards:	IEC	IEC



**S51 250V
E2.2...E6.2
1SDA073778R1**



**S51 250V E1.2-XT7-
XT7M
1SDA073776R1**

Dimensions

Product Net Depth / Length:	N/A	135 mm
Product Net Height:	N/A	30 mm
Product Net Weight:	0.08 kg	0.2 kg
Product Net Width:	N/A	190 mm

Container Information

Package Level 1 Depth / Length:	135 mm	135 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.106 kg	0.2 kg
Package Level 1 Height:	30 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	190 mm	190 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	XT7-XT7M, E1.2
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece
Rated Voltage (U _r):	250 V	250 V
Standards:	IEC	IEC



5 AUX. CONT. X P L.S.
G-LG-F4
UXAB239260001

10 AUX. CONT. X P -
L.S. G-LG-F
UXAB239260002

15 AUX CONT. X P -
L.S. G-LG-F
UXAB239260003

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Product Type:	ACC	ACC	ACC
Suitable For:	F1	F1	F1
	F2	F2	F2
	F3	F3	F3
	F4	F4	F4
	F5	F5	F5
	F6	F6	F6
	LG	LG	LG
	G2	G2	G2
	G3	G3	G3
	G4	G4	G4
	G5	G5	G5
	G6	G6	G6
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
Technical Information:	AUX CONTACT SET,5 PIECES	AUX CONTACT SET,10 PIECES	CONTACT



5 AUX. CONT. X P - R.S.
G-LG-F
UXAB239260004

10 AUX. CONT. X P - R.S.
G-LG-F
UXAB239260005

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Product Type:	ACC	ACC
Suitable For:	F1	F1
	F2	F2
	F3	F3
	F4	F4
	F5	F5
	F6	F6
	LG	LG
	G2	G2
	G3	G3
	G4	G4
	G5	G5
	G6	G6
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**5 AUX. CONT. X F -RS-LS G2-
LG-F1-24
UXAB239260011**

**10 AUX. CONT. X F - RS/LS
G2-LG-F1-24
UXAB239260012**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information


Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Product Type:	ACC	ACC
Suitable For:	F1 F2 G2 LG	F1 F2 G2 LG
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Technical Information:	CONTACT	N/A



SLIDING CONTACTS MP
RIGHT F1-F24
UXAB239266003

SLIDING CONTACTS FP
RIGHT F1-F24
UXAB239266002

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F1 F2	F1 F2
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Technical Information:	CONTACT	CONTACT



SLIDING CONTACTS MP
LEFT F1-F24
UXAB239266030



SLIDING CONTACTS FP
LEFT F1-F24
UXAB239266020

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F1 F2	F1 F2
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Technical Information:	CONTACT	CONTACT



**5 AUX.CONTACTS FOR
FIXED CB F3/6-G3/6
UXAB239360011**

**10 AUX.CONTACT FOR
FIXED CB F3/6-G3/6
UXAB239360012**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Product Type:	ACC	ACC
Suitable For:	F3 F4 F5 F6 G3 G4 G5 G6	F3 F4 F5 F6 G3 G4 G5 G6
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
Technical Information:	N/A	CONTACT

SLIDING CONTACTS MP
RIGHT F3
UXAB239366003

SLIDING CONTACTS FP
RIGHT F3
UXAB239366002

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F3	F3
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	N/A	1 piece
-----------------	-----	---------

**SLIDING
CONTATCS MP
LEFT F3
UXAB23936603
0**

**SLIDING
CONTACTS FP
LEFT F3
UXAB2393660
20**

**SLIDING
CONTATCS MP
RIGHT F3
UXAB23936600
3**

**SLIDING
CONTACTS FP
RIGHT F3
UXAB2393660
02**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part	Spare Part	Spare Part
Product Type:	ACC	ACC	ACC	ACC
Suitable For:	F3	F3	F3	F3
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	N/A	1 piece	N/A	1 piece
-----------------	-----	---------	-----	---------

**SLIDING CONTATCS MP
RIGHT CD F4-F6
UXAB239466005**

**SLIDING CONTATCS MP LEFT
CD F4-F64UXAB239466050**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F4	F4
	F5	F5
	F6	F6
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	
Россия +7(495)268-04-70	Казахстан +7(727)345-47-04	Беларусь +375-257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47