

# Реле контроля и управления In=...А, R<sub>c</sub> In=..А, R<sub>C</sub> R..

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ahk@nt-rt.ru](mailto:ahk@nt-rt.ru) || сайт: <https://abbswitch.nt-rt.ru>



**RATING PLUG  
RC R100  
E1.2..E2.2 INST**



**Rating Plug  
RC R100  
E1.2..E2.2  
(Black)**

**Rating Plug  
RC R100  
E1.2..E2.2**

## Dimensions

|                     |      |        |      |
|---------------------|------|--------|------|
| Product Net Weight: | 1 kg | 0.1 kg | 1 kg |
|---------------------|------|--------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | N/A         | 145 mm      | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2             | E1.2;E2.2              | E1.2, E2.2             |
| Suitable for Product Class: | SACE Emax 2            | Emax 2                 | SACE Emax 2            |

## Technical

|                          |              |                       |                       |
|--------------------------|--------------|-----------------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current ( $I_n$ ): | 100 A        | N/A                   | N/A                   |
| Rated Voltage ( $U_r$ ): | 100 V        | N/A                   | 100 V                 |
| Standards:               | IEC          | N/A                   | IEC                   |

|  |                                                 |                                                                                    |                                                                                     |
|--|-------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                                                 |  |  |
|  | Rating Plug<br>RC R200<br>E1.2..E2.2<br>(Black) | RATING PLUG<br>RC R200<br>E1.2..E2.2 INST                                          | Rating Plug<br>RC R200<br>E1.2..E2.2                                                |

### Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

### Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

### Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2              | E1.2, E2.2             | E1.2, E2.2             |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

### Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 200 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | N/A                   | 200 V        | 200 V                 |
| Standards:                       | N/A                   | IEC          | IEC                   |





Rating Plug 200  
L OFF4E1.2..E2.2



RATING PLUG  
200 L OFF4  
E1.2..E2.2 INST



Rating Plug 200  
L OFF4E1.2..E2.2  
(Black)

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2             | E1.2, E2.2             | E1.2;E2.2              |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 200 A        | N/A                   |
| Rated Voltage ( $U_n$ ): | 200 V                 | 200 V        | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



Rating Plug 250  
E1.2..E2.2



RATING  
PLUG 2504  
E1.2..E2.2  
INST

Rating Plug 250  
E1.2..E2.24(Black)

Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2             | E1.2, E2.2             | E1.2;E2.2              |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 250 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 250 V                 | 250 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |



Rating Plug 250  
L OFF4E1.2..E2.2



RATING PLUG  
250 L OFF4  
E1.2..E2.2 INST



Rating Plug 250  
L OFF4E1.2..E2.2  
(Black)

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2             | E1.2, E2.2             | E1.2;E2.2              |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 250 A        | N/A                   |
| Rated Voltage ( $U_r$ ): | 250 V                 | 250 V        | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



**RATING  
PLUG 4004  
E1.2..E6.2**



**RATING  
PLUG 4004  
E1.2..E6.2  
INST**



**Rating Plug 400  
E1.2..E6.24(Black)**

## Dimensions

|                     |        |      |        |
|---------------------|--------|------|--------|
| Product Net Weight: | 0.1 kg | 1 kg | 0.1 kg |
|---------------------|--------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 400 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 400 V                 | 400 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |



**RATING PLUG  
400 L OFF4  
E1.2..E6.2**



**RATING PLUG  
400 L OFF4  
E1.2..E6.2 INST**

**Rating Plug 400  
L OFF4E1.2..E6.2  
(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 400 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 400 V                 | 400 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |

|                                 |                                                                                    |                                             |                                                                                     |
|---------------------------------|------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|
|                                 |  |                                             |  |
|                                 | Rating Plug 600<br>E1.2...E6.24UL                                                  | Rating Plug 600<br>E1.2..E6.24UL<br>(Black) | Rating Plug 600<br>E1.2...E6.24UL INST                                              |
| Dimensions                      |                                                                                    |                                             |                                                                                     |
| Product Net Weight:             | 1 kg                                                                               | 0.1 kg                                      | 1 kg                                                                                |
| Container Information           |                                                                                    |                                             |                                                                                     |
| Package Level 1 Depth / Length: | N/A                                                                                | 200 mm                                      | N/A                                                                                 |
| Package Level 1 EAN:            |                                                                                    |                                             |                                                                                     |
| Package Level 1 Gross Weight:   | N/A                                                                                | 0.1 kg                                      | N/A                                                                                 |
| Package Level 1 Height:         | N/A                                                                                | 10 mm                                       | N/A                                                                                 |
| Package Level 1 Units:          | box 1 piece                                                                        | box 1 piece                                 | box 1 piece                                                                         |
| Package Level 1 Width:          | N/A                                                                                | 145 mm                                      | N/A                                                                                 |
| Additional Information          |                                                                                    |                                             |                                                                                     |
| Product Main Type:              | Accessories for Emax 2                                                             | Accessories for Emax 2                      | Accessories for Emax 2                                                              |
| Product Name:                   | Accessory                                                                          | Accessory                                   | Accessory                                                                           |
| Product Type:                   | Accessory                                                                          | Accessory                                   | Accessory                                                                           |
| Suitable For:                   | E1.2, E2.2, E4.2, E6.2                                                             | E1.2;E2.2;E4.2;E6.2                         | E1.2, E2.2, E4.2, E6.2                                                              |
| Suitable for Product Class:     | SACE Emax 2                                                                        | Emax 2                                      | N/A                                                                                 |
| Technical                       |                                                                                    |                                             |                                                                                     |
| Configuration Type:             | Loose or configurable                                                              | Loose or configurable                       | Mounted only                                                                        |
| Standards:                      | UL                                                                                 | N/A                                         | UL                                                                                  |



**RATING  
PLUG 6304  
E1.2..E6.2**



**RATING  
PLUG 6304  
E1.2..E6.2  
INST**

**Rating Plug 630  
E1.2..E6.24(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 630 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 630 V                 | 630 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |

|  |                                                              |                                                       |                                                  |
|--|--------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------|
|  | <div> </div>                                                 |                                                       |                                                  |
|  | <b>Rating Plug 630<br/>L OFF4<br/>E1.2..E6.2<br/>(Black)</b> | <b>RATING PLUG<br/>630 L OFF4<br/>E1.2..E6.2 INST</b> | <b>RATING PLUG<br/>630 L OFF4<br/>E1.2..E6.2</b> |

### Dimensions

|                            |        |      |      |
|----------------------------|--------|------|------|
| <b>Product Net Weight:</b> | 0.1 kg | 1 kg | 1 kg |
|----------------------------|--------|------|------|

### Container Information

|                                        |             |             |             |
|----------------------------------------|-------------|-------------|-------------|
| <b>Package Level 1 Depth / Length:</b> | 200 mm      | N/A         | 200 mm      |
| <b>Package Level 1 EAN:</b>            |             |             |             |
| <b>Package Level 1 Gross Weight:</b>   | 0.1 kg      | N/A         | 0.1 kg      |
| <b>Package Level 1 Height:</b>         | 10 mm       | N/A         | 10 mm       |
| <b>Package Level 1 Units:</b>          | box 1 piece | box 1 piece | box 1 piece |
| <b>Package Level 1 Width:</b>          | 145 mm      | N/A         | 145 mm      |

### Additional Information

|                                    |                        |                        |                        |
|------------------------------------|------------------------|------------------------|------------------------|
| <b>Product Main Type:</b>          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| <b>Product Name:</b>               | Accessory              | Accessory              | Accessory              |
| <b>Product Type:</b>               | Accessory              | Accessory              | Accessory              |
| <b>Suitable For:</b>               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 |
| <b>Suitable for Product Class:</b> | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

### Technical

|                                       |                       |              |                       |
|---------------------------------------|-----------------------|--------------|-----------------------|
| <b>Configuration Type:</b>            | Loose or configurable | Mounted only | Loose or configurable |
| <b>Rated Current (I<sub>n</sub>):</b> | N/A                   | 630 A        | N/A                   |
| <b>Rated Voltage (U<sub>r</sub>):</b> | N/A                   | 630 V        | 630 V                 |
| <b>Standards:</b>                     | N/A                   | IEC          | IEC                   |



**RATING  
PLUG 8004  
E1.2..E6.2**



**RATING  
PLUG 8004  
E1.2..E6.2  
INST**

**Rating Plug 800  
E1.2..E6.24(Black)**

## Dimensions

|                     |        |      |        |
|---------------------|--------|------|--------|
| Product Net Weight: | 0.1 kg | 1 kg | 0.1 kg |
|---------------------|--------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 800 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 800 V                 | 800 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |



**Rating Plug**  
**800 L OFF**  
**E1.2..E6.2**  
**(Black)**

**RATING PLUG**  
**800 L OFF**  
**E1.2..E6.2 INST**

**RATING PLUG**  
**800 L OFF**  
**E1.2..E6.2**

## Dimensions

|                            |        |      |      |
|----------------------------|--------|------|------|
| <b>Product Net Weight:</b> | 0.1 kg | 1 kg | 1 kg |
|----------------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

### Additional Information

|                                    |                        |                        |                        |
|------------------------------------|------------------------|------------------------|------------------------|
| <b>Product Main Type:</b>          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| <b>Product Name:</b>               | Accessory              | Accessory              | Accessory              |
| <b>Product Type:</b>               | Accessory              | Accessory              | Accessory              |
| <b>Suitable For:</b>               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 |
| <b>Suitable for Product Class:</b> | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
|----------------------------------|-----------------------|--------------|-----------------------|
| Rated Current (I <sub>n</sub> ): | N/A                   | 800 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | N/A                   | 800 V        | 800 V                 |
| Standards:                       | N/A                   | IEC          | IEC                   |



**RATING PLUG  
10004  
E1.2..E6.2**

**RATING PLUG  
10004  
E1.2..E6.2  
INST**

**Rating Plug 1000  
E1.2..E6.24(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 1000 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | 1000 V                | 1000 V       | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



**RATING PLUG  
1000 L OFF4  
E1.2..E6.2**



**RATING PLUG  
1000 L OFF4  
E1.2..E6.2 INST**

**Rating Plug 1000  
L OFF4E1.2..E6.2  
(Black)**

## Dimensions

|                     |      |        |      |
|---------------------|------|--------|------|
| Product Net Weight: | 1 kg | 0.1 kg | 1 kg |
|---------------------|------|--------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | 200 mm      | N/A         |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | 0.1 kg      | N/A         |
| Package Level 1 Height:         | 10 mm       | 10 mm       | N/A         |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | 145 mm      | N/A         |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 |
| Suitable for Product Class: | SACE Emax 2            | Emax 2                 | SACE Emax 2            |

## Technical

|                          |                       |                       |              |
|--------------------------|-----------------------|-----------------------|--------------|
| Configuration Type:      | Loose or configurable | Loose or configurable | Mounted only |
| Rated Current ( $I_n$ ): | N/A                   | N/A                   | 1000 A       |
| Rated Voltage ( $U_r$ ): | 1000 V                | N/A                   | 1000 V       |
| Standards:               | IEC                   | N/A                   | IEC          |



Rating Plug 1200  
E1.2..E6.2 UL (Black)

Rating Plug 1200  
E1.2..E6.2 UL

## Dimensions

|                     |        |      |
|---------------------|--------|------|
| Product Net Weight: | 0.1 kg | 1 kg |
|---------------------|--------|------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         |
| Package Level 1 EAN:            |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         |
| Package Level 1 Height:         | 10 mm       | N/A         |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         |

## Additional Information

|                             |                        |                        |
|-----------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 |
| Suitable for Product Class: | Emax 2                 | N/A                    |

## Technical

|                     |                       |                       |
|---------------------|-----------------------|-----------------------|
| Configuration Type: | Loose or configurable | Loose or configurable |
| Standards:          | N/A                   | UL                    |



Rating Plug 1250  
E1.2..E6.24(Black)

RATING PLUG  
12504  
E1.2..E6.2  
INST

RATING PLUG  
12504  
E1.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 1250 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 1250 V       | 1250 V                |
| Standards:               | N/A                   | IEC          | IEC                   |



**RATING PLUG  
1250 L OFF4  
E1.2..E6.2**



**RATING PLUG  
1250 L OFF4  
E1.2..E6.2 INST**

**Rating Plug 1250  
L OFF4E1.2..E6.2  
(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 1250 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | 1250 V                | 1250 V       | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



**RATING  
PLUG 1600**  
**E1.2..E6.2**



**RATING PLUG  
1600 L OFF**  
**E1.2..E6.2**



**RATING PLUG  
1600 L OFF**  
**E1.2..E6.2 INST**

**Rating Plug  
1600 L OFF**  
**E1.2..E6.2**  
**(Black)**

## Dimensions

|                     |        |      |      |        |
|---------------------|--------|------|------|--------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg | 0.1 kg |
|---------------------|--------|------|------|--------|

## Container Information

|                                 |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                                  |                       |                       |              |                       |
|----------------------------------|-----------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | N/A                   | 1600 A       | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 1600 V                | 1600 V                | 1600 V       | N/A                   |
| Standards:                       | IEC                   | IEC                   | IEC          | N/A                   |



**RATING PLUG 1600  
E2.2..E6.2 INST**

**Rating Plug 1600  
E2.2..E6.2 (Black)**

**Dimensions**

|                     |      |        |
|---------------------|------|--------|
| Product Net Weight: | 1 kg | 0.1 kg |
|---------------------|------|--------|

**Container Information**

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |
| Package Level 1 Gross Weight:   | N/A         | 0.1 kg      |
| Package Level 1 Height:         | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | N/A         | 145 mm      |

**Additional Information**

|                             |                        |                        |
|-----------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              |
| Suitable For:               | E2.2, E4.2, E6.2       | E2.2;E4.2;E6.2         |
| Suitable for Product Class: | SACE Emax 2            | Emax 2                 |

**Technical**

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | 1600 A       | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 1600 V       | N/A                   |
| Standards:                       | IEC          | N/A                   |



**RATING PLUG  
2000 L OFF4  
E2.2..E6.2**



**RATING PLUG  
2000 L OFF4  
E2.2..E6.2 INST**

**Rating Plug 2000  
L OFF4E2.2..E6.2  
(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E2.2, E4.2, E6.2       | E2.2, E4.2, E6.2       | E2.2;E4.2;E6.2         |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 2000 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | 2000 V                | 2000 V       | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



**RATING PLUG  
20004  
E2.2..E6.2**

**RATING PLUG  
20004  
E2.2..E6.2  
INST**

**Rating Plug  
20004  
E2.2..E6.2  
(Black)**

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E2.2, E4.2, E6.2       | E2.2, E4.2, E6.2       | E2.2;E4.2;E6.2         |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 2000 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | 2000 V                | 2000 V       | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



Rating Plug  
2500 L OFF  
E2.2..E6.2  
(Black)

RATING PLUG  
2500 L OFF  
E2.2..E6.2 INST

RATING PLUG  
2500 L OFF  
E2.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E2.2;E4.2;E6.2         | E2.2, E4.2, E6.2       | E2.2, E4.2, E6.2       |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 2500 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 2500 V       | 2500 V                |
| Standards:               | N/A                   | IEC          | IEC                   |



**RATING PLUG  
25004  
E4.2..E6.2  
INST**

**RATING PLUG  
25004  
E2.2..E6.2**

**Rating Plug 2500  
E2.2..E6.24(Black)**

## Dimensions

|                     |      |        |        |
|---------------------|------|--------|--------|
| Product Net Weight: | 1 kg | 0.1 kg | 0.1 kg |
|---------------------|------|--------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | N/A         | 145 mm      | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2, E6.2             | E2.2, E4.2, E6.2       | E2.2;E4.2;E6.2         |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |              |                       |                       |
|--------------------------|--------------|-----------------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current ( $I_n$ ): | 2500 A       | N/A                   | N/A                   |
| Rated Voltage ( $U_r$ ): | 2500 V       | 2500 V                | N/A                   |
| Standards:               | IEC          | IEC                   | N/A                   |



**RATING PLUG**  
**3200 L OFF**  
**E4.2..E6.2 INST**



**Rating Plug RC**  
**R3200**  
**E4.2..E6.2**



**RATING PLUG**  
**3200 L OFF**  
**E4.2..E6.2**

## Dimensions

|                     |      |      |      |
|---------------------|------|------|------|
| Product Net Weight: | 1 kg | 1 kg | 1 kg |
|---------------------|------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | N/A         | 145 mm      | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2, E6.2             | E4.2, E6.2             | E4.2, E6.2             |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |              |                       |                       |
|--------------------------|--------------|-----------------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current ( $I_n$ ): | 3200 A       | N/A                   | N/A                   |
| Rated Voltage ( $U_r$ ): | 3200 V       | 3200 V                | 3200 V                |
| Standards:               | IEC          | IEC                   | IEC                   |



Rating Plug  
3200  
E4.2..E6.2  
(Black)



RATING  
PLUG 3200  
E4.2..E6.2  
INST



RATING  
PLUG 3200  
E4.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2;E6.2              | E4.2, E6.2             | E4.2, E6.2             |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 3200 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 3200 V       | 3200 V                |
| Standards:               | N/A                   | IEC          | IEC                   |

|                                                                                   |                                                                                   |                                                                                     |                                        |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------|
|  |  |  |                                        |
| RATING PLUG 4000 L<br>OFF E4.2..E6.2                                              | RATING PLUG 4000 L<br>OFF E4.2..E6.2 INST                                         | RATING PLUG 4000<br>E4.2..E6.2                                                      | Rating Plug 4000<br>E4.2..E6.2 (Black) |

Dimensions

|                     |      |      |      |        |
|---------------------|------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|------|--------|

Container Information

|                                 |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      | 145 mm      |

Additional Information

|                             |                        |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2, E6.2             | E4.2, E6.2             | E4.2, E6.2             | E4.2;E6.2              |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

Technical

|                                  |                       |              |                       |                       |
|----------------------------------|-----------------------|--------------|-----------------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 4000 A       | N/A                   | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 4000 V                | 4000 V       | 4000 V                | N/A                   |
| Standards:                       | IEC                   | IEC          | IEC                   | N/A                   |

|  |                                                     |                                                      |                                             |                                  |
|--|-----------------------------------------------------|------------------------------------------------------|---------------------------------------------|----------------------------------|
|  |                                                     |                                                      |                                             |                                  |
|  | <b>Rating Plug<br/>6300 L OFF4<br/>E6.2 (Black)</b> | <b>RATING<br/>PLUG 6300 L4<br/>OFF E6.2<br/>INST</b> | <b>RATING<br/>PLUG 6300 L4<br/>OFF E6.2</b> | <b>RATING PLUG<br/>6300 E6.2</b> |

Dimensions

|                     |        |      |      |      |
|---------------------|--------|------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|------|

Container Information

|                                 |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      | 145 mm      |

Additional Information

|                             |                        |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E6.2                   | E6.2                   | E6.2                   | E6.2                   |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            | SACE Emax 2            |

Technical

|                                  |                       |              |                       |                       |
|----------------------------------|-----------------------|--------------|-----------------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 6300 A       | N/A                   | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | N/A                   | 6300 V       | 6300 V                | 6300 V                |
| Standards:                       | N/A                   | IEC          | IEC                   | IEC                   |



**RATING PLUG**  
**In=250A E1-E2 02**  
**IEC/UL**



**RATING PLUG**  
**In=100A E1-E2 02**  
**IEC/UL EXT**



**RATING PLUG**  
**In=200A E1-E2 02**  
**IEC/UL EXT.**

## Dimensions


|                     |      |      |      |
|---------------------|------|------|------|
| Product Net Weight: | 1 kg | 1 kg | 1 kg |
|---------------------|------|------|------|

## Additional Information


|                    |                      |                      |                      |
|--------------------|----------------------|----------------------|----------------------|
| Product Main Type: | Accessories for Emax | Accessories for Emax | Accessories for Emax |
| Product Name:      | N/A                  | Accessory            | Accessory            |
| Product Type:      | N/A                  | Accessory            | Accessory            |

## Technical

|            |     |     |     |
|------------|-----|-----|-----|
| Standards: | N/A | IEC | IEC |
|------------|-----|-----|-----|



**RATING PLUG**  
**In=250A XT5 IEC**



**RATING PLUG**  
**In=250A XT5 UL**

## Dimensions

|                     |        |        |
|---------------------|--------|--------|
| Product Net Weight: | 1.6 kg | 1.6 kg |
|---------------------|--------|--------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |
|-----------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               |
| Suitable For:               | XT5                     | XT5                     |
| Suitable for Product Class: | SACE Tamx XT            | SACE Tamx XT            |

## Technical

|                                  |                       |                       |
|----------------------------------|-----------------------|-----------------------|
| Configuration Type:              | Loose or configurable | Loose or configurable |
| Order Multiple:                  | 1 piece               | 1 piece               |
| Rated Current (I <sub>n</sub> ): | 250 A                 | 250 A                 |
| Standards:                       | IEC60947-2            | UL489                 |



**RATING PLUG**  
**In=400A4XT5**

**RATING PLUG**  
**In=400A4XT5**

**RATING PLUG**  
**In=400A4E1-**

**RATING PLUG**  
**In=400A4E1-**

**IEC**

**UL**

**E3**

**E3 EXT.COD**

## Dimensions

|                     |        |        |      |      |
|---------------------|--------|--------|------|------|
| Product Net Weight: | 1.6 kg | 1.6 kg | 1 kg | 1 kg |
|---------------------|--------|--------|------|------|

## Container Information

|                                 |             |             |         |         |
|---------------------------------|-------------|-------------|---------|---------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      | 145 mm  | N/A     |
| Package Level 1 EAN:            |             |             |         |         |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | 160 mm      | 160 mm      | 10 mm   | N/A     |
| Package Level 1 Units:          | box 1 piece | box 1 piece | 1 piece | 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      | N/A     | N/A     |

## Additional Information

|                             |                         |                         |                |                      |
|-----------------------------|-------------------------|-------------------------|----------------|----------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT | Spare Parts    | Accessories for Emax |
| Product Name:               | Accessory               | Accessory               | Rating plug    | Accessory            |
| Product Type:               | Accessory               | Accessory               | ACC            | Accessory            |
| Suitable For:               | XT5                     | XT5                     | E1<br>E2<br>E3 | E1, E2, E3           |
| Suitable for Product Class: | SACE Tamx XT            | SACE Tamx XT            | New Emax       | SACE Emax            |

## Technical

|                                  |                       |                       |                       |              |
|----------------------------------|-----------------------|-----------------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Loose or configurable | Loose or configurable | Mounted only |
| Order Multiple:                  | 1 piece               | 1 piece               | N/A                   | N/A          |
| Rated Current (I <sub>n</sub> ): | 400 A                 | 400 A                 | 400 A                 | 400 A        |
| Standards:                       | IEC60947-2            | UL489                 | IEC                   | IEC          |



**RATING PLUG**  
**In=400A T7-T7M-**  
**X1 EXT.COD.**

**RATING PLUG**  
**In=400A T7-T7M**  
**UL P.TARAT**

**RATING PLUG**  
**In=400A T7-T7M-**  
**X1**

**Dimensions**

|                     |      |      |      |
|---------------------|------|------|------|
| Product Net Weight: | 1 kg | 1 kg | 1 kg |
|---------------------|------|------|------|

**Container Information**

|                                 |         |         |         |
|---------------------------------|---------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 134 mm  | N/A     |
| Package Level 1 EAN:            |         |         |         |
| Package Level 1 Gross Weight:   | N/A     | N/A     | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 105 mm  | N/A     |
| Package Level 1 Units:          | 1 piece | 1 piece | 1 piece |
| Package Level 1 Width:          | N/A     | 56 mm   | N/A     |

**Additional Information**

|                             |                          |                        |                          |
|-----------------------------|--------------------------|------------------------|--------------------------|
| Product Main Type:          | Accessories for Tmax T   | Accessories for Tmax T | Accessories for Emax     |
| Product Name:               | Accessory                | Accessory              | Accessory                |
| Product Type:               | Accessory                | ACC                    | Accessory                |
| Suitable For:               | T7, X1                   | T7                     | T7<br>X1                 |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Tmax T            | SACE Emax<br>SACE Tmax T |

**Technical**

|                                  |              |                       |       |
|----------------------------------|--------------|-----------------------|-------|
| Configuration Type:              | Mounted only | Loose or configurable | N/A   |
| Rated Current (I <sub>n</sub> ): | 400 A        | 400 A                 | 400 A |
| Standards:                       | IEC          | UL                    | IEC   |



**RATING PLUG In=500  
A XT5 IEC**



**RATING PLUG In=500  
A XT5 UL**

## Dimensions

|                     |        |        |
|---------------------|--------|--------|
| Product Net Weight: | 1.6 kg | 1.6 kg |
|---------------------|--------|--------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |
|-----------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               |
| Suitable For:               | XT5                     | XT5                     |
| Suitable for Product Class: | SACE Tamx XT            | SACE Tamx XT            |

## Technical

|                                  |                       |                       |
|----------------------------------|-----------------------|-----------------------|
| Configuration Type:              | Loose or configurable | Loose or configurable |
| Order Multiple:                  | 1 piece               | 1 piece               |
| Rated Current (I <sub>n</sub> ): | 500 A                 | 500 A                 |
| Standards:                       | IEC60947-2            | UL489                 |



RATING PLUG In=600A  
E1-E3UL4EXT.COD



RATING PLUG  
In=600A E1-E3UL

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Additional Information

|                             |                      |                |
|-----------------------------|----------------------|----------------|
| Product Main Type:          | Accessories for Emax | Spare Parts    |
| Product Name:               | Accessory            | Rating plug    |
| Product Type:               | ACC                  | ACC            |
| Suitable For:               | N/A                  | E1<br>E2<br>E3 |
| Suitable for Product Class: | N/A                  | New Emax       |

Technical

|                                  |     |       |
|----------------------------------|-----|-------|
| Rated Current (I <sub>n</sub> ): | N/A | 600 A |
| Standards:                       | IEC | IEC   |



**RATING PLUG**  
**In=600 A4**  
**XT7-XT7M UL**



**RATING PLUG**  
**In=600 A4**  
**XT7-XT7M**  
**INST UL**



**RATING**  
**PLUG BASIC4**  
**In=600 A**  
**XT7-XT7M UL**



**RAT.PLUG**  
**BASIC In600 A4**  
**XT7-XT7M INST**  
**UL**

#### Dimensions

|                     |          |          |          |          |
|---------------------|----------|----------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|----------|----------|

#### Container Information

|                                 |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      | 190 mm      | 190 mm      |
| Package Level 1 EAN:            |             |             |             |             |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      | 120 mm      | 120 mm      |

#### Additional Information

|                             |                         |                         |                         |                         |
|-----------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               | Accessory               | Accessory               |
| Suitable For:               | XT7-XT7M                | XT7-XT7M                | XT7-XT7M                | XT7-XT7M                |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            |

#### Technical

|                                  |                       |              |                       |              |
|----------------------------------|-----------------------|--------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable | Mounted only |
| Order Multiple:                  | 1 piece               | 1 piece      | 1 piece               | 1 piece      |
| Rated Current (I <sub>n</sub> ): | 600 A                 | 600 A        | 600 A                 | 600 A        |
| Standards:                       | UL489                 | UL489        | UL489                 | UL489        |



RATING PLUG In=630A E1-E3 EXT.COD



RATING PLUG In=630A E1-E3

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |         |
|---------------------------------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 145 mm  |
| Package Level 1 EAN:            |         |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 10 mm   |
| Package Level 1 Units:          | 1 piece | 1 piece |

## Additional Information

|                             |                      |                |
|-----------------------------|----------------------|----------------|
| Product Main Type:          | Accessories for Emax | Spare Parts    |
| Product Name:               | Accessory            | Rating plug    |
| Product Type:               | Accessory            | ACC            |
| Suitable For:               | E1, E2, E3           | E1<br>E2<br>E3 |
| Suitable for Product Class: | SACE Emax            | New Emax       |

## Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | 630 A        | 630 A                 |
| Standards:                       | IEC          | IEC                   |



**RATING PLUG**  
**In=630 A4XT7-**  
**XT7M INST**  
**IEC**



**RATING PLUG**  
**BASIC4**  
**In=630 A XT7-**  
**XT7M IEC**



**RAT.PLUG**  
**BASIC In630 A4**  
**XT7-XT7M INST**  
**IEC**



**RATING PLUG**  
**In=630 A4XT5**  
**IEC**

**Dimensions**

|                            |          |          |          |        |
|----------------------------|----------|----------|----------|--------|
| <b>Product Net Weight:</b> | 0.025 kg | 0.025 kg | 0.025 kg | 1.6 kg |
|----------------------------|----------|----------|----------|--------|

**Container Information**

|                                        |             |             |             |             |
|----------------------------------------|-------------|-------------|-------------|-------------|
| <b>Package Level 1 Depth / Length:</b> | 190 mm      | 190 mm      | 190 mm      | 190 mm      |
| <b>Package Level 1 EAN:</b>            |             |             |             |             |
| <b>Package Level 1 Gross Weight:</b>   | 1.7 kg      | 1.7 kg      | 1.7 kg      | 1.7 kg      |
| <b>Package Level 1 Height:</b>         | 160 mm      | 160 mm      | 160 mm      | 160 mm      |
| <b>Package Level 1 Units:</b>          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| <b>Package Level 1 Width:</b>          | 120 mm      | 120 mm      | 120 mm      | 120 mm      |

**Additional Information**

|                                    |                         |                         |                         |                         |
|------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| <b>Product Main Type:</b>          | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT |
| <b>Product Name:</b>               | Accessory               | Accessory               | Accessory               | Accessory               |
| <b>Product Type:</b>               | Accessory               | Accessory               | Accessory               | Accessory               |
| <b>Suitable For:</b>               | XT7<br>XT7M             | XT7<br>XT7M             | XT7<br>XT7M             | XT5                     |
| <b>Suitable for Product Class:</b> | SACE Tamx XT            | SACE Tamx XT            | SACE Tamx XT            | SACE Tamx XT            |

**Technical**

|                                       |              |                       |              |                       |
|---------------------------------------|--------------|-----------------------|--------------|-----------------------|
| <b>Configuration Type:</b>            | Mounted only | Loose or configurable | Mounted only | Loose or configurable |
| <b>Order Multiple:</b>                | 1 piece      | 1 piece               | 1 piece      | 1 piece               |
| <b>Rated Current (I<sub>n</sub>):</b> | 630 A        | 630 A                 | 630 A        | 630 A                 |
| <b>Standards:</b>                     | IEC          | IEC                   | IEC          | IEC60947-2            |



RATING PLUG In=800A  
E1-6IEC E1-3UL4EX.CO



RATING PLUG In=800A  
E1-E6IEC E1-E3UL

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |         |
|---------------------------------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 145 mm  |
| Package Level 1 EAN:            |         |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 10 mm   |
| Package Level 1 Units:          | 1 piece | 1 piece |

## Additional Information

|                             |                      |                            |
|-----------------------------|----------------------|----------------------------|
| Product Main Type:          | Accessories for Emax | Spare Parts                |
| Product Name:               | Accessory            | Rating plug                |
| Product Type:               | Accessory            | ACC                        |
| Suitable For:               | E1, E2, E3, E4, E6   | E1<br>E2<br>E3<br>E4<br>E6 |
| Suitable for Product Class: | SACE Emax            | New Emax                   |

## Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | 800 A        | 800 A                 |
| Standards:                       | IEC          | IEC                   |



RATING PLUG In=800A  
T7-T7M-X1



RATING PLUG In=800A  
T7-T7M-X1 EXT.COD.

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                               |         |         |
|-------------------------------|---------|---------|
| Package Level 1 EAN:          |         |         |
| Package Level 1 Gross Weight: | 0.1 kg  | N/A     |
| Package Level 1 Units:        | 1 piece | 1 piece |

## Additional Information

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Product Main Type:          | Accessories for Emax     | Accessories for Tmax T   |
| Product Name:               | Accessory                | Accessory                |
| Product Type:               | Accessory                | Accessory                |
| Suitable For:               | T7<br>X1                 | T7, X1                   |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax<br>SACE Tmax T |

## Technical

|                                  |       |              |
|----------------------------------|-------|--------------|
| Configuration Type:              | N/A   | Mounted only |
| Rated Current (I <sub>n</sub> ): | 800 A | 800 A        |
| Standards:                       | IEC   | IEC          |



**RATING PLUG**  
**In=800 A XT7-**  
**XT7M IEC**



**RATING PLUG**  
**In=800 A XT7-**  
**XT7M UL**



**RATING PLUG**  
**BASIC In=800A**  
**XT7-XT7M IEC**

## Dimensions

|                     |          |          |          |
|---------------------|----------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|----------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      | 190 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |                         |
|-----------------------------|-------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7-XT7M                | XT7, XT7M               |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                          |                       |                       |                       |
|--------------------------|-----------------------|-----------------------|-----------------------|
| Configuration Type:      | Loose or configurable | Loose or configurable | Loose or configurable |
| Order Multiple:          | 1 piece               | 1 piece               | 1 piece               |
| Rated Current ( $I_n$ ): | 800 A                 | 800 A                 | 800 A                 |
| Standards:               | IEC60947-2            | UL489                 | IEC60947-2            |



**RATING PL.**  
**In=1000A T7-**  
**T7M-X1-T8**  
**EXT.COD**



**RATING PLUG**  
**In=1000A4T7-**  
**T7M-T8UL**  
**P.TARAT**



**RATING PLUG**  
**In=1000A4T7-**  
**T7M-X1-T8**

## Dimensions

|                     |      |      |      |
|---------------------|------|------|------|
| Product Net Weight: | 1 kg | 1 kg | 1 kg |
|---------------------|------|------|------|

## Container Information

|                                 |         |         |         |
|---------------------------------|---------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 134 mm  | N/A     |
| Package Level 1 EAN:            |         |         |         |
| Package Level 1 Gross Weight:   | N/A     | N/A     | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 105 mm  | N/A     |
| Package Level 1 Units:          | 1 piece | 1 piece | 1 piece |
| Package Level 1 Width:          | N/A     | 56 mm   | N/A     |

## Additional Information

|                             |                          |                        |                        |
|-----------------------------|--------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Tmax T   | Accessories for Tmax T | Accessories for Emax   |
| Product Name:               | Accessory                | Accessory              | Accessory              |
| Product Type:               | Accessory                | ACC                    | Accessory              |
| Suitable For:               | T7, X1                   | T7, T8                 | T7, T8, X1             |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Tmax T            | SACE Emax, SACE Tmax T |

## Technical

|                          |              |                       |                       |
|--------------------------|--------------|-----------------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current ( $I_n$ ): | 1000 A       | 1000 A                | 1000 A                |
| Standards:               | IEC          | UL                    | IEC                   |



**RATING PLUG  
BASIC4  
In=1000A  
XT7-XT7M IEC**

**RATING PLUG  
In=1000 A4  
XT7-XT7M IEC**

**RATING PLUG  
BASIC4  
In=1000A  
XT7-XT7M UL**

**RATING PLUG  
In1000A4XT7-  
XT7M INST  
IEC/UL**

## Dimensions

|                     |          |          |          |          |
|---------------------|----------|----------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|----------|----------|

## Container Information

|                                 |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      | 190 mm      | 190 mm      |
| Package Level 1 EAN:            |             |             |             |             |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |                         |                         |
|-----------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7, XT7M               | XT7-XT7M                | XT7, XT7M               |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                                  |                       |                       |                       |              |
|----------------------------------|-----------------------|-----------------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Loose or configurable | Loose or configurable | Mounted only |
| Order Multiple:                  | 1 piece               | 1 piece               | 1 piece               | 1 piece      |
| Rated Current (I <sub>n</sub> ): | 1000 A                | 1000 A                | 1000 A                | 1000 A       |
| Standards:                       | IEC60947-2            | IEC60947-2            | UL489                 | IEC60947-2   |



**RATING PLUG**  
**In1000A4XT7-**  
**XT7M INST IEC/**  
**UL**



**RAT.P.BASIC**  
**In1000A XT7-**  
**XT7M INST IEC/**  
**UL**



**RATING PLUG**  
**In=1000 A4XT7-**  
**XT7M UL**

## Dimensions

|                     |          |          |          |
|---------------------|----------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|----------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      | 190 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |                         |
|-----------------------------|-------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7, XT7M               | XT7-XT7M                |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                                  |              |              |                       |
|----------------------------------|--------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Mounted only | Loose or configurable |
| Order Multiple:                  | 1 piece      | 1 piece      | 1 piece               |
| Rated Current (I <sub>n</sub> ): | 1000 A       | 1000 A       | 1000 A                |
| Standards:                       | IEC60947-2   | IEC60947-2   | UL489                 |



**RATING PLUG**  
**In=1200A E1-E4UL4**  
**EXT.COD**



**RATING PLUG**  
**In=1200A E1-E4UL**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Additional Information

|                    |                      |                      |
|--------------------|----------------------|----------------------|
| Product Main Type: | Accessories for Emax | Accessories for Emax |
| Product Name:      | Accessory            | Accessory            |
| Product Type:      | ACC                  | ACC                  |

## Technical

|            |     |     |
|------------|-----|-----|
| Standards: | IEC | IEC |
|------------|-----|-----|



**RATING PLUG In=1250A  
E1-E6IEC4EXT.COD**



**RATING PLUG  
In=1250A E1-E6IEC**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |         |
|---------------------------------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 145 mm  |
| Package Level 1 EAN:            |         |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 10 mm   |
| Package Level 1 Units:          | 1 piece | 1 piece |

## Additional Information

|                                  |                      |                            |
|----------------------------------|----------------------|----------------------------|
| Product Main Type:               | Accessories for Emax | Spare Parts                |
| Product Name:                    | Accessory            | Rating plug                |
| Product Type:                    | Accessory            | ACC                        |
| Suitable For:                    | E1, E2, E3, E4, E6   | E1<br>E2<br>E3<br>E4<br>E6 |
| Suitable for Product Class:      | SACE Emax            | New Emax                   |
| Configuration Type:              | Mounted only         | Loose or configurable      |
| Rated Current (I <sub>n</sub> ): | 1250 A               | 1250 A                     |
| Standards:                       | IEC                  | IEC                        |



**RATING In=1250A T7-T7M-X1-T84EXT.COD.**



**RATING PLUG In=1250A T7-T7M-X1-T8**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                               |         |         |
|-------------------------------|---------|---------|
| Package Level 1 EAN:          |         |         |
| Package Level 1 Gross Weight: | N/A     | 0.1 kg  |
| Package Level 1 Units:        | 1 piece | 1 piece |

## Additional Information

|                             |                          |                        |
|-----------------------------|--------------------------|------------------------|
| Product Main Type:          | Accessories for Tmax T   | Accessories for Emax   |
| Product Name:               | Accessory                | Accessory              |
| Product Type:               | Accessory                | Accessory              |
| Suitable For:               | T7, X1                   | T7, T8, X1             |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax, SACE Tmax T |

## Technical

|                          |              |                       |
|--------------------------|--------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | 1250 A       | 1250 A                |
| Standards:               | IEC          | IEC                   |



**RATING PLUG In=1600A  
T8 UL PLUG TARATURA**



**RATING PLUG In=1600A  
T8 EXT.COD.**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |             |
|---------------------------------|---------|-------------|
| Package Level 1 Depth / Length: | 134 mm  | N/A         |
| Package Level 1 EAN:            |         |             |
| Package Level 1 Height:         | 105 mm  | N/A         |
| Package Level 1 Units:          | 1 piece | box 1 piece |
| Package Level 1 Width:          | 56 mm   | N/A         |

## Additional Information

|                             |                        |                        |
|-----------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Tmax T | Accessories for Tmax T |
| Product Name:               | Accessory              | Accessory              |
| Product Type:               | ACC                    | ACC                    |
| Suitable For:               | T8                     | T8                     |
| Suitable for Product Class: | SACE Tmax T            | SACE Tmax T            |

## Technical

|                                  |        |              |
|----------------------------------|--------|--------------|
| Configuration Type:              | N/A    | Mounted only |
| Rated Current (I <sub>n</sub> ): | 1600 A | 1600 A       |
| Standards:                       | UL     | IEC          |



**RATING PLUG**  
**In=2000A T8**



**RATING PLUG**  
**In=2000A T84**  
**EXT.COD.**



**RATING PLUG**  
**In=2000A T84UL**  
**PLUG TARATURA**

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |         |             |         |
|---------------------------------|---------|-------------|---------|
| Package Level 1 Depth / Length: | N/A     | N/A         | 134 mm  |
| Package Level 1 EAN:            |         |             |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | N/A         | N/A     |
| Package Level 1 Height:         | N/A     | N/A         | 105 mm  |
| Package Level 1 Units:          | 1 piece | box 1 piece | 1 piece |
| Package Level 1 Width:          | N/A     | N/A         | 56 mm   |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Tmax T | Accessories for Tmax T | Accessories for Tmax T |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | ACC                    | ACC                    | ACC                    |
| Suitable For:               | T8                     | T8                     | T8                     |
| Suitable for Product Class: | SACE Tmax T            | SACE Tmax T            | SACE Tmax T            |

## Technical

|                          |                       |              |        |
|--------------------------|-----------------------|--------------|--------|
| Configuration Type:      | Loose or configurable | Mounted only | N/A    |
| Rated Current ( $I_n$ ): | 2000 A                | 2000 A       | 2000 A |
| Standards:               | IEC                   | IEC          | UL     |



**RATING PLUG**  
**In=2500A T8**



**RATING PLUG**  
**In=2500A T84**  
**EXT.COD.**



**RATING PLUG**  
**In=2500A T84UL**  
**PLUG TARATURA**

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |         |             |         |
|---------------------------------|---------|-------------|---------|
| Package Level 1 Depth / Length: | N/A     | N/A         | 149 mm  |
| Package Level 1 EAN:            |         |             |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | N/A         | N/A     |
| Package Level 1 Height:         | N/A     | N/A         | 105 mm  |
| Package Level 1 Units:          | 1 piece | box 1 piece | 1 piece |
| Package Level 1 Width:          | N/A     | N/A         | 56 mm   |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Tmax T | Accessories for Tmax T | Accessories for Tmax T |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | ACC                    | ACC                    | ACC                    |
| Suitable For:               | T8                     | T8                     | T8                     |
| Suitable for Product Class: | SACE Tmax T            | SACE Tmax T            | SACE Tmax T            |

## Technical

|                          |                       |              |        |
|--------------------------|-----------------------|--------------|--------|
| Configuration Type:      | Loose or configurable | Mounted only | N/A    |
| Rated Current ( $I_n$ ): | 2500 A                | 2500 A       | 2500 A |
| Standards:               | IEC                   | IEC          | UL     |



**RATING PLUG**  
**In=3000A E3-E6UL**



**RATING PLUG**  
**In=3000A E3-E6UL**  
**EXT.COD**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Additional Information

|                             |                |                      |
|-----------------------------|----------------|----------------------|
| Product Main Type:          | Spare Parts    | Accessories for Emax |
| Product Name:               | Rating plug    | Accessory            |
| Product Type:               | ACC            | ACC                  |
| Suitable For:               | E3<br>E4<br>E6 | N/A                  |
| Suitable for Product Class: | New Emax       | N/A                  |

## Technical

|                          |        |     |
|--------------------------|--------|-----|
| Rated Current ( $I_n$ ): | 3000 A | N/A |
| Standards:               | IEC    | IEC |



**RATING PLUG In=3600A  
E4-E6UL4EXT.COD**



**RATING PLUG  
In=3600A E4-E6UL**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Additional Information

|                             |                      |             |
|-----------------------------|----------------------|-------------|
| Product Main Type:          | Accessories for Emax | Spare Parts |
| Product Name:               | Accessory            | Rating plug |
| Product Type:               | ACC                  | ACC         |
| Suitable For:               | N/A                  | E4<br>E6    |
| Suitable for Product Class: | N/A                  | New Emax    |

## Technical

|                                  |     |        |
|----------------------------------|-----|--------|
| Rated Current (I <sub>n</sub> ): | N/A | 3600 A |
| Standards:                       | IEC | IEC    |



RATING PLUG In=5000A  
E6 EXT.COD



RATING PLUG  
In=5000A E6

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |         |
|---------------------------------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 145 mm  |
| Package Level 1 EAN:            |         |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 10 mm   |
| Package Level 1 Units:          | 1 piece | 1 piece |

## Additional Information

|                    |                      |             |
|--------------------|----------------------|-------------|
| Product Main Type: | Accessories for Emax | Spare Parts |
|--------------------|----------------------|-------------|

|                             |           |             |
|-----------------------------|-----------|-------------|
| Product Name:               | Accessory | Rating plug |
| Product Type:               | Accessory | ACC         |
| Suitable For:               | E6        | E6          |
| Suitable for Product Class: | SACE Emax | New Emax    |

## Technical

|                          |              |                       |
|--------------------------|--------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | 5000 A       | 5000 A                |
| Standards:               | IEC          | IEC                   |



RATING PLUG  
In=6300A E6IEC4  
EXT.COD



RATING PLUG  
In=6300A E6IEC

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                                 |         |         |
|---------------------------------|---------|---------|
| Package Level 1 Depth / Length: | N/A     | 145 mm  |
| Package Level 1 EAN:            |         |         |
| Package Level 1 Gross Weight:   | 0.1 kg  | 0.1 kg  |
| Package Level 1 Height:         | N/A     | 10 mm   |
| Package Level 1 Units:          | 1 piece | 1 piece |

## Additional Information

|                             |                      |             |
|-----------------------------|----------------------|-------------|
| Product Main Type:          | Accessories for Emax | Spare Parts |
| Product Name:               | Accessory            | Rating plug |
| Product Type:               | Accessory            | ACC         |
| Suitable For:               | E6                   | E6          |
| Suitable for Product Class: | SACE Emax            | New Emax    |

## Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | 6300 A       | 6300 A                |
| Standards:                       | IEC          | IEC                   |



RAT.PLUG Rc In400  
PR122Rc-3 E1-E3IEC  
EXT



RATING PLUG Rc In400  
PR122Rc-3 E1-E3IEC

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

Additional Information

|                             |                      |                      |
|-----------------------------|----------------------|----------------------|
| Product Main Type:          | Accessories for Emax | Accessories for Emax |
| Product Name:               | Accessory            | Accessory            |
| Product Type:               | Accessory            | Accessory            |
| Suitable For:               | E1, E2, E3           | E1, E2, E3           |
| Suitable for Product Class: | SACE Emax            | SACE Emax            |

Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A          | 400 A                 |
| Standards:                       | IEC          | IEC                   |



**RATING PLUG Rc In400  
PR332Rc-3 T7-T7M-X1**



**RAT.PLUG Rc In400  
PR332Rc-3T7-T7M-X1 EXT**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                               |         |         |
|-------------------------------|---------|---------|
| Package Level 1 EAN:          |         |         |
| Package Level 1 Gross Weight: | 0.1 kg  | N/A     |
| Package Level 1 Units:        | 1 piece | 1 piece |

## Additional Information

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Product Main Type:          | Accessories for Emax     | Accessories for Tmax T   |
| Product Name:               | Accessory                | Accessory                |
| Product Type:               | Accessory                | Accessory                |
| Suitable For:               | T7<br>X1                 | T7, X1                   |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax<br>SACE Tmax T |

## Technical

|                          |       |              |
|--------------------------|-------|--------------|
| Configuration Type:      | N/A   | Mounted only |
| Rated Current ( $I_n$ ): | 400 A | 400 A        |
| Standards:               | IEC   | IEC          |



RATING PLUG Rc In630  
PR122Rc-3 E1-E3IEC



RAT.PLUG Rc In630  
PR122Rc-3 E1-E3IEC  
EXT

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

Additional Information

|                             |                      |                      |
|-----------------------------|----------------------|----------------------|
| Product Main Type:          | Accessories for Emax | Accessories for Emax |
| Product Name:               | Accessory            | Accessory            |
| Product Type:               | Accessory            | Accessory            |
| Suitable For:               | E1, E2, E3           | E1, E2, E3           |
| Suitable for Product Class: | SACE Emax            | SACE Emax            |

Technical

|                                  |                       |              |
|----------------------------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Mounted only |
| Rated Current (I <sub>n</sub> ): | 630 A                 | N/A          |
| Standards:                       | IEC                   | IEC          |



RATING PLUG Rc In630  
PR122Rc-3 E1-E3IEC



RAT.PLUG Rc In630  
PR122Rc-3 E1-E3IEC  
EXT

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

Additional Information

|                    |                      |                      |
|--------------------|----------------------|----------------------|
| Product Main Type: | Accessories for Emax | Accessories for Emax |
| Product Name:      | Accessory            | Accessory            |
| Product Type:      | Accessory            | Accessory            |
| Suitable For:      | E1, E2, E3           | E1, E2, E3           |

|                             |           |           |
|-----------------------------|-----------|-----------|
| Suitable for Product Class: | SACE Emax | SACE Emax |
|-----------------------------|-----------|-----------|

Technical

|                                  |                       |              |
|----------------------------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Mounted only |
| Rated Current (I <sub>n</sub> ): | 630 A                 | N/A          |
| Standards:                       | IEC                   | IEC          |



**RAT.PLUG Rc In800  
PR122Rc-3 E1-E3IEC  
EXT**



**RATING PLUG Rc In800  
PR122Rc-3 E1-E3IEC**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

## Additional Information

|                             |                      |                      |
|-----------------------------|----------------------|----------------------|
| Product Main Type:          | Accessories for Emax | Accessories for Emax |
| Product Name:               | Accessory            | Accessory            |
| Product Type:               | Accessory            | Accessory            |
| Suitable For:               | E1, E2, E3           | E1, E2, E3           |
| Suitable for Product Class: | SACE Emax            | SACE Emax            |

## Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A          | 800 A                 |
| Standards:                       | IEC          | IEC                   |



RATING PLUG Rc In800  
PR332Rc-3 T7-T7M-X1



RAT.PLUG Rc In800  
PR332Rc-3T7-T7M-X1 EXT

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Container Information

|                               |         |         |
|-------------------------------|---------|---------|
| Package Level 1 EAN:          |         |         |
| Package Level 1 Gross Weight: | 0.1 kg  | N/A     |
| Package Level 1 Units:        | 1 piece | 1 piece |

Additional Information

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Product Main Type:          | Accessories for Emax     | Accessories for Tmax T   |
| Product Name:               | Accessory                | Accessory                |
| Product Type:               | Accessory                | Accessory                |
| Suitable For:               | T7<br>X1                 | T7, X1                   |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax<br>SACE Tmax T |

Technical

|                                  |       |              |
|----------------------------------|-------|--------------|
| Configuration Type:              | N/A   | Mounted only |
| Rated Current (I <sub>n</sub> ): | 800 A | 800 A        |
| Standards:                       | IEC   | IEC          |



**RATING PLUG RC In=800A  
XT7-XT7M4INST IEC**



**RATING PLUG RC In=800 A  
XT7-XT7M4IEC**

## Dimensions

|                     |          |          |
|---------------------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |
|-----------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7, XT7M               |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                                  |              |                       |
|----------------------------------|--------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable |
| Order Multiple:                  | 1 piece      | 1 piece               |
| Rated Current (I <sub>n</sub> ): | 800 A        | 800 A                 |
| Standards:                       | IEC60947-2   | IEC60947-2            |



**RATING PLUG RC In=800A  
XT7-XT7M4INST IEC**



**RATING PLUG RC In=800 A  
XT7-XT7M4IEC**

## Dimensions

|                     |          |          |
|---------------------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |
|-----------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7, XT7M               |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                          |              |                       |
|--------------------------|--------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable |
| Order Multiple:          | 1 piece      | 1 piece               |
| Rated Current ( $I_n$ ): | 800 A        | 800 A                 |
| Standards:               | IEC60947-2   | IEC60947-2            |



RAT. Rc  
In1000PR332Rc-3T7-  
T7M-X1-T8 EXT



RAT. Rc  
In1250PR332Rc-3T7-T7M-  
X1-T84EXT

Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 EAN:   |         |         |
| Package Level 1 Units: | 1 piece | 1 piece |

Additional Information

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Product Main Type:          | Accessories for Tmax T   | Accessories for Tmax T   |
| Product Name:               | Accessory                | Accessory                |
| Product Type:               | Accessory                | Accessory                |
| Suitable For:               | T7, X1                   | T7, X1                   |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax<br>SACE Tmax T |

Technical

|                                  |              |              |
|----------------------------------|--------------|--------------|
| Configuration Type:              | Mounted only | Mounted only |
| Rated Current (I <sub>n</sub> ): | 1000 A       | 1250 A       |
| Standards:                       | IEC          | IEC          |



RATING PLUG RC In=1250 A  
XT7-XT7M4IEC



RATING PLUG RC In1250A  
XT7-XT7M4INST IEC

## Dimensions

|                     |          |          |
|---------------------|----------|----------|
| Product Net Weight: | 0.025 kg | 0.025 kg |
|---------------------|----------|----------|

## Container Information

|                                 |             |             |
|---------------------------------|-------------|-------------|
| Package Level 1 Depth / Length: | 190 mm      | 190 mm      |
| Package Level 1 Gross Weight:   | 1.7 kg      | 1.7 kg      |
| Package Level 1 Height:         | 160 mm      | 160 mm      |
| Package Level 1 Units:          | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 120 mm      | 120 mm      |

## Additional Information

|                             |                         |                         |
|-----------------------------|-------------------------|-------------------------|
| Product Main Type:          | Accessories for Tmax XT | Accessories for Tmax XT |
| Product Name:               | Accessory               | Accessory               |
| Product Type:               | Accessory               | Accessory               |
| Suitable For:               | XT7, XT7M               | XT7, XT7M               |
| Suitable for Product Class: | SACE Tmax XT            | SACE Tmax XT            |

## Technical

|                                  |                       |              |
|----------------------------------|-----------------------|--------------|
| Configuration Type:              | Loose or configurable | Mounted only |
| Order Multiple:                  | 1 piece               | 1 piece      |
| Rated Current (I <sub>n</sub> ): | 1250 A                | 1250 A       |
| Standards:                       | IEC60947-2            | IEC60947-2   |



**RATING PLUG Rc In1250  
PR122Rc-3E1-E3IEC**



**RAT.PLUG Rc In1250  
PR122Rc-3E1-E3IEC EXT**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

## Additional Information

|                             |                      |                      |
|-----------------------------|----------------------|----------------------|
| Product Main Type:          | Accessories for Emax | Accessories for Emax |
| Product Name:               | Accessory            | Accessory            |
| Product Type:               | Accessory            | Accessory            |
| Suitable For:               | E1, E2, E3           | E1, E2, E3           |
| Suitable for Product Class: | SACE Emax            | SACE Emax            |

## Technical

|                          |                       |              |
|--------------------------|-----------------------|--------------|
| Configuration Type:      | Loose or configurable | Mounted only |
| Rated Current ( $I_n$ ): | 1250 A                | N/A          |
| Standards:               | IEC                   | IEC          |



**RATING Rc In1250  
PR332Rc-3T7-T7M-X1-T8**



**RAT. Rc  
In1250PR332Rc-3T7-T7M-  
X1-T84EXT**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                               |         |         |
|-------------------------------|---------|---------|
| Package Level 1 EAN:          |         |         |
| Package Level 1 Gross Weight: | 0.1 kg  | N/A     |
| Package Level 1 Units:        | 1 piece | 1 piece |

## Additional Information

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Product Main Type:          | Accessories for Emax     | Accessories for Tmax T   |
| Product Name:               | Accessory                | Accessory                |
| Product Type:               | Accessory                | Accessory                |
| Suitable For:               | T7<br>X1                 | T7, X1                   |
| Suitable for Product Class: | SACE Emax<br>SACE Tmax T | SACE Emax<br>SACE Tmax T |

## Technical

|                          |        |              |
|--------------------------|--------|--------------|
| Configuration Type:      | N/A    | Mounted only |
| Rated Current ( $I_n$ ): | 1250 A | 1250 A       |
| Standards:               | IEC    | IEC          |



**RAT.PLUG Rc In2000  
PR122Rc-3E2-E3IEC EXT**



**RATING PLUG Rc In2000  
PR122Rc-3E2-E3IEC**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Container Information

|                        |         |         |
|------------------------|---------|---------|
| Package Level 1 Units: | 1 piece | 1 piece |
|------------------------|---------|---------|

## Additional Information

|                             |                      |                      |
|-----------------------------|----------------------|----------------------|
| Product Main Type:          | Accessories for Emax | Accessories for Emax |
| Product Name:               | Accessory            | Accessory            |
| Product Type:               | Accessory            | Accessory            |
| Suitable For:               | E1, E2, E3           | E1, E2, E3           |
| Suitable for Product Class: | SACE Emax            | SACE Emax            |

## Technical

|                          |              |                       |
|--------------------------|--------------|-----------------------|
| Configuration Type:      | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A          | 2000 A                |
| Standards:               | IEC          | IEC                   |



**RATING PLUG Rc In3200  
PR122Rc-3 E34IEC**



**RAT.PLUG Rc In3200  
PR122Rc-3 E3 IEC4EXT**

## Dimensions

|                     |      |      |
|---------------------|------|------|
| Product Net Weight: | 1 kg | 1 kg |
|---------------------|------|------|

## Additional Information

|                    |                      |                      |
|--------------------|----------------------|----------------------|
| Product Main Type: | Accessories for Emax | Accessories for Emax |
| Product Name:      | Accessory            | Accessory            |
| Product Type:      | Accessory            | Accessory            |

## Technical

|            |     |     |
|------------|-----|-----|
| Standards: | IEC | IEC |
|------------|-----|-----|



Rating Plug RC  
R1004  
E1.2..E2.2



RATING PLUG  
RC R1004  
E1.2..E2.2 INST



Rating Plug RC  
R1004  
E1.2..E2.2  
(Black)

Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2             | E1.2, E2.2             | E1.2;E2.2              |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 100 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 100 V                 | 100 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |

|  |                                                                                    |                                                                                     |                                                    |
|--|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------|
|  |  |  |                                                    |
|  | <div>Rating Plug RC<br/>R2004<br/>E1.2..E2.2<br/>(Black)</div>                     | <div>RATING PLUG<br/>RC R2004<br/>E1.2..E2.2 INST</div>                             | <div>Rating Plug RC<br/>R2004<br/>E1.2..E2.2</div> |

Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2              | E1.2, E2.2             | E1.2, E2.2             |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 200 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | N/A                   | 200 V        | 200 V                 |
| Standards:                       | N/A                   | IEC          | IEC                   |



Rating Plug  
RC R400  
E1.2..E6.2  
(Black)

Rating Plug  
RC R400  
E1.2..E6.2  
(INST)

Rating Plug  
RC R400  
E1.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 400 A        | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 400 V        | 400 V                 |
| Standards:               | N/A                   | IEC          | IEC                   |



Rating Plug  
RC R630  
E1.2..E6.2

Rating Plug  
RC R630  
E1.2..E6.2  
(INST)

Rating Plug  
RC R630  
E1.2..E6.2  
(Black)

## Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 630 A        | N/A                   |
| Rated Voltage ( $U_r$ ): | 630 V                 | 630 V        | N/A                   |
| Standards:               | IEC                   | IEC          | N/A                   |



Rating Plug  
RC R800  
E1.2..E6.2

Rating Plug  
RC R800  
E1.2..E6.2  
(INST)

Rating Plug  
RC R800  
E1.2..E6.2  
(Black)

Dimensions

|                     |      |      |        |
|---------------------|------|------|--------|
| Product Net Weight: | 1 kg | 1 kg | 0.1 kg |
|---------------------|------|------|--------|

Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 | E1.2;E2.2;E4.2;E6.2    |
| Suitable for Product Class: | SACE Emax 2            | SACE Emax 2            | Emax 2                 |

Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 800 A        | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 800 V                 | 800 V        | N/A                   |
| Standards:                       | IEC                   | IEC          | N/A                   |

|  |                                                   |                                                                                    |                                                                                     |
|--|---------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                                                   |  |  |
|  | Rating Plug RC<br>R12504<br>E1.2..E6.2<br>(Black) | Rating Plug RC<br>R12504<br>E1.2..E6.2<br>(INST)                                   | Rating Plug RC<br>R12504<br>E1.2..E6.2                                              |

Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E1.2;E2.2;E4.2;E6.2    | E1.2, E2.2, E4.2, E6.2 | E1.2, E2.2, E4.2, E6.2 |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

Technical

|                                  |                       |              |                       |
|----------------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:              | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | N/A                   | 1250 A       | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | N/A                   | 1250 V       | 1250 V                |
| Standards:                       | N/A                   | IEC          | IEC                   |



Rating Plug RC  
R20004  
E2.2..E6.2  
(Black)

Rating Plug RC  
R20004  
E2.2..E6.2  
(INST)

Rating Plug RC  
R20004  
E2.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E2.2;E4.2;E6.2         | E2.2, E4.2, E6.2       | E2.2, E4.2, E6.2       |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 2000 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 2000 V       | 2000 V                |
| Standards:               | N/A                   | IEC          | IEC                   |



Rating Plug RC  
R32004  
E4.2..E6.2  
(Black)

Rating Plug RC  
R32004  
E4.2..E6.2  
(INST)

Rating Plug RC  
R32004  
E4.2..E6.2

## Dimensions

|                     |        |      |      |
|---------------------|--------|------|------|
| Product Net Weight: | 0.1 kg | 1 kg | 1 kg |
|---------------------|--------|------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | 200 mm      | N/A         | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | 0.1 kg      | N/A         | 0.1 kg      |
| Package Level 1 Height:         | 10 mm       | N/A         | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | 145 mm      | N/A         | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2;E6.2              | E4.2, E6.2             | E4.2, E6.2             |
| Suitable for Product Class: | Emax 2                 | SACE Emax 2            | SACE Emax 2            |

## Technical

|                          |                       |              |                       |
|--------------------------|-----------------------|--------------|-----------------------|
| Configuration Type:      | Loose or configurable | Mounted only | Loose or configurable |
| Rated Current ( $I_n$ ): | N/A                   | 3200 A       | N/A                   |
| Rated Voltage ( $U_r$ ): | N/A                   | 3200 V       | 3200 V                |
| Standards:               | N/A                   | IEC          | IEC                   |



Rating Plug RC  
R40004  
E4.2..E6.2  
(INST)



Rating Plug RC  
R40004  
E4.2..E6.2  
(Black)

Rating Plug RC  
R40004  
E4.2..E6.2

## Dimensions

|                     |      |        |      |
|---------------------|------|--------|------|
| Product Net Weight: | 1 kg | 0.1 kg | 1 kg |
|---------------------|------|--------|------|

## Container Information

|                                 |             |             |             |
|---------------------------------|-------------|-------------|-------------|
| Package Level 1 Depth / Length: | N/A         | 200 mm      | 200 mm      |
| Package Level 1 EAN:            |             |             |             |
| Package Level 1 Gross Weight:   | N/A         | 0.1 kg      | 0.1 kg      |
| Package Level 1 Height:         | N/A         | 10 mm       | 10 mm       |
| Package Level 1 Units:          | box 1 piece | box 1 piece | box 1 piece |
| Package Level 1 Width:          | N/A         | 145 mm      | 145 mm      |

## Additional Information

|                             |                        |                        |                        |
|-----------------------------|------------------------|------------------------|------------------------|
| Product Main Type:          | Accessories for Emax 2 | Accessories for Emax 2 | Accessories for Emax 2 |
| Product Name:               | Accessory              | Accessory              | Accessory              |
| Product Type:               | Accessory              | Accessory              | Accessory              |
| Suitable For:               | E4.2, E6.2             | E4.2;E6.2              | E4.2, E6.2             |
| Suitable for Product Class: | SACE Emax 2            | Emax 2                 | SACE Emax 2            |

## Technical

|                                  |              |                       |                       |
|----------------------------------|--------------|-----------------------|-----------------------|
| Configuration Type:              | Mounted only | Loose or configurable | Loose or configurable |
| Rated Current (I <sub>n</sub> ): | 4000 A       | N/A                   | N/A                   |
| Rated Voltage (U <sub>r</sub> ): | 4000 V       | N/A                   | 4000 V                |
| Standards:                       | IEC          | N/A                   | IEC                   |

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [ahk@nt-rt.ru](mailto:ahk@nt-rt.ru) || сайт: <https://abbswitch.nt-rt.ru>