

Реле контроля и управления MOTOR, M E1.2, M E2.2, M XT7M

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



**MOTOR
24VDC S3-S4-
S5**

**Motor
24/30V -
T7M**



**MOTOR
24VDC S7**



**MOTOR
24VDC S6**

Dimensions

Product Net Depth / Length:	0.163 m	N/A	0.344 m	0.344 m
Product Net Height:	136 mm	N/A	141 mm	141 mm
Product Net Weight:	1.746 kg	N/A	4.114 kg	4.2 kg
Product Net Width:	131 mm	N/A	225 mm	225 mm

Container Information

Package Level 1 Depth / Length:	131 mm	N/A	225 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.746 kg	N/A	4.114 kg	4.2 kg
Package Level 1 Height:	136 mm	N/A	141 mm	141 mm
Package Level 1 Units:	1 piece	N/A	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Accessories for Tmax T	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	N/A	Accessory	N/A	N/A
Suitable For:	S3 S4 S5	N/A	S7	S6
Suitable for Product Class:	Isomax	N/A	Isomax	Isomax

Technical

Device:	S3-S4-S5	N/A	S7	S6
---------	----------	-----	----	----



**MOTOR
48VDC S7**

**Motor
48/60V -
T7M**



**MOTOR
48/60VDC
S3-S4-S5**



**MOTOR
48VDC S6**

Dimensions

Product Net Depth / Length:	0.344 m	N/A	0.163 m	0.344 m
Product Net Height:	141 mm	N/A	136 mm	141 mm
Product Net Weight:	4.114 kg	N/A	1.762 kg	4.2 kg
Product Net Width:	225 mm	N/A	131 mm	225 mm

Container Information

Package Level 1 Depth / Length:	225 mm	N/A	131 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	4.114 kg	N/A	1.762 kg	4.2 kg
Package Level 1 Height:	141 mm	N/A	136 mm	141 mm
Package Level 1 Units:	1 piece	N/A	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Accessories for Tmax T	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	N/A	Accessory	N/A	ACC
Suitable For:	S7	N/A	S3 S4 S5	S6
Suitable for Product Class:	Isomax	N/A	Isomax	Isomax

Technical

Device:	S7	N/A	S3-S4-S5	S6
Order Multiple:	N/A	N/A	N/A	1.000 piece



Motor
100/130Vac/dc -
T7M

MOTOR 100/125V
S3-S4-S5

Dimensions

Product Net Depth / Length:	N/A	0.163 m
Product Net Height:	N/A	136 mm
Product Net Weight:	N/A	1.783 kg
Product Net Width:	N/A	131 mm

Container Information

Package Level 1 Depth / Length:	N/A	131 mm
Package Level 1 EAN:	N/A	
Package Level 1 Gross Weight:	N/A	1.783 kg
Package Level 1 Height:	N/A	136 mm
Package Level 1 Units:	N/A	1 piece

Additional Information

Product Main Type:	Accessories for Tmax T	Spare Parts
Product Name:	Accessory	Accessory
Product Type:	Accessory	N/A
Suitable For:	N/A	S3 S4 S5
Suitable for Product Class:	N/A	Isomax

Technical

Device:	N/A	S3-S4-S5
---------	-----	----------



**MOTOR
110V S6**



**MOTOR
110V S7**

Dimensions

Product Net Depth / Length:	0.344 m	0.344 m
Product Net Height:	141 mm	141 mm
Product Net Weight:	4 kg	4.093 kg
Product Net Width:	225 mm	225 mm

Container Information

Package Level 1 Depth / Length:	225 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	4.2 kg	4.093 kg
Package Level 1 Height:	141 mm	141 mm
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S6	S7
Suitable for Product Class:	Isomax	Isomax



MOTOR 120V
60HZ S7



MOTOR
120/127V S7



MOTOR
120/127V S6

Dimensions

Product Net Depth / Length:	N/A	0.344 m	0.344 m
Product Net Height:	N/A	141 mm	141 mm
Product Net Weight:	3.928 kg	4.005 kg	4.191 kg
Product Net Width:	N/A	225 mm	225 mm

Container Information

Package Level 1 Depth / Length:	N/A	225 mm	225 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	4.128 kg	4.005 kg	4.191 kg
Package Level 1 Height:	N/A	141 mm	141 mm
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Product Type:	N/A	ACC	N/A
Suitable For:	S7	S7	S6
Suitable for Product Class:	Isomax	Isomax	Isomax

Technical

Device:	N/A	S7	N/A
Order Multiple:	N/A	1.000 piece	N/A
Technical Information:	N/A	S7 120-127 V AC Motor Device Isomax	N/A



MOTOR 200/250V S3-S4-S5



MOTOR 200/250V S6

Dimensions

Product Net Depth / Length:	0.163 m	0.344 m
Product Net Height:	136 mm	141 mm
Product Net Weight:	1.785 kg	4.179 kg
Product Net Width:	131 mm	225 mm

Container Information

Package Level 1 Depth / Length:	131 mm	225 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.785 kg	4.179 kg
Package Level 1 Height:	136 mm	141 mm
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	S3 S4 S5	S6
Suitable for Product Class:	Isomax	Isomax



MOTOR
220-250Vac/dc4
LOW TEMP. S6

Motor 220/250
V -T7M

MOTOR
220/250V S7

Dimensions

Product Net Depth / Length:	N/A	N/A	0.344 m
Product Net Height:	N/A	N/A	141 mm
Product Net Weight:	3.88 kg	N/A	4.086 kg
Product Net Width:	N/A	N/A	225 mm

Container Information

Package Level 1 Depth / Length:	N/A	N/A	225 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	4.226 kg	N/A	4.086 kg
Package Level 1 Height:	N/A	N/A	141 mm
Package Level 1 Units:	1 piece	N/A	1 piece

Additional Information

Product Main Type:	Spare Parts	Accessories for Tmax T	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Product Type:	ACC	Accessory	N/A
Suitable For:	S6	N/A	S7
Suitable for Product Class:	Isomax	N/A	Isomax

Technical

Device:	N/A	N/A	S7
---------	-----	-----	----



M E1.2 24-30 VAC/DC
+ MC 24V



M E1.2 24-30
VAC/DC

Dimensions

Product Net Weight:	1 kg	0.77 kg
---------------------	------	---------

Container Information

Package Level 1 Depth / Length:	200 mm	104 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.3 kg	0.81 kg
Package Level 1 Height:	80 mm	94 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	166 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	24...30 V	24...30 V
Standards:	IEC	IEC



M E1.2 48-60 VAC/DC
+ MC 24V



M E1.2 48-60
VAC/DC

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.3 kg	2.3 kg
Package Level 1 Height:	80 mm	80 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	130 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	48...60 V	48...60 V
Standards:	IEC	IEC



**M E1.2 100-130 VAC/
DC + MC 24V**



**M E1.2 100-130
VAC/DC**

Dimensions

Product Net Weight:	1 kg	0.7 kg
---------------------	------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.3 kg	0.8 kg
Package Level 1 Height:	80 mm	80 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	130 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	100...130 V	100...130 V
Standards:	IEC	IEC



M E1.2 220-250 VAC/
DC + MC 24V



M E1.2 220-250
VAC/DC

Dimensions

Product Net Depth / Length:	N/A	92 mm
Product Net Height:	N/A	162 mm
Product Net Weight:	1 kg	0.768 kg
Product Net Width:	N/A	100 mm

Container Information

Package Level 1 Depth / Length:	200 mm	92 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.81 kg	0.808 kg
Package Level 1 Height:	80 mm	162 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	100 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	220...250 V	220...250 V
Standards:	IEC	IEC



**M E1.2 380-415 VAC
+ MC 24V**



**M E1.2
380-415 VAC**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.3 kg	2.3 kg
Package Level 1 Height:	70 mm	70 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	180 mm	180 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC	AC
Rated Voltage (U _r):	380...415 V	380...415 V
Standards:	IEC	IEC



M E2.2...E6.2 24-30 VAC/
DC + MC 24V



M E2.2...E6.2 24-30
VAC/DC

Dimensions

Product Net Weight:	1 kg	1.927 kg
---------------------	------	----------

Container Information

Package Level 1 Depth / Length:	195 mm	154 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.9 kg	2.028 kg
Package Level 1 Height:	175 mm	233 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	204 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	24...30 V	24...30 V
Standards:	IEC	IEC



M E2.2...E6.2 48-60 VAC/
DC + MC 24V



M E2.2...E6.2 48-60
VAC/DC

Dimensions

Product Net Weight:	1 kg	1.696 kg
---------------------	------	----------

Container Information

Package Level 1 Depth / Length:	195 mm	195 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.9 kg	1.696 kg
Package Level 1 Height:	175 mm	175 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	48...60 V	48...60 V
Standards:	IEC	IEC



**M E2.2...E6.2
100-130 VAC/DC**



**M E2.2...E6.2 100-130
VAC/DC + MC424V**

Dimensions

Product Net Weight:	1.663 kg	1 kg
---------------------	----------	------

Container Information

Package Level 1 Depth / Length:	195 mm	195 mm
Package Level 1 Gross Weight:	1.663 kg	1.9 kg
Package Level 1 Height:	175 mm	175 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	125 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	100...130 V	100...130 V
Standards:	IEC	IEC



**M E2.2...E6.2 220-250
VAC/DC + MC424V**



**M E2.2...E6.2
220-250 VAC/DC**

Dimensions

Product Net Depth / Length:	N/A	198 mm
Product Net Height:	N/A	184 mm
Product Net Weight:	1.8 kg	1.944 kg
Product Net Width:	N/A	124 mm

Container Information

Package Level 1 Depth / Length:	195 mm	198 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	2.048 kg	2.046 kg
Package Level 1 Height:	175 mm	184 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	125 mm	124 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Rated Voltage (U _r):	220...250 V	220...250 V
Standards:	IEC	IEC



**M XT7M 220-250
V AC/DC**



**M XT7M 380-415
V AC/DC**



**M XT7M 48-60 V
AC/DC**

Dimensions

Product Net Weight:	2.2 kg	2.2 kg	2.2 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	2.3 kg	2.3 kg	2.3 kg
Package Level 1 Height:	80 mm	80 mm	80 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	130 mm	130 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT7M	XT7M	XT7M
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC	AC/DC
Order Multiple:	1 piece	1 piece	1 piece
Rated Voltage (U _r):	220...250 V AC 220...250 V DC	380...415 V AC 380...415 V DC	48...60 V AC 48...60 V DC
Standards:	IEC60947-2 UL489	IEC60947-2 UL489	IEC60947-2 UL489



M XT7M 100-130
V AC/DC



M XT7M 24-30 V
AC/DC

Dimensions

Product Net Weight:	2.2 kg	2.2 kg
---------------------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm
Package Level 1 Gross Weight:	2.3 kg	2.3 kg
Package Level 1 Height:	80 mm	80 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	130 mm	130 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7M	XT7M
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	AC/DC	AC/DC
Order Multiple:	1 piece	1 piece
Rated Voltage (U _r):	100...130 V AC 100...130 V DC	24...30 V AC 24...30 V DC
Standards:	IEC60947-2 UL489	IEC60947-2 UL489

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>