

Устройства защитного отключения РС

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



Dimensions

RC B Type x XT3 4 p F

RC B Type x XT5 4p

Product Net Weight:	1.998 kg	1232 kg
---------------------	----------	---------

Container Information

Package Level 1 Depth / Length:	300 mm	160 mm
Package Level 1 EAN:		N/A
Package Level 1 Gross Weight:	2.103 kg	1.297 kg
Package Level 1 Height:	170 mm	190 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	160 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT3	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	N/A
Standards:	IEC60947-2	IEC60947-2
Sub-type:	N/A	XT5



RC Inst HV
85...690Vac
XT3 3p F



RC Inst HV
85...690Vac
XT1 4p F



RC Inst HV
85...690Vac
XT1 3p F



RC Inst HV
85...690Vac
XT3 4p F

Dimensions

Product Net Weight:	1.419 kg	1.236 kg	1.093 kg	1.875 kg
---------------------	----------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	260 mm	240 mm	240 mm	260 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.494 kg	1.301 kg	1.15 kg	1.974 kg
Package Level 1 Height:	170 mm	170 mm	170 mm	170 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	250 mm	210 mm	210 mm	250 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT3	XT1	XT1	XT3
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P	3P	4P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



RC Sel HV
85...690Vac
XT3 4p F



RC Sel HV
85...690Vac
XT1 3p F



RC Sel HV
85...690Vac
XT1 4p F



RC Sel HV
85...690Vac
XT3 3p F

Dimensions

Product Net Weight:	1.891 kg	1.097 kg	1.255 kg	1.447 kg
---------------------	----------	----------	----------	----------

Container Information

Package Level 1 Depth / Length:	260 mm	240 mm	240 mm	260 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.991 kg	1.155 kg	1.321 kg	1.523 kg
Package Level 1 Height:	170 mm	170 mm	170 mm	170 mm

Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	250 mm	210 mm	210 mm	250 mm

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT3	XT1	XT1	XT3
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Number of Poles:	4P	3P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC60947-2



RC Sel x XT2 4p



RC Sel x XT4 4p



RC Sel x XT5 4p



RC Sel XT5 3P

Dimensions

Product Net Weight:	1.232 kg	1.675 kg	2.5 kg	N/A
---------------------	----------	----------	--------	-----

Container Information

Package Level 1 Depth / Length:	160 mm	160 mm	231 mm	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.297 kg	1.763 kg	3.5 kg	N/A
Package Level 1 Height:	190 mm	190 mm	148 mm	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	160 mm	160 mm	346 mm	N/A

Additional Information

Product Main Type:	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT	Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT2	XT4	XT5	XT5
Suitable for Product Class:	SACE Tmax XT	SACE Tmax XT	SACE Tamx XT	SACE Tmax XT

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	N/A	N/A	N/A	AC
Number of Poles:	4P	4P	4P	3P
Order Multiple:	1 piece	1 piece	1 piece	N/A
Rated Current (I _n):	N/A	N/A	N/A	505 A
Standards:	IEC60947-2	IEC60947-2	IEC60947-2	IEC



RC221/2 FOR
T2 3p F



RC221/2 FOR
T2 4p F



RC221/1 FOR
T1 4p F

Dimensions

Product Net Weight:	1.01 kg	1.18 kg	1.02 kg
---------------------	---------	---------	---------

Container Information

Package Level 1 Depth / Length:	24 mm	240 mm	240 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	1.11 kg	1.28 kg	1.12 kg
Package Level 1 Height:	17 mm	170 mm	170 mm
Package Level 1 Units:	1 piece	1 piece	1 piece
Package Level 1 Width:	21 mm	210 mm	210 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory
Product Type:	ACC	ACC	ACC
Suitable For:	T2	T2	T1
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Device:	T2	T2	T1
Number of Poles:	3P	4P	4P
Standards:	IEC	IEC	IEC



RC221/3 FOR
T3 4p F



RC221/3 FOR
T3 3p F



RC221/1 FOR
T1 3p F

Dimensions

Product Net Weight:	1.85 kg	1.42 kg	0.96 kg
---------------------	---------	---------	---------

Container Information

Package Level 1 Depth / Length:	260 mm	260 mm	240 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	1.95 kg	1.52 kg	1.06 kg
Package Level 1 Height:	170 mm	170 mm	170 mm
Package Level 1 Units:	1 piece	1 piece	1 piece
Package Level 1 Width:	250 mm	250 mm	210 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory
Product Type:	ACC	ACC	ACC
Suitable For:	T3	T3	T1
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Device:	T3	T3	T1
Number of Poles:	4P	3P	3P
Standards:	IEC	IEC	IEC



**RC222/5
T5 4p F**



**RC222/4
T4 4p F**



**RC222/3
FOR T3 4p F**



**RC222/3
FOR T3 3p F**

Dimensions

Product Net Weight:	2.685 kg	1.6 kg	1.85 kg	1.42 kg
---------------------	----------	--------	---------	---------

Container Information

Package Level 1 Depth / Length:	300 mm	30 mm	260 mm	26 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	2.826 kg	1.7 kg	1.95 kg	1.52 kg
Package Level 1 Height:	170 mm	17 mm	170 mm	17 mm

Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	150 mm	15 mm	250 mm	25 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	ACC	ACC
Suitable For:	T5	T4	T3	T3
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Device:	N/A	N/A	T3	T3
Number of Poles:	N/A	4P	4P	3P
Standards:	IEC	IEC	IEC	IEC



RC222/1
FOR T1 4p F



RC222/2
FOR T2 4p F



RC222/1
FOR T1 3p F



RC222/2
FOR T2 3p F

Dimensions

Product Net Weight:	1.02 kg	1.18 kg	0.96 kg	1.01 kg
---------------------	---------	---------	---------	---------

Container Information

Package Level 1 Depth / Length:	240 mm	240 mm	240 mm	240 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.12 kg	1.28 kg	1.06 kg	1.11 kg
Package Level 1 Height:	170 mm	170 mm	170 mm	170 mm
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece
Package Level 1 Width:	210 mm	210 mm	210 mm	210 mm

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	ACC	ACC	ACC	ACC
Suitable For:	T1	T2	T1	T2
Suitable for Product Class:	SACE Tmax T	SACE Tmax T	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Device:	T1	T2	T1	T2
Number of Poles:	4P	4P	3P	3P
Standards:	IEC	IEC	IEC	IEC



RC223/4 T4
250 4p F



RC223/3
T3 4p F

Dimensions

Product Net Weight:	1.6 kg	1.85 kg
---------------------	--------	---------

Container Information

Package Level 1 Depth / Length:	30 mm	N/A
Package Level 1 EAN:		
Package Level 1 Gross Weight:	1.7 kg	1.95 kg
Package Level 1 Height:	17 mm	N/A
Package Level 1 Units:	1 piece	1 piece
Package Level 1 Width:	15 mm	N/A

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	Accessory	ACC
Suitable For:	T4	T3
Suitable for Product Class:	SACE Tmax T	SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	4P	N/A
Standards:	IEC	IEC



RCQ020/A
RELAY
115-230Vac NO
TOR



RCQ020/P
110-690Vac/110-
125Vdc NO4TOR



RCQ020/A RELAY
415Vac4NO TOR

Dimensions

Product Net Depth / Length:	145 mm	N/A	145 mm
Product Net Height:	135 mm	N/A	135 mm
Product Net Weight:	0.599 kg	0.538 kg	0.538 kg
Product Net Width:	130 mm	N/A	130 mm

Container Information

Package Level 1 Depth / Length:	145 mm	N/A	145 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.631 kg	0.638 kg	0.638 kg
Package Level 1 Height:	135 mm	N/A	135 mm
Package Level 1 Units:	box 1 piece	1 piece	box 1 piece
Package Level 1 Width:	130 mm	N/A	130 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory
Product Type:	ACC	Accessory	ACC
Suitable For:	XT1 XT2 XT3 XT4 XT5 XT6 XT7-XT7M T1 T2 T3 T4 T5 T6 T7	XT1 XT2 XT3 XT4 XT5 XT6 XT7-XT7M T1 T2 T3 T4 T5 T6 T7	XT1 XT2 XT3 XT4 XT5 XT6 XT7-XT7M T1 T2 T3 T4 T5 T6 T7
Suitable for Product Class:	SACE Tmax XT, SACE Tmax T	N/A	SACE Tmax XT, SACE Tmax T



Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Current Type:	AC	N/A	AC
Order Multiple:	1 piece	1 piece	1 piece
Standards:	IEC	IEC	IEC

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>