

Аксессуары для воздушных автоматических выключателей

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>



Lifting plate
1SDA038093R1

Racking-out lever
1SDA038092R1

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	E1	E1
	E2	E2
	E3	E3
	E4	E4
	E6	E6
Suitable for Product Class:	New Emax	New Emax



Door flange
1SDA038096R1

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Product Type:	ACC
Suitable For:	E1
	E2
	E3
	E4
	E6
Suitable for Product Class:	New Emax

Technical

Order Multiple:	1 piece
-----------------	---------



**INTERLOCK
CABLES 3CB.S
HORIZ. -C- E1/6
1SDA038331R1**



**INTERLOCK
CABLES 3CB.S
HORIZ. -D- E1/6
1SDA038332R1**



**INTERLOCK
CABLES 3CB.S
HORIZ. -B- E1/6
1SDA038330R1**



**INTERLOCK
CABLES 2CB.S
VERT. -A- E1/6
1SDA038333R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:				
Package Level 1 Gross Weight:	2 kg	2 kg	2.141 kg	0.583 kg
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax	SACE Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC	IEC



**INTERLOCK
CABLES 3CB.S
VERT. -B- E1/6
1SDA038334R1**



**INTERLOCK
CABLES 3CB.S
VERT. -C- E1/6
1SDA038335R1**



**INTERLOCK
CABLES 3CB.S
VERT. -D- E1/6
1SDA038336R1**



**SUPPORT YO-
YC-YU
RELEASES E1/6-
T8
1SDA038339R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	N/A
---------------------	------	------	------	-----

Container Information

Package Level 1 EAN:				
Package Level 1 Gross Weight:	1.725 kg	2 kg	2 kg	N/A
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Spare Part
Product Type:	Accessory	Accessory	Accessory	ACC
Suitable For:	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1, E2, E3, E4, E6	E1 E2 E3 E4 E6 T8
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax	New Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	N/A
Standards:	IEC	IEC	IEC	N/A



MECC.OPERATION COUNTER E1/6-T8 1SDA038345R1



Terminal board for fixed execution 1SDA038342R1



IP54 PROTECT WITH KEYS LOCK SEV. E1/6-T8 1SDA038344R1

Dimensions

Product Net Weight:	1 kg	N/A	1 kg
Package Level 1 Gross Weight:	0.12 kg	N/A	1.26 kg
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Emax	Spare Parts	Accessories for Emax
Product Name:	Accessory	Spare Part	Accessory
Product Type:	Accessory	ACC	Accessory
Suitable For:	E1, E2, E3, E4, E6, T8	E1 E2 E3 E4 E6	E1, E2, E3, E4, E6, T8
Suitable for Product Class:	SACE Emax, SACE Tmax T	Emax	SACE Emax, SACE Tmax T

Technical

Configuration Type:	Loose or configurable	N/A	Loose or configurable
Standards:	IEC	N/A	IEC



PLATE FOR INTERLOC X FIXED
CB.S E1/6
1SDA038358R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.75 kg
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**Sliding contacts for
fixed part
1SDA038362R1**

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	E1 E2 E3 E4 E6
Suitable for Product Class:	Emax



ACCESS.FOR INTERLOCK E4
4pole-E6 3pole
1SDA043466R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.023 kg
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

FRONT PANEL X KEY LOCK
RONIS E1/6
1SDA050698R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

Front panel for key
lock Ronis
1SDA050701R1

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	E1 E2 E3 E4 E6
Suitable for Product Class:	Emax



CURR.S.EX.NEUTRAL N50-100%E1-2
N50%E4new
1SDA058191R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	5 kg
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E4
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**CUR.S.EX.NEUTRAL N100%E4/fs-
N200%E1-2new
1SDA058216R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E4
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**CURR.S.EXT.NEUTRAL N50-100%E3
N50%E6 new
1SDA058218R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	7 kg
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E3, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



CURR.S.EX.NEUTRAL N100%E6/fs-
N200%E3 new
1SDA058220R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E3, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

FRONT PANEL X KEY LOCK
RONIS E1/6 new
1SDA058315R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



TOROID TRANSFOR. x PR122/123
E1-6 new-T8
1SDA059145R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.4 kg
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Tmax T
Product Name:	Accessory
Product Type:	ACC
Suitable For:	E1, E2, E3, E4, E6, T8
Suitable for Product Class:	SACE Emax SACE Tmax T

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

KIT CONVER.x W FP FROM OLD
VERS.>E1-6new
1SDA059645R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

KIT UNIVERSAL CABLES x PR120/V E1/6
new
1SDA063497R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	E1 E2 E3 E4 E6
Suitable for Product Class:	New Emax

Technical

Standards:	IEC
------------	-----

**KIT CONVER. MP -> F E1-
E2-E3 ne
1SDA064554R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**KIT CABLE MECH.INT.HR/VR E1/6-
T7/X1>2CB
1SDA064568R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	230 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1 kg
Package Level 1 Height:	40 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	330 mm

Additional Information

Product Main Type:	Accessories for Tmax T
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6, T7, X1
Suitable for Product Class:	SACE Emax SACE Tmax T

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



IP54 PROTECTION WITH KEYS
LOCK EQ. E1/6
1SDA065622R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Units:	1 piece
------------------------	---------

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6
Suitable for Product Class:	SACE Emax

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

**LIFT DEVICE E1-E2
3/4p-E3 3p
1SDA068841R1**

**LIFT DEVICE E3 4p-
E4 3/4p
1SDA068842R1**

**LIFT DEVICE E4/fs
4p-E6 3/4p+fs
1SDA068843R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 Units:	1 piece	1 piece	1 piece
------------------------	---------	---------	---------

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	E1, E2, E3	E3, E4	E4, E6
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC

**kit RRD - Remote Racking
device E1/6
1SDA069966R1**



Dimensions

Product Net Weight:	1 kg
---------------------	------



Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory



Technical

Standards:	IEC
------------	-----



**IP30 Flange
E1.2-XT7-XT7M
F
1SDA073862R1**



**IP30 Flange
E1.2-XT7-XT7M
W
1SDA073863R1**



**IP30 Flange
E2.2...E6.2 F
1SDA073864R1**



**IP30 Flange
E2.2...E6.2 W
1SDA073865R1**

Dimensions

Product Net Weight:	0.214 kg	0.214 kg	0 kg	0 kg
---------------------	----------	----------	------	------

Container Information

Package Level 1 Depth / Length:	150 mm	150 mm	N/A	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.225 kg	0.225 kg	0 kg	0 kg
Package Level 1 Height:	95 mm	95 mm	N/A	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	105 mm	105 mm	N/A	N/A

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	XT7-XT7M, E1.2	E2.2, E4.2, E6.2	E2.2, E4.2, E6.2
Suitable for Product Class:	ACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece	N/A	N/A
Standards:	IEC	IEC	IEC	IEC

**IP54 Flange
different keys
E2.2...E6.2
1SDA073867R1**

**IP54 Flange
different keys
E1.2-XT7M
1SDA073866R1**

**IP54 Flange key
No. 20005
E2.2...E6.2
1SDA073869R1**

**IP54 Flange key
No. 20005 E1.2-
XT7M
1SDA073868R1**

Dimensions

Product Net Depth / Length:	N/A	424 mm	N/A	200 mm
Product Net Height:	N/A	132 mm	N/A	20 mm
Product Net Weight:	2.46 kg	1.26 kg	1.8 kg	2.1 kg
Product Net Width:	N/A	364 mm	N/A	150 mm

Container Information

Package Level 1 Depth / Length:	424 mm	424 mm	424 mm	200 mm
Package Level 1 Gross Weight:	2.676 kg	1.26 kg	2.6 kg	2.3 kg
Package Level 1 Height:	132 mm	132 mm	132 mm	20 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	364 mm	364 mm	364 mm	150 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E2.2, E4.2, E6.2	XT7M E1.2	E2.2, E4.2, E6.2	XT7-XT7M, E1.2
Suitable for Product Class:	SACE Emax 2	SACE Tmax XT, SACE Emax 2	SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	N/A	1 piece	N/A	1 piece
Standards:	IEC	IEC	IEC	IEC

Sealable trip unit cover
E2.2...E6.2
1SDA073870R1

Dimensions

Product Net Weight:	1.8 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	424 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	2.1 kg
Package Level 1 Height:	132 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	364 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**Terminals term.box E1.2..E6.2-
XT7/M 10pz
1SDA073906R1**

Dimensions

Product Net Depth / Length:	200 mm
Product Net Height:	10 mm
Product Net Weight:	0.005 kg
Product Net Width:	145 mm

Container Information

Package Level 1 Depth / Length:	200 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.008 kg
Package Level 1 Height:	10 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	145 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC

	Arr. low int.outlets E1.2..E6.2- XT7/ME_x 1SDA074213 R1	Arr. up int.outlets E1.2..E6.2- XT7/ME_x 1SDA074214 R1	Arr. external outlets E1.2..E6.2- XT7/ME_x 1SDA074215R 1	Up. Int. outlets INST E1.2..E6.2- XT7/ME_x 1SDA074216R 1
--	--	---	---	---

Dimensions

Product Net Depth / Length:	200 mm	200 mm	200 mm	N/A
Product Net Height:	35 mm	35 mm	35 mm	N/A
Product Net Weight:	0.1 kg	0.1 kg	0.1 kg	N/A
Product Net Width:	150 mm	150 mm	150 mm	N/A

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.2 kg	0.2 kg	0.2 kg	N/A
Package Level 1 Height:	35 mm	35 mm	35 mm	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	N/A

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Mounted only	Mounted only	Mounted only	Mounted only
Order Multiple:	1 piece	1 piece	1 piece	1 piece
Standards:	IEC	IEC	IEC	IEC

External Outlets INST
E1.2..E6.2-XT7/MEx
1SDA074217R1

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Mounted only
Order Multiple:	1 piece
Standards:	IEC

Ekip Programming Emax2 -
Tmax XT
1SDA076154R1

Dimensions

Product Net Depth / Length:	345 mm
Product Net Height:	150 mm
Product Net Weight:	0.999 kg
Product Net Width:	225 mm

Container Information


Package Level 1 Depth / Length:	345 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.052 kg
Package Level 1 Height:	150 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	225 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC



**Cavi prese
tensione
neutro dx E2.2
1SDA076245R1**

**CABLES VOLTAGE
SOCKET NEUTRAL
RIGHT E6.2
1SDA076247R1**

**Cavi prese
tensione neutro
dx E4.2
1SDA076246R1**

**Toroide omopol.
E1.2..E6.2-XT7-
XT7M 250A
1SDA076248R1**

Dimensions

Product Net Depth / Length:	N/A	N/A	N/A	225 mm
Product Net Height:	N/A	N/A	N/A	180 mm
Product Net Weight:	1 kg	1 kg	1 kg	1.3 kg
Product Net Width:	N/A	N/A	N/A	120 mm

Container Information


Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	225 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.2 kg	0.2 kg	0.2 kg	1.4 kg
Package Level 1 Height:	35 mm	35 mm	35 mm	180 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	150 mm	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E2.2	E6.2	E4.2	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2	SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable
Order Multiple:	N/A	N/A	N/A	1 piece
Standards:	IEC	IEC	IEC	IEC



**Toroide omopol. E1.2..E6.2-XT7-
XT7M 400A
1SDA076249R1**

Dimensions

Product Net Depth / Length:	225 mm
Product Net Height:	180 mm
Product Net Weight:	1.3 kg
Product Net Width:	120 mm

Container Information


Package Level 1 Depth / Length:	225 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.4 kg
Package Level 1 Height:	180 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC



**Toroide omopol. E1.2..E6.2-XT7-
XT7M 800A
1SDA076250R1**

Dimensions

Product Net Depth / Length:	225 mm
Product Net Height:	180 mm
Product Net Weight:	1.3 kg
Product Net Width:	120 mm

Container Information

Package Level 1 Depth / Length:	225 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	1.4 kg
Package Level 1 Height:	180 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC

PLATE
MECH.INTER. E1.2
WALL FIXED
1SDA079782R1

PLATE
MECH.INTER. E1.2
FLOOR FIXED
1SDA079783R1

PLATE
MECH.INTER. E1.2
WITH. FP
1SDA079784R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 Depth / Length:	270 mm	280 mm	165 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	2 kg	2 kg	2 kg
Package Level 1 Height:	50 mm	70 mm	30 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	170 mm	160 mm	230 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
Standards:	IEC	IEC	IEC

Cable adapter kits for New Emax, Tmax
T7, Emax X1
1SDA081651R1

Container Information

Package Level 1 Units:	box 1 piece
------------------------	-------------

Additional Information

Product Main Type:	Accessories for Emax
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6, T7, X1
Suitable for Product Class:	SACE Emax, SACE Tmax T

Technical

Configuration Type:	Loose or configurable
Standards:	IEC

TARG.LASER-MADE IN ITALY XT-
T1..T6-Emax2
1SDA081669R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Units:	box 1 piece
------------------------	-------------

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT1, XT2, XT3, XT4, T1, T2, T3, T4, T5, T6, E1.2, E2.2, E4.2, E6.2

Technical


Configuration Type:	Mounted only
Remarks:	Label
Standards:	IEC



**Accessories Cover
E1.2 IEC -Castell
1SDA082145R1**



**Castell Accessories
Cover E2-6.2 Fixed
1SDA082146R1**



**Accessories Cover
E2.2...E6.2 Castell
KLC
1SDA082149R1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	E1.2	E2.2 E4.2 E6.2	E2.2 E4.2 E6.2
Suitable for Product Class:	Emax 2	Emax 2	Emax 2

Technical

Standards:	IEC	IEC	IEC
------------	-----	-----	-----



**KIT REAR CONNECTIONS TO -
U- FOR FIXED AND FIXED
PART 3p FOR 3 POLES IN
SERIES E2-E6 DC
1SDA082982R1**



**KIT REAR CONNECTIONS
TO -U- FOR FIXED AND
FIXED PART 4p FOR 4
POLES IN SERIES E2-E6 DC
1SDA082983R1**

Container Information

Package Level 1 Units:	box 1 piece	box 1 piece
------------------------	-------------	-------------

Additional Information

Product Main Type:	Accessories for Emax	Accessories for Emax
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory

Technical

Current Type:	DC	DC
Standards:	IEC	IEC

Kit for Remote Racking Device
E2.2..E6.2
1SDA085530R1

Dimensions

Product Net Weight:	0 kg
---------------------	------

Container Information

Package Level 1 EAN:	
Package Level 1 Gross Weight:	0 kg
Package Level 1 Units:	box 1 piece

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory

Installation kit DIN/
DOOR
1SDA085567R1

Kit cablaggi Ext 4p Ekip UP
1SDA085568R1

Dimensions

Product Net Weight:	0.1 kg	N/A
---------------------	--------	-----

Container Information

Package Level 1 EAN:		
Package Level 1 Units:	1 bag	1 bag

Additional Information

Product Main Type:	Accessories for Ekip UP	Accessories for Ekip UP
Product Name:	Accessory	Accessory
Product Type:	Digital Unit	Digital Unit
Suitable For:	Installation kit DIN/DOOR	Cable kit
Suitable for Product Class:	Ekip UP	Ekip UP

Technical

Configuration Type:	Loose	Loose
Standards:	IEC	IEC



Positioning device
type C
1SDA085570R1

Dimensions

Product Net Weight:	1.6 kg
---------------------	--------

Container Information

Package Level 1 EAN:	
Package Level 1 Units:	1 bag

Additional Information

Product Main Type:	Accessories for Ekip UP
Product Name:	Accessory
Product Type:	Digital Unit
Suitable For:	Positioning device type C
Suitable for Product Class:	Ekip UP

Technical

Configuration Type:	Loose
Standards:	IEC

	Measurement Enabler E1.2 1SDA107543R1	Measur Enabler with voltage sockets E1.2 1SDA107544 R1	Measurement Enabler E2.2 1SDA107545R1	Measur Enabler with voltage sockets E2.2 1SDA107546 R1
--	---	---	---	---

Dimensions				
Product Net Weight:	0.2 kg	0.2 kg	0.2 kg	0.2 kg

Container Information				
Package Level 1 Depth / Length:	200 mm	200 mm	200 mm	200 mm
Package Level 1 EAN:				
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	30 mm	30 mm	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	150 mm	150 mm	200 mm	200 mm

Additional Information				
Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory	Accessory
Suitable For:	E1.2	E1.2	E2.2	E2.2
Suitable for Product Class:	Emax 2	Emax 2	Emax 2	Emax 2

Technical				
Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable	Loose or configurable

	Measurement Enabler E4.2 1SDA107547R1	Measurement Enabler E6.2 1SDA107549R1	Measur Enabler with voltage sockets E4.2 1SDA107548R1
--	---	---	--

Dimensions

Product Net Weight:	0.2 kg	0.2 kg	0.2 kg
---------------------	--------	--------	--------

Container Information

Package Level 1 Depth / Length:	200 mm	200 mm	200 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	0.3 kg	0.3 kg
Package Level 1 Height:	50 mm	50 mm	50 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	E4.2	E6.2	E4.2
Suitable for Product Class:	Emax 2	Emax 2	Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable	Loose or configurable
---------------------	-----------------------	-----------------------	-----------------------

**Measur Enabler with voltage
sockets E6.2
1SDA107550R1**

Dimensions

Product Net Weight:	0.2 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	200 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.3 kg
Package Level 1 Height:	50 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E6.2
Suitable for Product Class:	Emax 2

Technical

Configuration Type:	Loose or configurable
---------------------	-----------------------



**Terminals E1.2...E6.2-XT7-
XT7M 8pz INST
1SDA114779R1**

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory

Technical

Current Type:	AC
Standards:	IEC



Terminals E1.2...E6.2-XT7-XT7M
18pz INST
1SDA114780R1

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory

Technical

Current Type:	AC
Standards:	IEC




Plate for front cover
E2.2...E6.2
1SDA114858R1

Additional Information


Product Main Type:	SACE Emax 2
Product Name:	Accessory

Technical

Current Type:	AC
Standards:	IEC



**Jumper E4.2DC
32-40IEC
16-32UL 1pc
spare
1SDA115471R1**



**Jumper E4.2DC
16-25 IEC
1pc
spare
1SDA115472R1**



**KitJumpE4.2
3200-4000IEC -
B- 2psUS INST
1SDA115473R1**



**KitJumpE4.2
3200-4000IEC
-A- 2psLS INST
1SDA115474R1**

Dimensions

Product Net Weight:	81 kg	81 kg	N/A	N/A
---------------------	-------	-------	-----	-----

Container Information

Package Level 1 Depth / Length:	785 mm	785 mm	N/A	N/A
Package Level 1 EAN:				
Package Level 1 Gross Weight:	95 kg	95 kg	N/A	N/A
Package Level 1 Height:	600 mm	600 mm	N/A	N/A
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	515 mm	515 mm	N/A	N/A

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessories	Accessories	Accessories	Accessories

Technical

Current Type:	DC	DC	DC	DC
Number of Poles:	4P	4P	4P	4P
Rated Insulation Voltage (U _i):	1500 V	1500 V	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC	1500 V DC	1500 V DC
Rated Voltage (U _r):	1500 V	1500 V	1500 V	1500 V
Short-Circuit Performance Level:	N	N	N	N
Standards:	N/A	N/A	IEC	IEC
Sub-type:	E4.2	E4.2	E4.2	E4.2

KitJumpE4.2

3200-4000IEC -

D- 4psUS INST

1SDA115475R1

KitJumpE4.2

3200-4000IEC -

C- 4psLS INST

1SDA115476R1

KitJumpE4.2

1600-2500IEC -

B- 2psUS INST

1SDA115477R1

KitJumpE4.2

1600-2500IEC -

A- 2psLS INST

1SDA115478R1

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessories	Accessories	Accessories	Accessories

Technical

Current Type:	DC	DC	DC	DC
Number of Poles:	4P	4P	4P	4P
Rated Insulation Voltage (U _i):	1500 V	1500 V	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC	1500 V DC	1500 V DC
Rated Voltage (U _r):	1500 V	1500 V	1500 V	1500 V
Short-Circuit Performance Level:	N	N	N	N
Standards:	IEC	IEC	IEC	IEC
Sub-type:	E4.2	E4.2	E4.2	E4.2



**KitJumpE4.2 1600-2500IEC -D-
4psUS INST
1SDA115479R1**

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessories

Technical

Current Type:	DC
Number of Poles:	4P
Rated Insulation Voltage (U _i):	1500 V
Rated Operational Voltage:	1500 V DC
Rated Voltage (U _r):	1500 V
Short-Circuit Performance Level:	N
Standards:	IEC
Sub-type:	E4.2



KitJumpE4.2
1600-2500IEC -
C- 4psLS INST
1SDA115480R1



KitJumpE4.2
3200 UL -
B-2psUS INST
1SDA115481R1



KitJumpE4.2
3200 UL -
A-2psLS INST
1SDA115482R1



KitJumpE4.2
3200 UL -
D-4psUS INST
1SDA115483R1

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessories	Accessories	Accessories	Accessories

Technical

Current Type:	DC	DC	DC	DC
---------------	----	----	----	----

Number of Poles:	4P	4P	4P	4P
Rated Insulation Voltage (U _i):	1500 V	1500 V	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC	1500 V DC	1500 V DC
Rated Voltage (U _r):	1500 V	1500 V	1500 V	1500 V
Short-Circuit Performance Level:	N	N	N	N
Standards:	IEC	UL	UL	UL
Sub-type:	E4.2	E4.2	E4.2	E4.2



KitJumpE4.2
2500 UL -
B-2psUS INST
1SDA115485R1



KitJumpE4.2
3200 UL -
C-4psLS INST
1SDA115484R1



KitJumpE4.2
2500 UL -
A-2psLS INST
1SDA115486R1



KitJumpE4.2
2500 UL -
D-4psUS INST
1SDA115487R1

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory
Product Type:	Accessories	Accessories	Accessories	Accessories

Technical

Current Type:	DC	DC	DC	DC
Number of Poles:	4P	4P	4P	4P
Rated Insulation Voltage (U_i):	1500 V	1500 V	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC	1500 V DC	1500 V DC
Rated Voltage (U_r):	1500 V	1500 V	1500 V	1500 V
Short-Circuit Performance Level:	N	N	N	N
Standards:	UL	UL	UL	UL
Sub-type:	E4.2	E4.2	E4.2	E4.2



**KitJumpE4.2 1600-2000 UL -
B- 2psUS INST
1SDA115489R1**

**KitJumpE4.2 2500 UL -C-
4psLS INST
1SDA115488R1**

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessories	Accessories

Technical

Current Type:	DC	DC
Number of Poles:	4P	4P
Rated Insulation Voltage (U _i):	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC
Rated Voltage (U _r):	1500 V	1500 V
Short-Circuit Performance Level:	N	N
Standards:	IEC	UL
Sub-type:	E4.2	E4.2



**KitJumpE4.2
1600-2000 UL
-A- 2psLS INST
1SDA115490R1**



**KitJumpE4.2
1600-2000 UL
-C- 4psLS INST
1SDA115492R1**



**KitJumpE4.2
1600-2000 UL
-D- 4psUS INST
1SDA115491R1**

Container Information

Package Level 1 EAN:			
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory	Accessory
Product Type:	Accessories	Accessories	Accessories

Technical

Current Type:	DC	DC	DC
Number of Poles:	4P	4P	4P
Rated Insulation Voltage (U _i):	1500 V	1500 V	1500 V
Rated Operational Voltage:	1500 V DC	1500 V DC	1500 V DC
Rated Voltage (U _r):	1500 V	1500 V	1500 V
Short-Circuit Performance Level:	N	N	N
Standards:	IEC	IEC	IEC
Sub-type:	E4.2	E4.2	E4.2



**cable for Ext CS
N UL
1SDA116734R1**

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory

Technical

Current Type:	AC
Remarks:	ReliaGear LV SG
Standards:	UL



Intelligent controller
ATS021
2TFF100012R1001



Intelligent controller
ATS022
2TFF100013R1001

Dimensions

Product Net Depth / Length:	160 mm	160 mm
Product Net Height:	145 mm	145 mm
Product Net Weight:	0.9 kg	1.4 kg
Product Net Width:	97 mm	97 mm

Additional Information

Product Type:	Accessory	Accessory
---------------	-----------	-----------



CT PR1 R250 3P
1250A F1
UXAB269301111

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F1
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
-----------------	---------



CT PR1 R400 4P
1250A F1
UXAB269301212



CT PR1 R400 3P
1250A F1
UXAB269301112



CT PR1 R400 3P
1250A F1/W
UXAB269301312

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F1	F1	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
-----------------	---------	---------	---------



**CT PR1 R800 3P
1250A F1
UXAB269301113**



**CT PR1 R800 4P
1250A F1
UXAB269301213**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F1	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**CT PR1 R1250 3P
1250A EN F1/W
UXAB269301314**



**CT PR1 R1250
3P 2000A F3S
UXAB26950110
1**



**CT PR1 R1250
3P 2000A
F2LHV
UXAB26940111
4**



**CT PR1 R1250
3P 2000A
F1BNS
UXAB26930113
4**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Suitable For:	F1	F3	F2	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F3->F6	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece	1 piece
-----------------	---------	---------	---------	---------



**CT PR1 R1250 3P
1600A F1
UXAB269301124**



**CT PR1 R1250 3P
1250A F1
UXAB269301114**



**CT PR1 R1250 3P
1000A F1
UXAB269301115**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F1	F1	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	N/A
Sub-type:	N/A	F1	N/A



**CT PR1 R1250
4P 2000V LHV
UXAB26940121
4**

**CT PR1 R1250 4P
1250A F1
UXAB269301214**

**CT PR1 R1250 4P
1600A F1
UXAB269301224**

**CT PR1 R1250
4P 2000V BNS
UXAB26930123
4**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Suitable For:	F2	F1	F1	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	N/A	1 piece	1 piece	1 piece
Sub-type:	N/A	F1	N/A	N/A



**CT PR1 R1600 3P 1600A
EN F1/W
UXAB269301325**



**CT PR1 R1600 3P
1600A F1
UXAB269301125**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F1	F1
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Sub-type:	N/A	F1



CT PR1 R1600 4P
1600A F1
UXAB269301225

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F1
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
Sub-type:	F1



**CT PR1 R2000 3P
2000A F1BNS/W
UXAB269301336**



**CT PR1 R2000 3P
2000A F1B-N-S
UXAB269301136**



**CT PR1 R2000 3P
2/3000A F3S
UXAB269501102**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F1	F1	F3
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece	1 piece
Sub-type:	N/A	F1	N/A



**CT PR1 R2000 3P
3000A F2S/F
UXAB269401126**



**CT PR1 R2000 3P
2/3000A F2
UXAB269401116**



**CT PR1 R2000 3P
32/3600AF4S
UXAB269601101**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F2	F2	F4
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F3->F6

Technical

Order Multiple:	N/A	1 piece	1 piece
Sub-type:	N/A	F2	N/A



**CT PR1 R2000 4P
2000A F1B-N-S
UXAB269301236**



**CT PR1 R2000 4P
2/3000 F3S
UXAB269501202**



**CT PR1 R2000 4P
2/3000A F2
UXAB269401216**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F1	F3	F2
Suitable for Product Class:	Megamax F1-F2	Megamax F3->F6	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
Sub-type:	F1	N/A	F2



**CT PR1 R2000
4P 32/3600AF4S
UXAB269601201**



**CT.PR1 R2000 4p
3200A F5H
UXAB269701201**



**CT PR1 R2000 4P
3000A F2S/F
UXAB269401226**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F4	F5	F2
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6	Megamax F1-F2



**CT PR1 R2500 4P
2500A F3S
UXAB269501203**



**CT PR1 R2500 3P
2500A F3S
UXAB269501103**



**CT PR1 R2500 3P
2500A F2/W
UXAB269401317**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F3	F3	F2
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
-----------------	---------	---------	---------



**CT PR1 R2500 3P
2500A F2
UXAB269401117**



**CT PR1 R2500 4P
2500A F2
UXAB269401217**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F2	F2
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece
Sub-type:	F2	F2



CT PR1 R3000 4P
3000VPS/W
UXAB269401218



CT PR1 R3000 3P
3000VPS/W
UXAB269401118



CT PR1 R3000 3P
3000VPS/F
UXAB269401128

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F2	F2	F2
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
Sub-type:	F2	F2	F2



**CT PR1 R3000 3P
3000A F3S
UXAB269501104**



**CT PR1 R3000 4P
2500A F3S
UXAB269501204**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F3	F3
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**CT PR1 R3200 4P
32/4000A F5H
UXAB269701202**

**CT PR1 R3200
3P 3200AF5H
UXAB26960110
2**

**CT PR1 R3200 3P
32/4000AF5H
UXAB269701102**

**CT PR1 R3200
4P 3200AF5H
UXAB26960120
2**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Suitable For:	F5	F4	F5	F4
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece	1 piece	N/A
Sub-type:	N/A	F4	N/A	F4



**CT PR1 R3600 3P
3600A F4S
UXAB269601103**



**CT PR1 R3600 4P
3600A F4S
UXAB269601203**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F4	F4
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**CT PR1 R4000 3P
4/5000A F5H
UXAB269701103**



**CT PR1 R4000 4P
4/5000A F5H
UXAB269701203**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F5	F5
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**CT PR1 R5000 3P
5000A F5H
UXAB269701104**



**CT PR1 R5000 4P
5000A F5H
UXAB269701204**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory
Suitable For:	F5	F5
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



CT PR1 R6300 3P
6300A F6H
UXAB269801101

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F6
Suitable for Product Class:	Megamax F3->F6

Technical

Order Multiple:	1 piece
-----------------	---------



DLR E2.2..E6.2
1SDA073845R1

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information


Package Level 1 Depth / Length:	200 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.101 kg
Package Level 1 Height:	20 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	170 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E2.2 E4.2 E6.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**Homopolar toroid E1.2..E6.2-XT7-
XT7M100A
1SDA073743R1**

Dimensions

Product Net Depth / Length:	225 mm
Product Net Height:	180 mm
Product Net Weight:	1.3 kg
Product Net Width:	120 mm

Container Information

Package Level 1 Depth / Length:	225 mm
Package Level 1 EAN:	8015644776763
Package Level 1 Gross Weight:	1.4 kg
Package Level 1 Height:	180 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	120 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC

E2B/
E20VERS.SPEC.1150VACnew(E
XTR)
1SDA059634R1

E2B/
E16VERS.SPEC.1150VACnew(E
XTR)
1SDA059633R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:		
Package Level 1 Units:	box 1 piece	box 1 piece

Additional Information

Product Main Type:	SACE Emax	SACE Emax
Product Name:	Air Circuit Breaker	Air Circuit Breaker
Product Type:	Air Circuit Breaker	Air Circuit Breaker
Suitable For:	E2	E2
Suitable for Product Class:	SACE Emax	SACE Emax

Technical

Current Type:	AC	AC
Mechanical Durability:	25000 cycle 60 cycles per hour	25000 cycle 60 cycles per hour
Power Loss:	115 W	115 W
Rated Current (I _n):	2000 A	1600 A
Rated Impulse Withstand Voltage (U _{imp}):	12 kV	12 kV
Rated Insulation Voltage (U _i):	1250 V	1250 V
Rated Operational Current (I _e):	2000 A	1600 A
Rated Operational Voltage:	1150 V AC	1150 V AC
Rated Short-time Withstand Current Low Voltage (I _{cw}):	for 1 s 30 kA	for 1 s 30 kA
Rated Uninterrupted Current (I _u):	2000 A	1600 A
Rated Voltage (U _r):	1150 V	1150 V
Short-Circuit Performance Level:	B	B
Standards:	IEC	IEC
Sub-type:	E2	E2

E3H/ E16VERS.SPEC.1150 VACnew(EXTR) 1SDA059639R1	E3H/ E12VERS.SPEC.1150 VACnew(EXTR) 1SDA059638R1	E3H/ E20VERS.SPEC.1150 VACnew(EXTR) 1SDA059640R1	E3H/ E25VERS.SPEC.1150 VACnew(EXTR) 1SDA059641R1
---	---	---	---

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:				
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece	box 1 piece

Additional Information

Product Main Type:	SACE Emax	SACE Emax	SACE Emax	SACE Emax
Product Name:	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker
Product Type:	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker
Suitable For:	E3	E3	E3	E3
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax	SACE Emax

Technical

Current Type:	AC	AC	AC	AC
Mechanical Durability:	20000 cycle 60 cycles per hour	20000 cycle 60 cycles per hour	20000 cycle 60 cycles per hour	20000 cycle 60 cycles per hour
Power Loss:	85 W	60 W	130 W	205 W
Rated Current (I _n):	1600 A	1250 A	2000 A	2500 A
Rated Impulse Withstand Voltage (U _{imp}):	12 kV	12 kV	12 kV	12 kV
Rated Insulation Voltage (U _i):	1250 V	1250 V	1250 V	1250 V
Rated Operational Current (I _a):	1600 A	1250 A	2000 A	2500 A
Rated Operational Voltage:	1150 V AC	1150 V AC	1150 V AC	1150 V AC
Rated Short-time Withstand Current Low Voltage (I _{cw}):	for 1 s 30 kA	for 1 s 30 kA	for 1 s 30 kA	for 1 s 30 kA
Rated Uninterrupted Current (I _u):	1600 A	1250 A	2000 A	2500 A
Rated Voltage (U _r):	1150 V	1150 V	1150 V	1150 V
Short-Circuit Performance Level:	H	H	H	H
Standards:	IEC	IEC	IEC	IEC
Sub-type:	E3	E3	E3	E3

E4H/
E32VERS.SPEC.1150VACnew(EX
TR)4
1SDA059643R1

E4H/
E40VERS.SPEC.1150VACnew(E
XTR)4
1SDA059644R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:		
Package Level 1 Units:	box 1 piece	box 1 piece

Additional Information

Product Main Type:	SACE Emax	SACE Emax
Product Name:	Air Circuit Breaker	Air Circuit Breaker
Product Type:	Air Circuit Breaker	Air Circuit Breaker
Suitable For:	E4	E4
Suitable for Product Class:	SACE Emax	SACE Emax

Technical

Current Type:	AC	AC
Mechanical Durability:	15000 cycle 60 cycles per hour	15000 cycle 60 cycles per hour
Power Loss:	235 W	360 W
Rated Current (I _n):	3200 A	4000 A
Rated Impulse Withstand Voltage (U _{imp}):	12 kV	12 kV
Rated Insulation Voltage (U _i):	1250 V	1250 V
Rated Operational Current (I _e):	3200 A	4000 A
Rated Operational Voltage:	1150 V AC	1150 V AC
Rated Short-time Withstand Current Low Voltage (I _{cw}):	for 1 s 65 kA	for 1 s 65 kA
Rated Uninterrupted Current (I _u):	3200 A	4000 A
Rated Voltage (U _r):	1150 V	1150 V
Short-Circuit Performance Level:	H	H
Standards:	IEC	IEC
Sub-type:	E4	E4

E6H/
E40VERS.SPEC.1150VACn
ew(EXTR)4
1SDA058550R1

E6H/
E63VERS.SPEC.1150VACn
ew(EXTR)4
1SDA058552R1

E6H/
E50VERS.SPEC.1150VACn
ew(EXTR)4
1SDA058551R1

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:			
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece

Additional Information

Product Main Type:	SACE Emax	SACE Emax	SACE Emax
Product Name:	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker
Product Type:	Air Circuit Breaker	Air Circuit Breaker	Air Circuit Breaker
Suitable For:	E6	E6	E6
Suitable for Product Class:	SACE Emax	SACE Emax	SACE Emax

Technical

Current Type:	AC	AC	AC
Mechanical Durability:	12000 cycle 60 cycles per hour	12000 cycle 60 cycles per hour	12000 cycle 60 cycles per hour
Power Loss:	265 W	650 W	415 W
Rated Current (I _n):	4000 A	6300 A	5000 A
Rated Impulse Withstand Voltage (U _{imp}):	12 kV	12 kV	12 kV
Rated Insulation Voltage (U _i):	1250 V	1250 V	1250 V
Rated Operational Current (I _o):	4000 A	6300 A	5000 A
Rated Operational Voltage:	1150 V AC	1150 V AC	1150 V AC
Rated Short-time Withstand Current Low Voltage (I _{cw}):	for 1 s 65 kA	for 1 s 65 kA	for 1 s 65 kA
Rated Uninterrupted Current (I _u):	4000 A	6300 A	5000 A
Rated Voltage (U _r):	1150 V	1150 V	1150 V
Release Type:	N/A	EL	N/A
Short-Circuit Performance Level:	H	H	H
Standards:	IEC	IEC	IEC
Sub-type:	E6	E6	E6

HMI030 SWIT.Display
T4-7/T7M
1SDA063143R3

Additional Information

Product Main Type:	Accessories for Tmax T
Product Name:	Accessory
Product Type:	Accessory



LTC low terminal covers E1.2
F 3p 2pcs
1SDA073873R1

LTC low terminal covers E1.2
F 4p 2pcs
1SDA073874R1

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 Depth / Length:	305 mm	180 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.515 kg	0.682 kg
Package Level 1 Height:	75 mm	90 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	135 mm	140 mm

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	E1.2	E1.2
Suitable for Product Class:	SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	3P	4P
Standards:	IEC	IEC



MOTOR/OP
100/130V= ~~AT~~3/6
UXAB269520939

MOTOR/OP
200/250V= ~~AT~~3/6
UXAB269520948

MOTOR/OP
200/250V= ~~AT~~1-2
UXAB269320948

MOTOR/OP
100/130V= ~~AT~~1-2
UXAB269320939

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory	Accessory
Suitable For:	F3	F3	F1	F1
	F4	F4	F2	F2
	F5	F5		
	F6	F6		
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece	1 piece
Technical Information:	CHARGING MOTOR	CHARGING MOTOR	MOTOR OPERATOR,200/250VAC	MOTOR OPERATOR,100/130VAC



MOTOR/OP
48/60V=F3/6
UXAB269520904



MOTOR/OP
48/60V=F1-2
UXAB269320904



MOTOR/OP
24/30V=F1-2
UXAB269320902

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg
---------------------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts
Product Name:	Accessory	Accessory	Accessory
Suitable For:	F3 F4 F5 F6	F1 F2	F1 F2
Suitable for Product Class:	Megamax F3->F6	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece
Technical Information:	N/A	CHARGING MOTOR	CHARGING MOTOR



**PB Sep. H=100mm 4pz E1.2-
XT7-XT7M3P
1SDA073877R1**



**PB Sep. H=100mm 6pz E1.2-
XT7-XT7M4P
1SDA073878R1**

Dimensions

Product Net Depth / Length:	180 mm	180 mm
Product Net Height:	15 mm	20 mm
Product Net Weight:	0.17 kg	0.17 kg
Product Net Width:	145 mm	145 mm

Container Information

Package Level 1 Depth / Length:	180 mm	180 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.17 kg	0.17 kg
Package Level 1 Height:	15 mm	20 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	145 mm	145 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	XT7-XT7M, E1.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC	IEC



**PB Sep. H=200mm 6pz E1.2-
XT7-XT7M
1SDA073880R1**



**PB Sep. H=200mm 4pz E1.2-
XT7-XT7M
1SDA073879R1**

Dimensions

Product Net Depth / Length:	230 mm	220 mm
Product Net Height:	35 mm	20 mm
Product Net Weight:	0.3 kg	0.3 kg
Product Net Width:	200 mm	145 mm

Container Information

Package Level 1 Depth / Length:	230 mm	220 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	35 mm	20 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	145 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	XT7-XT7M, E1.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Order Multiple:	1 piece	1 piece
Standards:	IEC	IEC



**RELEASE PR1/P LSIG
WITHOUT CT F3/6
UXAB269501010**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F3 F4 F5 F6
Suitable for Product Class:	Megamax F3->F6

Technical

Order Multiple:	1 piece
Sub-type:	F3 F4 F5 F6
Technical Information:	TRIP UNIT,PR1/P,BREAKR F5



**Toroid RC E1.2 3p/4p E2.2 3p-
XT7/M 3p/4p
1SDA073741R1**

Dimensions

Product Net Depth / Length:	520 mm
Product Net Height:	85 mm
Product Net Weight:	10 kg
Product Net Width:	370 mm

Container Information

Package Level 1 Depth / Length:	520 mm
Package Level 1 EAN:	8015644776749
Package Level 1 Gross Weight:	10.5 kg
Package Level 1 Height:	85 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	370 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	XT7-XT7M, E1.2, E2.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC



**Toroid RC E2.2 4p,
E4.2 3p
1SDA073742R1**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 Depth / Length:	600 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	15.5 kg
Package Level 1 Height:	85 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	240 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E2.2, E4.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Standards:	IEC



**TOR TRAN.Rc xPR122/3 E1/2
4p -E3 3p -T8
1SDA064553R1**



**TOR TRAN.Rc
xPR122/3-332/3 E1/2 3p-T7-
X1
1SDA063869R1**

Dimensions

Product Net Weight:	15 kg	10 kg
---------------------	-------	-------

Container Information

Package Level 1 EAN:		
Package Level 1 Gross Weight:	15.5 kg	10.5 kg
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Accessories for Tmax T	Accessories for Tmax T
Product Name:	Accessory	Accessory
Product Type:	ACC	Accessory
Suitable For:	E1, E2, E3, T8	E1, E2, T7, X1
Suitable for Product Class:	SACE Emax SACE Tmax T	SACE Emax SACE Tmax T

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Number of Poles:	N/A	3P
Standards:	IEC	IEC



**RRD Emax2 E1.2...E6.2 110
Vac/dc
1SDA085528R1**

**RRD Emax2 E1.2...E6.2 220
Vac/dc
1SDA085529R1**

Dimensions

Product Net Weight:	0 kg	0 kg
---------------------	------	------

Container Information

Package Level 1 EAN:		
Package Level 1 Gross Weight:	0 kg	0 kg
Package Level 1 Units:	box 1 piece	box 1 piece

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory



RRD Emax2 E1.2...E6.2 110
Vac/dc
1SDA085528R1

RRD Emax2 E1.2...E6.2 220
Vac/dc
1SDA085529R1

Dimensions

Product Net Weight:	0 kg	0 kg
---------------------	------	------

Container Information

Package Level 1 EAN:		
Package Level 1 Gross Weight:	0 kg	0 kg
Package Level 1 Units:	box 1 piece	box 1 piece

Additional Information

Product Main Type:	Accessories for Emax 2	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory



TA.PR1 R2000 III
3200A F5H
UXAB269701101

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F5
Suitable for Product Class:	Megamax F3->F6



**Upgrade kit
UL1066SA for
E1.2
1SDA115954R1**



**Upgrade kit
UL1066SA for
E2.2
1SDA115955R1**



**Upgrade kit
UL1066SA for
E6.2
1SDA115956R1**



**Upgrade kit
UL1066SA for FP
E6.2
1SDA117235R1**

Additional Information

Product Main Type:	SACE Emax 2	SACE Emax 2	SACE Emax 2	SACE Emax 2
Product Name:	Accessory	Accessory	Accessory	Accessory

Technical

Current Type:	AC	AC	AC	AC
Remarks:	UL1066SA	UL1066SA	UL1066SA	UL1066SA
Standards:	UL	UL	UL	UL



**LEVA SEZION.
II-III
1250/2000A
G2-LG-F1
UXAB23921300
1**



**LEVA SEZION.
IV 1250/2000A
G2-LG-F1
UXAB23921300
3**



**LEVA SEZION.
IV 2500/3000A
G2-LG-F2
UXAB23921302
3**



**LEVA SEZION.
II-III
2500/3000A
G2-LG-F2
UXAB23921302
1**

Dimensions

Product Net Weight:	1 kg	1 kg	1 kg	1 kg
---------------------	------	------	------	------

Container Information

Package Level 1 EAN:	IT	IT	IT	IT
Package Level 1 Units:	1 piece	1 piece	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part	Spare Part	Spare Part
Product Type:	ACC	ACC	ACC	ACC
Suitable For:	F1 G2 LG	F1 G2 LG	F1 G2 LG	F1 G2 LG
Suitable for Product Class:	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2	Megamax F1-F2

Technical

Order Multiple:	1 piece	1 piece	1 piece	1 piece
-----------------	---------	---------	---------	---------



**LEVER X AUX.CONT.Left -
Serv.Post.n F1-2
UXAB239260810**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Product Type:	ACC
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
-----------------	---------



**LEVERX AUX.CONT.Left-Serv
+Isol. F1-2
UXAB239260820**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Product Type:	ACC
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
Technical Information:	ARM FOR AUX CONT.

SIGN. SPRINGS CHARGED
G2-LG-F1-2
UXAB239263500

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
-----------------	---------



**TERMINAL BOARD FOR FIXED
BREAKER G-LG-F
UXAB239266500**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	F1 F2 F3 F4 F5 F6 LG G2 G3 G4 G5 G6
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
Technical Information:	TERMINAL BLOCK



**LEVA DI ESTRAZIONE
IV F3-G3
UXAB239313003**



**LEVA DI ESTRAZIONE II-
III F3-G3
UXAB239313001**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F3 G3	F3 G3
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6



LEVERX AUX.CONT.RIGHT - Serv
+ Isol.F3/6
UXAB239360930

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	F3 F4 F5 F6
Suitable for Product Class:	Megamax F3->F6

Technical

Order Multiple:	1 piece
Technical Information:	ARM FOR AUX CONT.

Sliding contact support for Open
Door version
UXAB239366500

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
----------------------	----

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Product Type:	ACC
Suitable For:	F3 G3
Suitable for Product Class:	Megamax F3->F6

**Sliding contact support
close Door
UXAB239367400**

**F3 - Sliding contact support
close Door
UXAB239367500**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F3 G3	F3
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**LEVA DI ESTRAZIONE II-
III F4-G4
UXAB239413001**

**LEVA DI ESTRAZIONE
IV F4-G4
UXAB239413003**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F4 G4	F4 G4
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



**LEVA DI ESTRAZIONE II-
III F5-G5
UXAB239513001**



**LEVA DI ESTRAZIONE
IV F5-G5
UXAB239513003**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Product Type:	ACC	ACC
Suitable For:	F5 G5	F5 G5
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6

Technical

Order Multiple:	1 piece	1 piece
-----------------	---------	---------



Standard Maintenance kit
Megamax F1/F2
UXAB269199300

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2



Upgrade Maintenance kit
Megamax F1/F2
UXAB269199301

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2



**RACKING CRANCK FOR
CLOSED DOOR
UXAB269314001**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Suitable For:	F1 F2 F3 F4 F5 F6
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
-----------------	---------



**CLOSING/OPENING PUSH BUTTON
PROTECTION F
UXAB269375001**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Spare Part
Suitable For:	F1 F2 F3 F4 F5 F6
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
Technical Information:	KEYBOARD OVERLAY



**MECH. OPERATION
COUNTER F1-F2
UXAB269396001**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F1 F2
Suitable for Product Class:	Megamax F1-F2

Technical

Order Multiple:	1 piece
-----------------	---------



9V Ni-MH battery for
PR1 relay
UXAB269399056



Dimensions

Product Net Weight:	1 kg
---------------------	------



Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece



Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F1
	F2
	F3
	F4
	F5
	F6
Suitable for Product Class:	Megamax F1-F2



Technical

Order Multiple:	1 piece
-----------------	---------



**STANDARD
MAINTENANCE KIT
MEGAMAX F3/F4
UXAB269599300**



**UPGRADE
MAINTENANCE KIT
MEGAMAX F3/F4
UXAB269599301**

Dimensions

Product Net Weight:	1 kg	1 kg
---------------------	------	------

Container Information

Package Level 1 EAN:	IT	IT
Package Level 1 Units:	1 piece	1 piece

Additional Information

Product Main Type:	Spare Parts	Spare Parts
Product Name:	Spare Part	Spare Part
Suitable For:	F3 F4	F3 F4
Suitable for Product Class:	Megamax F3->F6	Megamax F3->F6



**ELECTR. INDICATION UVR
ENERGIZED F1/6
UXAB269800205**

Dimensions

Product Net Weight:	1 kg
---------------------	------

Container Information

Package Level 1 EAN:	IT
Package Level 1 Units:	1 piece

Additional Information

Product Main Type:	Spare Parts
Product Name:	Accessory
Suitable For:	F1 F2 F3 F4 F5 F6
Suitable for Product Class:	Megamax F1-F2

YO/YC TEST UNIT TmaxT/XT-X1-
Emax-Emax2
1SDA082751R1

Dimensions

Product Net Depth / Length:	116 mm
Product Net Height:	66 mm
Product Net Weight:	0.216 kg
Product Net Width:	85 mm

Container Information

Package Level 1 Depth / Length:	116 mm
Package Level 1 Gross Weight:	0.216 kg
Package Level 1 Height:	66 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	85 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E1, E2, E3, E4, E6, T8, T7, X1, XT7-XT7M, E1.2, E2.2, E4.2, E6.2, XT1, XT2, XT3, XT4
Suitable for Product Class:	SACE Emax 2, SACE Emax, SACE Tmax T, SACE Tmax XT, X1

Technical

Configuration Type:	Loose or configurable
Order Multiple:	1 piece
Standards:	IEC



**YR 24 VDC E1.2-
XT7M
1SDA073744R1**



**YR 24 VDC
E2.2...E6.2
1SDA073747R1**

Dimensions

Product Net Depth / Length:	190 mm	N/A
Product Net Height:	40 mm	N/A
Product Net Weight:	0.2 kg	1 kg
Product Net Width:	200 mm	N/A

Package Level 1 Depth / Length:	190 mm	190 mm
Package Level 1 EAN:		
Package Level 1 Gross Weight:	0.3 kg	0.3 kg
Package Level 1 Height:	40 mm	40 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Emax 2
Product Name:	Accessory	Accessory
Product Type:	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	Loose or configurable
Current Type:	DC	DC
Order Multiple:	1 piece	N/A
Rated Voltage (U _r):	24 V	24 V
Standards:	IEC	IEC



**YR 110 VAC/DC
E1.2-XT7M
1SDA073745R1**

**YR 110 Vac/dc
FA1/HF1.2
1SDA085087R1**

**YR 110 VAC/DC
E2.2...E6.2
1SDA073748R1**

Dimensions

Product Net Depth / Length:	190 mm	N/A	N/A
Product Net Height:	40 mm	N/A	N/A
Product Net Weight:	0.2 kg	N/A	1 kg
Product Net Width:	200 mm	N/A	N/A

Container Information

Package Level 1 Depth / Length:	190 mm	N/A	190 mm
Package Level 1 EAN:			
Package Level 1 Gross Weight:	0.3 kg	N/A	0.3 kg
Package Level 1 Height:	40 mm	N/A	40 mm
Package Level 1 Units:	box 1 piece	box 1 piece	box 1 piece
Package Level 1 Width:	200 mm	N/A	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2, Accessories for Tmax XT	Accessories for Formula AIR	Accessories for Emax 2
Product Name:	Accessory	N/A	Accessory
Product Type:	Accessory	Accessory	Accessory
Suitable For:	XT7-XT7M, E1.2	N/A	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Tmax XT, SACE Emax 2	N/A	SACE Emax 2

Technical

Configuration Type:	Loose or configurable	N/A	Loose or configurable
Current Type:	AC/DC	N/A	AC/DC
Order Multiple:	1 piece	N/A	N/A
Rated Voltage (U _r):	110 V	N/A	110 V
Standards:	IEC	IEC	IEC



**YR 220 Vac/dc
FA1/HF1.2
1SDA085088R1**

**YR 220 VAC/DC
E1.2-XT7M
1SDA073746R1**

Dimensions

Product Net Depth / Length:	N/A	190 mm
Product Net Height:	N/A	40 mm
Product Net Weight:	N/A	0.2 kg
Product Net Width:	N/A	200 mm

Package Level 1 Depth / Length:	N/A	190 mm
Package Level 1 EAN:	N/A	
Package Level 1 Gross Weight:	N/A	0.3 kg
Package Level 1 Height:	N/A	40 mm
Package Level 1 Units:	box 1 piece	box 1 piece
Package Level 1 Width:	N/A	200 mm

Additional Information

Product Main Type:	Accessories for Formula AIR	Accessories for Emax 2, Accessories for Tmax XT
Product Name:	N/A	Accessory
Product Type:	Accessory	Accessory
Suitable For:	N/A	XT7-XT7M, E1.2
Suitable for Product Class:	N/A	SACE Tmax XT, SACE Emax 2

Technical

Configuration Type:	N/A	Loose or configurable
Current Type:	N/A	AC/DC
Order Multiple:	N/A	1 piece
Rated Voltage (U _r):	N/A	250 V
Standards:	IEC	IEC



YR 250 VAC/DC
E2.2...E6.2
1SDA073749R1

Dimensions

Product Net Weight:	0.2 kg
---------------------	--------

Container Information

Package Level 1 Depth / Length:	190 mm
Package Level 1 EAN:	
Package Level 1 Gross Weight:	0.3 kg
Package Level 1 Height:	40 mm
Package Level 1 Units:	box 1 piece
Package Level 1 Width:	200 mm

Additional Information

Product Main Type:	Accessories for Emax 2
Product Name:	Accessory
Product Type:	Accessory
Suitable For:	E2.2, E4.2, E6.2
Suitable for Product Class:	SACE Emax 2

Technical

Configuration Type:	Loose or configurable
Current Type:	AC/DC
Rated Voltage (U _r):	250 V
Standards:	IEC

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahk@nt-rt.ru || сайт: <https://abbswitch.nt-rt.ru>